
1

PENDANT
PLUSMINUS
FLOOR & TABLE

2

CEILING
WALL
OUTDOOR





Better Spaces,
Better Lives

Vibia exists to create beautiful **atmospheres** that enhance **wellbeing.**

We put **people at the centre** of everything we do; we aim to improve lives by helping professionals create better spaces for everyone to enjoy. This purpose is **shared across the entire space-design ecosystem.**




Shaping Atmospheres


We aim to lead a new approach to lighting focused on **people's emotions,** elevating interior design as a fundamental discipline for the cultivation of **wellbeing.**


We propose a new approach to designing **emotional atmospheres** based on the creation of specific **scenes** according to the use of a space over time, integrating dynamic light and advanced **control system** design. To support this, we offer a holistic product portfolio that provides a unique blend of lighting effects.

Relaxation



Activation







Concentration



Socialisation

Elevating Interior Design







Interior design is fundamental
to the cultivation of **wellbeing.**

The designers job is to create beautiful spaces that **generate positive emotions.** This begins with an understanding of how the human brain perceives sensory cues and the influence they have on our emotional response to a space.
The inter-relationship between the physical and spatial elements, the texture, form and composition of objects, the interior design, and the light, all depend on the specific atmosphere we want to achieve.


Vibia Portfolio:
A Holistic Approach



Creating scenes of wellbeing through a **unique blend of lighting effects**



Diffuse




Indirect



Direct

We combine different lighting typologies with different levels of density, experimenting with a synthesis of **diffuse, indirect** and **direct** light to create the perfect ambience at any time of day.

Creating scenes of wellbeing with **dynamic light**



Dynamic light allows professionals to play with **subtle degrees of intensity and colour** to recreate an ambience for every scene within a lighting project.

Comfortable Environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Tunable lighting allows for comprehensive colour temperature and intensity regulation depending on the desired atmosphere for every scene. Combining tunable white lights with diffuse and indirect lighting effects allows you to design the perfect scene for every moment or use.

Chromatica Colours of Light

Natural light is never mono-tonal. Vibia's approach to the use of coloured light and gradients is to create beautiful atmospheres that are as natural and subtle as possible.

Static White

2200 K · 2500 K · 2700 K

3000 K · 3500 K · 4000 K

Tunable White

1800 K — 4000 K

Dim-To-Warm

1800 K — 3000 K

Tunable Red

Red — 2700 K

Colour Moods

Still - A pale and thin green light, inspired by the very first rays of morning sun

Vivid - A vibrating blue with a hint of pale yellow for a feeling of liveliness


Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones


Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

Sustainable Development



By creating better spaces we contribute to individual wellbeing, minimising our environmental impact on the planet and generating shared value across all our communities.



People’s Wellbeing

Atmospheres of Wellbeing

We aim to introduce a new approach to lighting based on the **creation of atmospheres** that foster wellness and enrich people’s lives.

Decoding Emotion

This starts with an understanding of how the human brain perceives sensory cues, decoding and maximising the **emotional impact** of a space.


Exploring Space Usage

We explore how individuals will **use a space** and design adaptable, hybrid scenes to accommodate their needs over time.

Dissemination of Knowledge

We contribute to the **elevation of interior design** as fundamental to the cultivation of wellbeing and to the dissemination of knowledge in the creation of atmospheres of wellbeing.

Minimising our Environmental Impact



Eco Design and Circularity


We are committed to design that lasts, minimising the amount of material and maximising the use of natural, recycled and recyclable materials.
Reusability, sustainable packaging, installation, replaceability and disassembly are essential elements of our designs.
This approach significantly reduces waste generation and supports the principles of a **circular economy.**

Decarbonisation

Our decarbonisation strategy focuses on **reducing our carbon footprint** by setting emission targets, minimising travel impact **through digitalisation** across the customer journey, and prioritising the **use of renewable energy.**

Energy Saving

Our environmental commitment involves **reducing energy consumption** by integrating energy-efficient components, controls, and systems that enhance lighting efficiency and quality.



Shared Value with Our Communities

Professional Space Design Community

Vibia fosters collaboration and co-creation within the space-design ecosystem, providing both digital and physical support services to ensure a **seamless customer journey.**

Vibia: The Place to Be

Our team of employees and collaborators comprises experts with diverse industry knowledge, fostering an inclusive, diverse, and **collaborative culture.**

Responsible Ecosystem

Our approach to responsible business practices includes corporate compliance, adherence to sustainability standards, recognitions in Environmental, Social, and Governance (ESG) criteria, and partnerships with **ESG-compliant suppliers.**

Social Commitment

We actively engage with local communities, promoting **social responsibility**, providing **education** and professional training opportunities, and **creating better spaces** for everyone to enjoy.

Volume 1

Pendant	1
Plusminus	271
Floor & Table	355
Lighting Typologies	486
Support Portfolio	490
Item index	492
Acknowledgements	495

Volume 2

Ceiling	1
Wall	209
Outdoor	359
Lighting Typologies	472
Support Portfolio	476
Item index	478
Acknowledgements	481

Collections

Africa
Floor & Table
Vol 1 356

Algorithm Free
Pendant
Vol 1 200

Algorithm Grid
Pendant
Vol 1 206

Alpha
Wall
Vol 2 316

Array
Pendant
Vol 1 2

Balance
Floor & Table
Vol 1 400

Bamboo
Outdoor
Vol 2 414

Bigger
Pendant
Vol 1 176
Ceiling
Vol 2 202

Bind
Pendant
Vol 1 240
Ceiling
Vol 2 128

Bind Solo
Ceiling
Vol 2 148

Break
Outdoor
Vol 2 430

Break Plus
Outdoor
Vol 2 435

Brisa
Outdoor
Vol 2 402

Circle
Ceiling
Vol 2 18

Circus
Pendant
Vol 1 32
Ceiling
Vol 2 42

Circus Solo
Pendant
Vol 1 56
Ceiling
Vol 2 62

Class
Outdoor
Vol 2 456

Cosmos
Pendant
Vol 1 160

Dama
Pendant
Vol 1 20
Floor & Table
Vol 1 364

Dots
Wall
Vol 2 242

Dots Glass
Wall
Vol 2 252
Outdoor
Vol 2 372

Dots Outdoor
Outdoor
Vol 2 360

Duo
Ceiling
Vol 2 2

Duo Petra
Ceiling
Vol 2 12

Empty
Outdoor
Vol 2 408

Flamingo
Pendant
Vol 1 154

Flamingo Mini
Pendant
Vol 1 144

Flat
Pendant
Vol 1 94
Floor & Table
Vol 1 405
Ceiling
Vol 2 68

Funnel
Ceiling
Vol 2 172
Wall
Vol 2 300

Ghost
Pendant
Vol 1 90
Floor & Table
Vol 1 438

Guise
Pendant
Vol 1 110
Ceiling
Vol 2 168
Wall
Vol 2 288

Halo
Pendant
Vol 1 218
Wall
Vol 2 336

Halo Jewel
Pendant
Vol 1 224

I.Cono
Floor & Table
Vol 1 424
Wall
Vol 2 308

Jazz
Floor & Table
Vol 1 444

June
Outdoor
Vol 2 446

Knit
Pendant
Vol 1 26
Floor & Table
Vol 1 378

Kontorno
Pendant
Vol 1 80
Wall
Vol 2 278

Lily
Pendant
Vol 1 14
Floor & Table
Vol 1 372

Line
Ceiling
Vol 2 76

Match
Pendant
Vol 1 166

Collections

Mayfair
Pendant
Vol 1 194
Floor & Table
Vol 1 394

Mayfair Mini
Floor & Table
Vol 1 388

Meridiano
Outdoor
Vol 2 450

Musa
Floor & Table
Vol 1 454
Wall
Vol 2 296

North
Pendant
Vol 1 264
Floor & Table
Vol 1 412
Wall
Vol 2 330

Offset
Floor & Table
Vol 1 460
Ceiling
Vol 2 94
Wall
Vol 2 348

Origami
Wall
Vol 2 312
Outdoor
Vol 2 388

Out
Floor & Table
Vol 1 468
Outdoor
Vol 2 378

Palma
Pendant
Vol 1 170
Ceiling
Vol 2 116
Wall
Vol 2 256

Palo Alto
Outdoor
Vol 2 394

Pin
Floor & Table
Vol 1 418
Wall
Vol 2 262

Plusminus
Plusminus
Vol 1 271

Plusminus Solo
Floor & Table
Vol 1 472
Ceiling
Vol 2 120
Wall
Vol 2 216

Puck
Ceiling
Vol 2 192
Wall
Vol 2 320

Puck Wall Art
Wall
Vol 2 324

Rhythm Horizontal
Pendant
Vol 1 182

Rhythm Vertical
Pendant
Vol 1 188

Set
Wall
Vol 2 274

Skan
Pendant
Vol 1 116
Floor & Table
Vol 1 434

Slim
Pendant
Vol 1 212

Spa
Ceiling
Vol 2 182
Wall
Vol 2 232

Sticks
Pendant
Vol 1 66
Wall
Vol 2 340

Sticks Solo
Pendant
Vol 1 384
Floor & Table
Vol 1 384

Structural
Ceiling
Vol 2 176
Wall
Vol 2 268

Suite
Floor & Table
Vol 1 430
Wall
Vol 2 304

Tempo
Pendant
Vol 1 234
Wall
Vol 2 226

Top
Ceiling
Vol 2 36
Wall
Vol 2 210

Tube
Pendant
Vol 1 106

Tube Free
Pendant
Vol 1 100
Ceiling
Vol 2 196

Up
Ceiling
Vol 2 188

Warm
Pendant
Vol 1 122
Floor & Table
Vol 1 448

Wind
Pendant
Vol 1 230
Outdoor
Vol 2 422

Wireflow
Pendant
Vol 1 126

Wireflow Chandelier
Pendant
Vol 1 140

Wireflow Free
Pendant
Vol 1 134

Wireflow Lineal
Pendant
Vol 1 130

Pendant

Pendant

Algorithm
Free
200

Algorithm
Grid
206

Array
2

Bigger
176

Bind
240

Circus
32

Circus
Solo
56

Cosmos
160

Dama
20

Flamingo
154

Flamingo
Mini
144

Flat
94

Ghost
90

Guise
110

Halo
218

Halo
Jewel
224

Knit
26

Kontorno
80

Lily
14

Match
166

Mayfair
194

North
264

Palma
170

Rhythm
Horizontal
182

Rhythm
Vertical
188

Skan
116

Slim
212

Sticks
66

Sticks
Solo
74

Tempo
234

Tube
106

Tube
Free
100

Warm
122

Wind
230


Wireflow
126

Wireflow
Chandelier
140

Wireflow
Free
134

Wireflow
Lineal
130

Array



Design by Umut Yamac.

A striking pendant of impressive
proportions, Array is an exploration
of thread and its potential to create
lightweight and dynamic sculptures of light.



Composed of an array of fine technical threads pulled taut between two aluminum rings, Array presents a wide range of conical and cylindrical silhouettes that can be combined together to form a compelling installation.

The spacing distribution of the threads creates translucency and volume, whilst the layering effect gives the illusion of movement. Suspended overhead, Array emits a pleasant downlight projected from an invisible source concealed within the lower ring.

At the same time, indirect light washes upwards in a gradient of colour, enveloping rather than invading the space it occupies.













Height 70 cm



1800

Ø 37 cm



1815


Ø 54,5 cm

Height 110 cm




1805

Ø 37 cm




1820

Ø 54,5 cm



1830

Ø 82,5 cm



1840

Ø 124 cm

Height 190 cm



1810

Ø 37 cm



1825

Ø 54,5 cm



1835

Ø 82,5 cm



1845

Ø 124 cm

Height 70 cm



1850

Ø 54,5 cm

Height 110 cm



1855

Ø 54,5 cm



1865

Ø 82,5 cm



1875

Ø 124 cm

Height 190 cm



1860

Ø 54,5 cm



1870

Ø 82,5 cm



1880

Ø 124 cm

Threads.

- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)

Rings.

- 11 Black (S 8500-N)

Textile threads: Polyester FR (Flame retardant)
Upper ring: Aluminum
Bottom ring: Brass


LED Colour Temperature

2700 K
CRI>90

Control

Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options





Lily



Design by Ludovica+Roberto Palomba.

The simplicity of Lily's refined silhouette makes this fixture ideal for an elegant interior with a relaxed ambience. Suspended from a high ceiling or positioned strategically about the room, its graceful glass diffuser radiates brings a sense of warmth and wellbeing.





5730

Ø 49 cm

5730

Ø 49 cm

11 Black (NCS S 8500-N)

25 Beige D1 (NCS S 4005-Y50R)

Shade: Triple opal blown glass
Body: Aluminum

LED Colour Temperature

2700 K
CRI>90

Control

Analog: 1-10V; Push
Digital: DALI-2
Smart: Casambi

Electrical connection options



Remote Built-in Surface



Pg 14 VOL 1

Pg 372 VOL 1

Dama



Design by Ludovica+Roberto Palomba.

Dama is a homage to the classic lamp, ideal for shaping an intimate atmosphere with an elevated aesthetic. Combining technical quality with a layer of warmth and intimacy, the collection connects the charm of tradition with the finesse of contemporary lighting design.





Cutting-edge invisible technology allows Dama's circular light source to radiate with a gentle, uniform glow from within. Suspended from a micro-thin cable that's almost invisible to the eye, the pendant exhibits an ethereal quality, its graceful silhouette looming overhead.

11 Black (S 8500-N)

25 Beige D1 (NCS S 4005-Y50R)

Shade: Paper
Body: Aluminum

LED Colour Temperature

2700 K
CRI>90

Control

Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options

Remote



Built-in



Surface



Free Wire



3235

Ø 45 cm



Pg 20 VOL 1



Pg 364 VOL 1



Knit



Design by Meike Harde.


Light, materiality and tangibility collide with the Knit collection. Its texture is magnetic, calling out for us to touch its surface, to feel its warmth and to keep it close. Light seeps outwards through the fabric transmitting a soft 360° glow.







While the urchin, a symbol of fertility, conceals a soft inside beneath its protective outer shell, Knit delights in the femininity and softness of its outer layer. It exudes intimacy, comfort and familiarity.





7450
Ø 45 cm



7455
Ø 45 cm



7460
Ø 45 cm



7470
Ø 65 cm



7475
Ø 65 cm

24 Beige M1 (NCS S 2005-Y50R)

Fabric shade: PES FR
Shade: PE- Polyethylene
Diffuser: PMMA
Diffuser ring: ABS

LED Colour Temperature
2700 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options

Remote



Built-in




Surface



Free Wire



Pg 26 VOL 1




Pg 378 VOL 1

Circus



Volumetric Diffuser



Hidden Diffuser



Accent Spotlight



Accent Downlight



Reflected Light


Design by Antoni Arola.


Circus is defined by its minimalist structure and signature conductive bar, delicately balanced by opposing elements to create a festival of light. A creative toolkit full of possibilities to explore and enjoy that offers total freedom of composition, multiple components and a myriad of diffuse and accented lighting effects.



Its structure is developed both vertically and horizontally and combines volumetric diffusion effects, hide diffusers, spot and indirect lighting. This system turns the professional into a composer of atmospheres, where object luminaires can be combined with functional elements.
















Suspended from the ceiling and positioned at any angle, the discs reflect rather than emit light. Lustrous and ethereal, these halos cast spherical shadows evocative of a circus performance or lunar eclipse when positioned above a spot.











Suspended in parallel to form an equilibrium or poised in asymmetrical harmony, the slender and distinctive bar amplifies the possibilities for shaping a space. Whether composed independently, as a pair or fixed to the ceiling, it conducts electricity and transports light to different points of interest, creating a visual hierarchy within the space and between the surrounding objects.


















Circus offers a variety of fixtures that can be built into the conductive bar, suspended from a track or hung directly from the surface of the ceiling. The bar amplifies the possibilities for shaping a space by conducting electricity and transporting light to wherever it is needed.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Electrical connection options



Remote Built-in Surface

Pendant Tracks

A358 (H 3m)
A359 (H 9m)

110 cm



A364 (H 3m)
A365 (H 9m)

150 cm



A370 (H 3m)
A371 (H 9m)

200 cm



A376 (H 3m)
A377 (H 9m)

110 cm



A382 (H 3m)
A383 (H 9m)

150 cm



A388 (H 3m)
A389 (H 9m)

200 cm



With a choice of black (11) or beige (24) finishings and dimming control, Circus offers a variety of fixtures that can be built into the conductive bar, suspended from a track or hung directly from the surface of the ceiling. With a traditional light rail the connection is visible from below, but with Circus, the luminaires can be connected to the bar from above, sealed with a cover and with pendants passing seamlessly through the lower section.
This innovation has a significant impact on the aesthetic purity of the design.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Volumetric Diffuser
Diffuser: PE- Polyethylene

Hidden Diffuser
Shade: Aluminum
Diffuser: PC- Polycarbonate

Spots / Downlight
Body: Aluminum
Lens: PMMA

Pendant Spot
Body: Zinc Alloy
Lens: PMMA

LED Colour Temperature

Volumetric Diffuser / Hidden Diffuser

Static White
2700 K; 3000 K; 3500 K

Tunable White (1800 K- 4000 K)

Tunable Red (Red - 2700 K)

Spots / Downlight

Static White
2700 K - 680 lm
3000 K - 711 lm
3500 K - 737 lm
7,2W

Only ref. 0131, 0132,
0141, 0142, 0152 and 0153
Tunable White (1800 K - 4000 K)
Smart (P2P)
308 lm - 504 lm 5,5W

Only ref. 0131, 0141 and 0152
Tunable Red (Red - 2700 K)
Smart (P2P)
155 lm - 581 lm 7W

CRI>90

Control

Digital: DALI-2 (P2P)
Smart: Casambi (simultaneous line);
Casambi (P2P); ProtoPixel* (P2P)

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on **vibia.com**

Volumetric Diffuser


PENDANT

0162



Ø 20 cm

0167



Ø 45 cm

DIRECT TO TRACK


0164

Ø 20 cm

Hidden Diffuser

PENDANT

0155



Ø 40 cm

DIRECT TO TRACK

0157



Ø 40 cm

Accent Spotlight

PENDANT

0140 Narrow
0141 Medium
0142 Wide



Ø 4 cm



DIRECT TO TRACK

0130 Narrow
0131 Medium
0132 Wide



Ø 4 cm


Accent Downlight

DOWNLIGHTS

0151 Narrow
0152 Medium
0153 Wide



Ø 4 cm



Pg 32 VOL 1 Pg 42 VOL 2


Suspended from the ceiling and positioned at any angle, a range of reflector discs reflect diffuse light from a spot angled towards them. Lustrous and ethereal, they cast a spherical shadow on the adjacent surface like a lunar eclipse.

11 Black
(Bottom face: White / Top face: Black)

Reflected Light


LIGHT REFLECTOR

A146



Ø 40 cm H 9 m

A147



Ø 60 cm H 9 m





Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .


Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing.

A source of emotion

Vibia's approach to coloured light invites the use of colour and intensity to create and experience different atmospheres, making them as natural and subtle as possible.

Colour is a source of emotion, it can instantly set a mood, convey a feeling or generate a sense of wellbeing.





Static, tunable white and tunable red

Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White

2700 K 3000 K 3500 K

Tunable White


1800 K 4000 K

Tunable Red


Red 2700 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Circus Solo



Volumetric Diffuser



Hidden Diffuser




Accent Spotlight




Reflected Light


Design by Antoni Arola.

The Circus system incorporates a range of independent elements that can be surface mounted to the ceiling, including spots, downlights and general lighting fixtures. This line allows professionals to create harmonic compositions and subtle atmospheres that break with the standards.











11 Black (NCS S 8500-N)
24 Beige M1 (NCS S 2005-Y50R)

Volumetric Diffuser
Diffuser: PE- Polyethylene
Top cover: Aluminum

Hidden Diffuser
Shade: Aluminum
Diffuser: PC- Polycarbonate
Top cover: Aluminum

Spots
Body: Zinc Alloy
Lens: PMMA

LED Colour Temperature

Volumetric Diffuser / Hidden Diffuser

Static White
2700 K; 3000 K; 3500 K

Tunable White (1800 K- 4000 K)

Tunable Red (Red - 2700 K)

Pendant Spot

Static White
2700 K - 680 lm
3000 K - 711 lm
3500 K - 737 lm
7,2W

Only ref. 0177 and 0178
Tunable White (1800 K - 4000 K)
Smart
308 lm - 504 lm 5,5W

Only ref. 0177
Tunable Red (Red - 2700 K)
Smart
155 lm - 581 lm 7W

CRI>90

Control

Analog: Push
Digital: DALI-2*
Smart: Casambi;

*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Electrical connection options



Remote Built-in Surface


Accent Spotlight

Surface Built-In

0176 Narrow
0177 Medium
0178 Wide



Ø 4 cm





Pg 56 VOL 1 Pg 62 VOL 2

Volumetric Diffuser

Surface Built-In

0185



Ø 20 cm

0187



Ø 45 cm

Surface Built-In Remote

0193
150 x max. 200 cm




Ø 20 cm

Hidden Diffuser

Surface Built-In

0182



Ø 40 cm

Surface Built-In Remote


0196
150 x max. 200 cm



Ø 40 cm

Suspended from the ceiling and positioned at any angle, a range of reflector discs reflect diffuse light from a spot angled towards them, rather than emitting their own light. Lustrous and ethereal, they cast a spherical shadow on the adjacent surface like a lunar eclipse.

11 Black
(Bottom face: White / Top face: Black)



Reflected Light

LIGHT REFLECTOR

A146

Ø 40 cm H 9 m

A147

Ø 60 cm H 9 m



Updated detailed spec sheets
on **vibia.com**

Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .


Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing.

A source of emotion

Vibia's approach to coloured light invites the use of colour and intensity to create and experience different atmospheres, making them as natural and subtle as possible.

Colour is a source of emotion, it can instantly set a mood, convey a feeling or generate a sense of wellbeing.





Static, tunable white and tunable red

Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option al lows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White



Tunable White

Tunable Red




Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Sticks

Design by Arik Levy.

Fusing technology, space, and architecture, Sticks offers a creative toolkit for integrating light elements into an interior environment. Graphic in form, the collection consists of minimalist Aluminum rods that transform linear light into a floating sculpture.

















11 Black (NCS S 8500-N)

Stick: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Surface canopy, Built-in, Remote driver: 1-10V.

Electrical connection options


Surface canopy


Built-in disc S


Remote driver Built-in Micro


Horizontal Pendants version with a UGR index <19 available.

Create your own composition easy and quick at **vibia.com** selecting the option that best fits your needs.


Pg 66 VOL 1


Pg 340 VOL 2

Connecting space application


Custom configurations include ceiling-to-ceiling, wall-to-wall, floor-to-wall, wall-to-ceiling, or suspended from the ceiling into open space. Through their physical form and the light they cast, they create and disrupt architectural planes.

Connectable


The Sticks collection has three sizes: 1.5 m , 2 m, or 3 m, and they can be connected one to each other to a total maximum lenght of 6.5 meters per electrical connection.

1.5 m 2 m 3 m


Sticks are connected one to each other with a 15 cm length cord.


Each stick rotates on its own axis, allowing light to be directed precisely where needed.

Pendnats-Wall




7310
7311 UGR<19
Stick 153 x 3 x 2 cm

7313
7314 UGR<19
Stick 204 x 3 x 2 cm

7316
7317 UGR<19
Stick 303 x 3 x 2 cm

Vertical Pendant




7350
Stick 152 x 3 x 2 cm

7353
Stick 201 x 3 x 2 cm

7356
Stick 300 x 3 x 2 cm

Pendants-Pendants



7320
7321 UGR<19
Stick 152 x 3 x 2 cm

7323
7324 UGR<19
Stick 201 x 3 x 2 cm


7326
7327 UGR<19
Stick 300 x 3 x 2 cm


Sticks Solo


Design by Arik Levy.

A pure solution for a minimalist interior, Sticks Solo features a range of horizontal pendants of various lengths and incorporates a range of electrical connection options for seamless integration with the surrounding architecture.
















The stick rotates on its own axis, allowing light to be directed precisely where needed

11 Black (NCS S 8500-N)

Stick: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature

2700 K; 3000 K; 3500 K
CRI>90

Control

Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options


Surface canopy


Built-in disc S


Remote Micro

Remote XXS


7360
7361 UGR<19
152 x 2 x 3 cm




7363
7364 UGR<19
201 x 2 x 3 cm



7365
7366 UGR<19
307 x 2 x 3 cm



7368
7369 UGR<19
405 x 2 x 3 cm





Linear flat diffuser



Horizontal Pendants version with a UGR index <19 available.



Pg 74/384 VOL 1




Kontorno

Design by Sebastian Herkner.

Consisting of an elegant linear framework complemented by a cylindrical diffuser or curved reflector, the Kontorno collection envelops the light source it contains, offering diffuse, balanced illumination.







The Kontorno pendant consists of a streamlined silhouette that appears to float from invisible cables. Embedded with LEDs, curved volumes are balanced by sleek geometric architecture.
The reflector lends an intentional look of raining light.

● 11 Black (NCS S 8500-N)

Concave shade: Aluminum
Diffuser: PC- Polycarbonate
Pendant structure: Steel
Canopy: Aluminum


LED Colour Temperature

2200 K; 2700 K; 3000 K; 3500 K
CRI>90

Control

Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi


Aluminum Shade



6434
92 cm



6436
122 cm



6438
162 cm





Pg 80 VOL 1

Pg 278 VOL 2





The Kontorno pendant consists of a streamlined silhouette that appears to float from invisible cables. Embedded with LEDs, curved volumes are balanced by sleek geometric architecture. The cylindrical diffuser evenly illuminates the surrounding space.

11 Black (NCS S 8500-N)

Glass shade: Opal triplex
Diffuser: PC- Polycarbonate
Pendant structure: Steel
Canopy: Aluminum

LED Colour Temperature

2200K; 2700 K; 3000K
CRI>90

Control

Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Glass Shade



6474
92 cm



6476
122 cm





Pg 80 VOL 1

Pg 278 VOL 2

Ghost

Design by Arik Levy.

A study in contrasts, the Ghost collection embodies both spirit and materiality, discretion and presence. A contemporary reimagining of the grand lights that once graced entryways and living areas, its sensuous form radiates with a warm, welcoming glow.



4987

Ø 47,5 cm

True to its namesake, the Ghost pendant possesses an ethereal presence. Large in scale yet elegant in sensibility, the luminaire floats overhead from nearly invisible cables to provide a striking focal point in any space. Crafted meticulously of mouth-blown opal triplex glass, Ghost's rich, smooth material generates a warm, ambient glow.


11 Black (NCS S 8500-N)

Diffuser: Opal Glass
Metal parts: Aluminum

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi





Pg 90/438 VOL 1



Flat


Design by Ichiro Iwasaki.

A study in geometry, the Flat collection features distinctive, disc-shaped diffusers that form horizontal planes of light, infusing a space with pools of soft illumination.





INDIVIDUAL MODEL



5930
Ø 90 cm



5935
Ø 40 cm



5940
Ø 55 cm

13 Off-White (NCS S 1000-N)
37 Terra Red (NCS S 4040-Y70R)
47 Green L1 (NCS S 4005-G80Y)

Shade: Aliminum
Diffuser: PC- Polycarbonate
Pendant structure: Steel
Canopy: Aluminum

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Ref. 5935 and 5940.
Electrical connection options




Remote Built-in Surface Free Wire

Upper side of the disc available in:
Off-White, Terra Red y Green L1.







Pg 94/405 VOL 1


Pg 68 VOL 2

MULTIPLE MODELS


Set your composition to **vibia.com**




















Tube Free



Design by Ichiro Iwasaki.

Tube Free seemingly emancipates the tube from its point of connection to create a landscape of independent pendants. When set out over a space, the arrangement of numerous tubes of equal or varying heights creates a delicate structure and facilitates a harmonious congregation of shades.



Composed of two different sized luminaires and a black tube that extends vertically, it conducts light to wherever it is required, integrating within the architecture of any interior.







INDIVIDUAL MODEL



6160
Ø 22 cm

6165
Ø 28,5 cm

- 10 White (NCS S 0300-N)
- 15 Grey L2 (NCS S 2500-N)
- 16 Grey M1 (NCS S 4500-N)
- 21 Black Grey (NCS S 7000-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (S 4040-Y70R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Shade: Aluminum
Led support: Aluminum
Tube: Steel
Canopy: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: 1-10V; Push
Digital: DALI-2
Smart: Casambi

Electrical connection options


Remote



Built-in



Surface



Free Wire

BIND related product

MULTIPLE MODELS

Set your composition to **vibia.com**











Pg 100 VOL 1 Pg 196 VOL 2

Tube

Design by Ichiro Iwasaki.

Tube is a modular pendant and ceiling system with numerous possibilities. Composed of three different sized luminaires and a black tube that extends both vertically and horizontally, it conducts light to wherever it is required, integrating within the architecture of any interior.

Tube is an innovative system of hanging lamps: a network of tubes directs the light from a single point of connection to numerous luminaires that can be freely positioned within a space. The tubes draw distinct lines across a wall, ceiling or through space, offering a graphic tool with which to design a space, as well as the opportunity to configure multiple configurations.

- 10 White (NCS S 0300-N)
- 15 Grey L2 (NCS S 2500-N)
- 16 Grey M1 (NCS S 4500-N)
- 21 Black Grey (NCS S 7000-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (S 4040-Y70R)

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Set your composition to **vibia.com**









Guise




Design by Diez Office.

Crafted of precision-cut glass and embedded with a row of recessed LEDs, Guise explores the relationship between light and transparency. The light inside the glass appears invisible, while the delicately engraved surface generates a beautiful diffusion.



Crafted of borosilicate glass,
a lightweight and industrial-grade
material prized for its superior strength
and durability, the Guise pendant can
be fitted horizontally or vertically in
any space. It is suspended from an
invisible cable which lends a sense of
weightlessness to the overall expression.
Radiating with an intense glow,
a special sensor offers dimming control
without direct contact.



18 Graphite (ADAPTA RF9913WX)

Diffuser: Borosilicate glass
Body: Aluminum
LED support: Aluminum
Canopy: Steel


LED Colour Temperature

3000 K
CRI>90

Control

Analog: Push;
Sensor; 1-10V
Digital: DALI-2
Smart: Casambi

2282
Ø 25 cm




2288
Ø 40 cm



Pg 110 VOL 1 Pg 168/288 VOL 2





2277
89 cm




2270
Ø 16 cm




2272
Ø 16 cm



2272 Dimmer: optical sensor






Skan



Design by Lievore, Altherr, Molina.

Skan is a sleek and unadorned fixture. It combines lean lines with soothing purity of form, adding a minimalist sensibility to any space.



Sleek and understated, the Skan pendant adds a minimalist sensibility to any space. The LED-powered design is marked by a restrained geometric profile with its elegant interplay of lean lines and gentle curves. Suspended overhead by a lean cable, its saucer-like silhouette is at once delicate and dramatic.








Skan's sleek disc design is defined by its pure form and simple lines. The LED-powered pendant features a steel canopy and diffuser that casts a broad, bright dimmable light. Streamlined and understated, it lends a quiet elegance as a single lamp or grouping of pendants.

INDIVIDUAL MODEL



0270
Ø 30 cm

0275
Ø 60 cm

- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 47 Green L1 (NCS S 4005-G80Y)

Finish customization
(Available options: Vibia colour palette)

Shade: Aluminum
Diffuser: PMMA
Canopy: Steel

LED Colour Temperature
2700 K; CRI >90
3000 K; CRI >80
3500 K; CRI >90

Control

Analog: Push; 0-10V; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options

Remote



Built-in



Surface




Free Wire

BIND related product

MULTIPLE MODELS

Set your composition at **vibia.com**







Pg 116 VOL 1



Pg 434 VOL 1



Warm



Design by Ramos & Bassols.

A contemporary take on a timeless design, Warm features a generously sized, classic drum shade with a muted colour palette that provides a refined touch.







4925 4926

Ø 62 cm


Screen shade: Ref. 4925
- 10 White (NCS S 0300-N)

Aluminum shade: Ref. 4926.
- 10 White (NCS S 0300-N)
- 25 Beige D1 (NCS S 4005-Y50R)
- 28 Brown M1 (NCS S 4020-Y60R)
- 56 Green D1 (NCS S 7010-G30Y)

Finish customization
(Available options: Vibia colour palette)


Diffuser: PMMA
Canopy: Steel

LED light source



Pg 122 VOL 1 Pg 448 VOL 1

Wireflow



Design by Arik Levy.

Crafted of black, electrical cables, Volumetric's airy, three-dimensional outline lends it the feeling of being at once present and absent. The geometric volumes are tipped with LED light terminals in a contemporary take on the traditional chandelier.








Pressed-glass diffuser

Wireflow volumes for gathering spaces. Illuminate dining, living or working spaces of any scale with geometric shapes that provide a focal point without overpowering the space. Choose from multiple shapes and sizes, plus adjust lengths to suit individual tastes and project needs.

Create a personalized Wireflow pendant at vibia.com





Characterised by its graphic style and simplicity of form, Wireflow traces three-dimensional geometries of steel and aluminum, which, despite their large scale, maintain a sense of weightlessness. Available in 4 and 8 diffuser versions, its distinctive volumetric aesthetic will draw the eye to specific focus points without visually overcomplicating an area.


04 Black (RAL 9005)

Diffuser: Pressed-glass
Body: Aluminum
Horizontal rods and Canopy: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

4 LEDs




0309
100 x 100 cm

0310
80 x 80 cm

0311
64 x 64 cm

0312
50 x 50 cm

8 LEDs



0299
150 x 150 cm


0300
120 x 120 cm

0301
89 x 89 cm

0302
70 x 70 cm

0303
55 x 55 cm

Wireflow
Lineal




Design by Arik Levy.

Wireflow Lineal's ultra-minimalist design is balanced by a distinctive, precipitous presence that adds an intriguing accent to any room. Ideal for illuminating large spaces with high ceilings, its lean profile traces a formal silhouette in an open space with meticulous precision.




2 LEDs **0320**

57 cm x max. 200 cm




6 LEDs **0338**

145 cm x max. 200 cm




6 LEDs **0325**

155 cm x max. 200 cm




10 LEDs **0330**

275 cm x max. 200 cm







04 Black (RAL 9005)

Diffuser: PC- Polycarbonate
Body and canopy: Aluminum
Horizontal rods: Steel

LED Colour Temperature

2700 K; 3000 K; 3500 K
CRI>90

Control

Analog: Push; 1-10V
Digital: DALI
Smart: Casambi

Wireflow lineal pendants for task lighting. Creative designs comprised of lineal black wires to subtlety enhance a space over tables, reception desks and bars. Adjust top and bottom lengths for project needs.

Create your personalized Wireflow lineal at vibia.com




Wireflow
Free



Design by Arik Levy.

True to its name, Wireflow Free adapts easily to any environment. Its cables can be directed to form unexpected visual rhythms across a wall or ceiling, or to branch out from a central point and delineate specific activity zones within a space. Free offers maximum versatility in both form and function.













INDIVIDUAL MODEL



0347
Ø 3 x 50 x 200cm

0348
Ø 3 x 50 x 200cm




0345
Ø 3 x 200cm

0361
Ø 3 x 200cm

MULTIPLE MODELS

Set your composition to **vibia.com**



04 Black (RAL 9005)

Diffuser: Pressed-glass / PC- Polycarbonate
Body: Aluminum
Canopy: Steel
Ceiling supports: POM

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Ref. 0345 and 0348
With pressed-glass diffuser
Ref. 0361 and 0347
Without pressed-glass diffuser, with polycarbonate diffuser

Electrical connection options


Remote




Built-in




Surface



Free Wire








Wireflow
Chandelier




Design by Arik Levy.

Wireflow Chandelier is a contemporary reimagining of the traditional fixture. Its ultramodern silhouette provides an unexpected twist, while its graceful lines echo with a sense of timeless elegance. Though substantial in size its airy outline creates a feeling of transparency.


20 LEDs **0315**
120 x 279 cm




42 LEDs **0376**
150 x 112 cm



42 LEDs **0377**
150 x 194 cm




42 LEDs **0378**
150 x 276 cm



43 LEDs **0374**
150 x 307 cm



43 LEDs **0375**
150 x 396 cm





Grandeur amplified. A focal point is created with Wireflow Chandelier for large spaces with this revamp of the classic chandelier. Large scale luminaire options based on project needs with height adjustability.

Select your favorites and personalize the height at vibia.com



04 Black (RAL 9005)

Diffuser: Pressed-glass
Body: Aluminum
Canopy and horizontal rods: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Flamingo
Mini



Design by Antoni Arola.

Flamingo Mini creates multi-layered silhouettes with an avant-garde, intriguing aesthetic. This hanging lamp recalls a bird hovering overhead, bringing an intimate ambience as it casts diffuse gradations of soothing light through its translucent diffuser.







The Flamingo Mini collection pairs poetic beauty with high quality performance.
Its deconstructed design separates an LED light source from layers of translucent diffusers, producing soft gradations of illumination.
The diffusers are available in a range of different configurations, each LED performing likea spotlight, directed upwards or downwards to produce an ambient effect.





1575
Ø 45 cm

1580
Ø 9 cm

1585
Ø 45 cm

1590
Ø 45 cm

Option A | Option B | Option C



Three options of installation

11 Black (NCS S 8500-N)

Diffuser: PMMA
Rods: Stainless steel
Body: Aluminum
Canopy: ABS

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options



Built-in | Surface



Flamingo



Design by Antoni Arola.

Displaying the elegant poise of the bird that inspired it, Flamingo projects a feeling of weightlessness hovering overhead. The deconstructed design separates the LED light source from its translucent shades, producing gradations of diffuse illumination.








1510
Ø 70 cm

1527
Ø 90 cm

1530
Ø 90 cm



1540
Ø 70 cm



1550
Ø 90 cm



1560
Ø 90 cm



1570
Ø 90 cm



18 Graphite (RAL 7016)
20 Gold (Gold)
67 Copper (Copper)
93 White (RAL 9016)

Diffuser: PMMA
Body: Aluminum
Canopy and rods: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi






Cosmos

Design by Lievore, Altherr, Molina.

Design and light become one with the Cosmos collection. Flattened spheres suspended from slim cables create a cluster of pendant lights like a constellation of stars.









2500
Ø 19 cm



2501
Ø 27 cm



2502
Ø 48 cm



2510
55 cm



2515
76 cm



2511
65 cm



2516
86 cm



The minimalist, lacquered discs floating in space, their simple, sculptural curves and muted finishes, transmit a tranquil sensibility. LEDs are embedded within the opaque diffusers, unifying design and light source to generate a warm, indirect glow.

- 10 White (NCS S 0300-N)
- 14 Chocolate (RAL 8019)
- 58 Off-white (NCS S 2005-Y20R)
- 62 Green (Pantone 5645)

Diffuser: PC-Polycarbonate
Canopy: Steel
Body: PU - Polyurethane

LED Colour Temperature
2700 K; CRI >90
3000 K; CRI >80

Control
Analog: On/ Off; Push; 1-10V
Digital: DALI-2
Smart: Casambi



Match





Design by Jordi Vilardell & Meritxell Vidal.

Based on the principle of co-creation, Match is a lighting collection that can be fully customised virtually. Characterised by unlimited configurations, Match's kinetic clusters exude a textured, sculptural presence.

Match is a unique pendant collection constructed from sleek aluminum rods finished in matt lacquered white or matt lacquered graphite and equipped with LED light terminals. Fully customisable, it is based on the concept of co-creation, taking on myriad forms to suit any space: from tight, concentrated clusters to sprawling configurations that span a larger area.

03 White (RAL 9016)
18 Graphite (RAL 7016)

Head: Aluminum
Rods: Steel
Canopy Plate: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>80

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi


Personalization options available
Configuration layout at **vibia.com**
Request more information







Built-in installation.
Electrical connection finials: the minimum height is 10 cm and the dimension of the cut-out is 10,5 cm.
Nodes:the minimum height is 12 cm and the dimension of the cut-out is 4,5 cm.

Create your personalized Match at **vibia.com**







Palma



Design by Antoni Arola.

The interior ambience takes on a life of its own with the possibility of integrating plants with the lighting compositions. Palma connects light and vegetation as in the natural landscape.



18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass
Profile: Aluminum
Planter: PMMA

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

3720
Ø 25 cm

3724
Ø 25 cm

3726
Ø 25 cm

3728
Ø 25 cm

3730
Ø 25 cm







Pg 170 VOL 1

Pg 116/256 VOL 2

The floating effect is attained through its multiple configurations, the almost imperceptible suspension, a unique cable system and the hoops that wrap the spheres. Its capacity to create ambience increases with additional fixtures like a luminous hanging garden.

18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass
Profile: Aluminum
Planter: PMMA

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

3734
150 cm



3735
150 cm



3736
195 cm







Pg 170 VOL 1



Pg 116/256 VOL 2


Bigger



Design by La Invisible.

Bigger serves as statement lighting without overbearing the space it occupies, radiating with profuse light which cascades down from the ceiling, its impressive scale bringing the space to life.





3920
Ø 80 cm
7729 lm



3925
Ø 84 cm
7729 lm



3930
Ø 103 cm
14301 lm



3935
Ø 107 cm
14301 lm



Pg 176 VOL 1 Pg 262 VOL 2

- 23 Beige L1 (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum
Shade: Aluminum
Diffuser: PC- Polycarbonate


LED Colour Temperature
2700 K; 3500 K
Tunable White (2200 K-4000 K)
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable White (2200K – 4000K)
Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K; 3500K
You can select the static white option that fits best with the desired ambience.



Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Rhythm
Horizontal



Design by Arik Levy.

Minimalist in form yet simultaneously complex, Rhythm features slender light modules of varying lengths, each fitted with an LED, that can be arranged in endless configurations. Fluid and flowing or angular and anarchic, the collection offers total freedom of composition.



Wood

The collection includes the option of a natural wood in White oak or Walnut. Reflected in its textured surface, warm light bathes the space, producing a rich and restorative atmosphere.

- 82 White oak
- 83 American walnut

Stick: Wood
Spacers: Aluminum
Diffuser: PC-Polycarbonate
Canopy: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options





Built-in



Surface







Stick 87 cm

2155

49 x 87 cm



Basic

Its unique rotation system allows the light sticks to move along a horizontal axis, positioned in any direction to provide ambient downward illumination from above.

- 14 Chocolate (RAL 8019)
- 58 Off-white (RAL D2 1109005)

Stick: PA- Polyamide
Diffuser: PC- Polycarbonate
Canopy: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options




Built-in



Surface

Stick 47 cm




2110
45 x 47 cm

2111
93 x 47 cm

2112
141 x 47 cm

2113
189 x 47 cm


Stick 87 cm




2120
63 x 87 cm

2121
131 x 87 cm

2122
199 x 87 cm



Rhythm
Vertical



Design by Arik Levy.

Evoking the mood of Zen minimalism, Rhythm features slender light modules of varying lengths, each fitted with an LED module, that can be arranged in endless configurations.



Wood

The collection includes the option of a natural wood in White oak or Walnut. Reflected in its textured surface, warm light bathes the space, producing a rich and restorative atmosphere.

- 82 White oak
- 83 American walnut

Stick: Wood
Spacers: Aluminum
Diffuser: PC-Polycarbonate
Canopy: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options




Built-in



Surface

Stick 87 cm


2165
87 x 52,5 cm



2167
87 x 81 cm









Basic

A luminous sculpture suspended in space, Rhythm can be suspended vertically to provide ambient uplighting.

- 14 Chocolate (RAL 8019)
- 58 Off-white (RAL D2 1109005)

Stick: PA- Polyamide
Diffuser: PC-Polycarbonate
Canopy: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90


Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options




Built-in Surface

2141
47 x 108 cm




UPLIGHTING

2142
47 x 163,5 cm




UPLIGHTING

2143
47 x 219 cm



UPLIGHTING



Mayfair



Design by Diego Fortunato.

A modern reimagining of the traditional 19th-century bouillotte lamp, the Mayfair collection is a statement in contemporary design. Perfectly proportioned, its luminaire casts a pool of diffuse, downward light to create an intimate lighting effect.





Featuring a steel or methacrylate diffuser, the LED-powered pendant lamp is distinguished by its timeless style and sleek silhouette. Available in a range of striking colours, it casts a warm ambient glow that's ideal for relaxed interior lighting.



PMMA shade: Refs. 5520

07 Graphite and green
(RAL 7016 and RAL 6026)

08 Graphite and orange
(RAL 7016 and RAL 2009)

Steel shade: Refs. 5525

20 Gold (Gold)

67 Copper (Copper)

18 Graphite (RAL 7016)

23 Warm White (NCS S 0502-Y50R)

25 Beige D1 (NCS S 4005-Y50R)

38 Terra Dark (NCS S 5040-Y70R)

47 Green L1 (NCS S 4005-G80Y)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC-Polycarbonate
Tube and canopy: Steel

LED Colour Temperature

LED 2700 K
CRI >90

Control

Individual model
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options


Remote



Built-in



Surface



Free Wire


INDIVIDUAL MODEL



5525 Ø 30 cm

5520 Ø 30 cm





Pg 194 VOL 1 Pg 394 VOL 1

MULTIPLE MODELS

Set your composition to **vibia.com**









Algorithm
Free

Design by Toan Nguyen.

Like a cloud of frozen rain, this collection brings together beauty and geometry. Each unique grouping of globes defines areas of interior space, underlining their multiple uses while becoming a single aesthetic element.






INDIVIDUAL MODEL

0820
Ø 9 cm

MULTIPLE MODELS

Set your composition to **vibia.com**






18 Graphite (ADAPTA RF 9913 WX)


Sphere: Blown-glass
Diffuser: PC- Polycarbonate
Glass fastening: Aluminum
Canopy: Steel
Pendant structure: Steel
LED support: Aluminum


LED Colour Temperature
2700 K; 3500 K
CRI >90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options


Remote Built-in Surface Free Wire





Algorithm
Grid



Design by Toan Nguyen.

Like a cloud of frozen rain, this collection brings together beauty and geometry. Mathematical order provides a magical harmony with an astonishing range of permutations and compositions.
Can be customized to suit any space.



Algorithm resembles a sparkling constellation of illuminated drops that appear to float in mid-air. Evoking a mood that's equal parts mathematical and magical, the pendant is anchored to the ceiling from a tubular steel lattice. Sleek tensile cables are studded with glowing, handblown glass orbs powered by LEDs and suspended at different heights. Fully customisable, each unique grouping of globes defines areas of interior space, underlining their multiple uses while becoming a single aesthetic element.

18 Graphite (ADAPTA RF 9913 WX)

Sphere: Blown-glass
Diffuser: PC- Polycarbonate
Glass fastening: Aluminum
Canopy: Steel
Pendant structure: Steel
LED support: Aluminum


LED Colour Temperature

2700 K; 3500 K
CRI >90

Control

Individual model
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Create your personalized Algorithm at vibia.com






0825 0827* 10 LEDs 75 x 85 cm



0830 0832* 6 LEDs 123 x 25 cm
0835 0837* 10 LEDs 214 x 25 cm



0840 0842* 14 LEDs 306 x 25 cm
0845 0847* 14 LEDs 183 x 34 cm
0850 0852* 29 LEDs 399 x 34 cm



0860 0862* 13 LEDs 110 x 110 cm
0865 0867* 25 LEDs 160 x 160 cm



0870 0872* 15 LEDs 110 x 60 cm
0875 0877* 24 LEDs 185 x 60 cm



* Built-in canopy



Slim




Design by Jordi Vilardell.

Streamlined and refined, Slim serves as a sleek punctuation mark.

SLIM







Distinguished by long, slender strands suspended from fibre cords, Slim draws the eye upwards like drops of light falling from the sky. Crafted of patterned glass diffusers, it lends a candlelit ambience that bathes a space in a soft pool of light thanks to its LED fittings.


INDIVIDUAL MODEL


0920

Ø ,6 cm

MULTIPLE MODELS

Set your composition to **vibia.com**





- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)
- 68 Ocre (NCS S 3050-Y30R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: Glass
Body: FB- Fiberglass
Canopy: Steel

LED Colour Temperature
2700 K; CRI >90
3000 K; CRI >80
3500 K; CRI >90

Control
Analog: On/ Off; Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options



Remote Built-in Surface Free Wire


BIND related product







Halo








Design by Martín Azúa.

A seamless merging of light and matter, Halo lends the effect of light floating in air. Powered by LED bulbs that remain invisible within their opalized, linear moulds, the light flows freely from its source.


2340

2 units



2341

3 units



03 White (RAL 9016)

Diffuser: PMMA
Canopy: Steel

LED Colour Temperature

2700 K; 3000 K
CRI >90

Control

Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options


Remote



Surface


2342

6 units



2343

9 units



Pg 218 VOL 1

Pg 336 VOL 2

03 White (RAL 9016)

Diffuser: PMMA
Canopy: Steel
LED support: Aluminum

LED Colour Temperature
2700 K; 3000 K
CRI >90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Surface mounted

2330
Ø 55,5 cm



2331
2 units




2332
3 units

2333
5 units








Pg 218 VOL 1

Pg 336 VOL 2

Halo
Jewel




Design by Martín Azúa.

Subtle light floating in the air and delicately suspended by a perfectly crafted steel structure. Light and matter in one.




INDIVIDUAL MODEL

2350
Ø 56,3 cm



2351
Ø 56,3 cm



11 Black (NCS S 8500-N)
20 Gold (Gold)

Canopy: Steel
Pendant structure: Steel
Diffuser: Methacrylate
LED support: Aluminum

LED Colour Temperature
2700 K; 3000 K
CRI >90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options

Remote


Built-in


Surface


Free Wire

MULTIPLE MODELS

Set your composition at **vibia.com**



INDIVIDUAL MODEL

2355
Ø 16 x 350 cm

2356
Ø 27 x 350 cm




MULTIPLE MODELS

Set your composition at **vibia.com**














11 Black (NCS S 8500-N)
20 Gold (Gold)

Canopy: Steel
Pendant structure: Steel
Diffuser: Methacrylate
LED support: Aluminum

LED Colour Temperature
2700 K; 3000 K
CRI >90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

Ref. 2355.
Electrical connection options



Wind

Design by Jordi Vilardell.

A perfect marriage of technology and tradition. Wind's drum shade is made of fibreglass, an innovative webbed texture and pattern that elevates the visual contribution of this timeless silhouette.




27 Sand (NCS S 1505-Y50R)
53 Green M1 (NCS S 6005-G80Y)
61 Ocre Red (NCS S 3050-Y60R)

Shade: FB- Fiberglass
Canopy: Steel
Lid: Steel
Diffuser: PMMA

LED Colour Temperature
2700 K
CRI >90

Control
Analog: On/ Off



4072
Ø 60 cm



4077
Ø 60 cm



4078
Ø 120 cm





Pg 230 VOL 1
Pg 422 VOL 2

Pg 422 VOL 2

Tempo



Design by Lievore Altherr.


The Tempo collection reclaims our collective memory of light, distilling lighting archetypes to their most basic forms. Vibia presents three designs in two sizes: the disc, the diamond and the milk glass oval - all inspired by the interplay of opacity, translucence and transparency.


TEMPO




The Tempo pendant lamp collection integrates perfectly into all types of spaces and contemporary interior design projects. Suspended from the ceiling by a slim cable, its blown glass diffusers offer subtle nuances of transparency and translucency.










INDIVIDUAL MODEL

5776
Ø 40 cm



5770
Ø 25 cm



5778
Ø 24 cm



5772
Ø 13 cm



5780
Ø 34,5 cm



5774
Ø 20,5 cm







Pg 234 VOL 1





Pg 226 VOL 2

MULTIPLE MODELS

Set your composition at **vibia.com**







The classic bistrot globe has evolved with an oval organic shape with an gradated lighting that crosses the spectrum from transparency to translucence. The opaline diamond shade illuminates with a diffused light of superior quality. The model with the reflector plate converts the bulb into a small brilliant bubble that radiates light.

- 18 Graphite (ADAPTA RF 9913 WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)

Diffuser: Blown-glass
Canopy: Steel
LED support: Aluminum
Shade: Aluminum

LED Colour Temperature
2700 K
CRI >90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options




Remote Built-in Surface Free Wire

BIND related product

Bind

Pendants



Accent Downlight



Accent Spotlight



Wide Accent Downlight



Design by Martín Azúa.

Bind is a hybrid lighting system designed to create multiple atmospheres to suit a range of spaces, uses and moods. The connective quality, ease of installation and versatility of this fully modular system guarantees a harmonious balance between technical and decorative lighting, promising new holistic lighting solutions.




Bind easily integrates within the existing architecture; as a ceiling or suspended track, it allows designers to experiment with horizontal planes, ideal for spaces with high ceilings where it is necessary for light to be conducted to a lower height; and, as a hybrid combination, the collection lends itself to complex compositions of various atmospheres.



BIND






















To highlight a particular activity zone or feature within the space, Bind track is also compatible with a series of spots and downlights that provide functional, accented lighting.













Multiple luminaires can be seamlessly connected to the track at any point, oriented to direct light in various directions.
The different pieces are made in pincer format to be applied at any point of the track and move easily and immediately as desired.




































The Bind collection features ceiling surface and ceiling suspended track lighting, where a conductive bar or “track” represents the central element from which multiple luminaires can be fixed at any point. Bind track is compatible with a series of spots, downlights, lineal and general lighting fixtures that provide all types of functional lighting.

11 Black (NCS S 8500-N)
24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature

Ø 3 cm

Static White
2700 K - 451 lm
3000 K - 471 lm
3500 K - 489 lm
4,3W

Ø 4 cm

Static White
2700 K - 530 lm
3000 K - 554 lm
3500 K - 574 lm
5,2W

Only ref. 6525, 6529, 6534 and 6538
Tunable White (1800 K - 4000 K)
Smart (P2P)
308 lm - 504 lm 5,5W

Ø 18,5 cm

Static White
2700 K - 1256 lm
3000 K - 1313 lm
3500 K - 1360 lm
12,4W

Tunable White (1800 K - 4000 K)
Smart (P2P)
571 lm - 895 lm 8,9W

CRI>90

Control

Analog: On/Off; Push; 1-10V (simultaneuos line)
Digital: DALI-2 (simultaneous line)
Smart: Casambi (simultaneous line);
Casambi (P2P); ProtoPixel* (P2P)


*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)


Updated detailed spec sheets on **vibia.com**

Wide Accent Downlight

Ø 18,5 cm

6540 Medium
6542 Wide









Accent Downlight

DOWNLIGHT Ø 3 cm

6500 Narrow
6504 Medium

Ø 3 x 15 cm



DOWNLIGHT Ø 4 cm

6520 Narrow
6524 Medium
6528 Wide

Ø 4 x 17,5 cm



6525 Medium
6529 Wide

Ø 4 x 20 cm



Accent Spotlight

SPOTLIGHT Ø 3 cm

6510 Narrow
6514 Medium


Ø 3 x 20 cm





SPOTLIGHT Ø 4 cm

6530 Narrow
6534 Medium
6538 Wide

Ø 4 x 22,5 cm









Pg 240 VOL 1 Pg 128 VOL 2

A conductive bar represents the central element from which multiple luminaires can be fixed at any point.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Electrical connection options




Remote Built-in Surface



Pendant Tracks

A419 120 cm
A422 210 cm
A425 300 cm



Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

1800 K 4000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach..

Bind track is compatible with the Skan, Slim, North, Tempo and Tube pendant collections, presenting a range of decorative silhouettes with multiple lighting effects. Single or multiple pendants can be suspended as desired, allowing for the formation of intricate chandeliers created from a compilation of tracks with multiple pendants.

Track adapter: Aluminum

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: On/Off; 1-10V (simultaneuos line);
Digital: DALI-2 (simultaneous line);
Smart: Casambi (simultaneous line);
Casambi (P2P); ProtoPixel* (P2P)
*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on **vibia.com**



Track adapter
- Black (NCS S 8500-N)
- Beige M1 (NCS S 2005-Y50R)



6560 (Black)
6561 (Beige)

Skan Colours
- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 47 Green L1 (NCS S 4005-G80Y)

6570 (Black)
6571 (Beige)

Slim Colours
- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)
- 68 Ocre (NCS S 3050-Y30R)



Pg 240 VOL 1 Pg 128 VOL 2



6575 (Black)
6576 (Beige)

North Colours
- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 42 Blue M1 (NCS S 5010-B10G)




6590 (Black)
6591 (Beige)

Tube Colours
- 10 White (NCS S 0300-N)
- 15 Grey L2 (NCS S 2500-N)
- 16 Grey M1 (NCS S 4500-N)
- 21 Black Grey (NCS S 7000-N)
- 24 Beige (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)



6580 (Black)
6581 (Beige)

Tempo Colours
- 18 Graphite (ADAPTA RF9913WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)



6583 (Black)
6584 (Beige)

Tempo Colours
- 18 Graphite (ADAPTA RF9913WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)



6586 (Black)
6587 (Beige)

Tempo Colours
- 18 Graphite (ADAPTA RF9913WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)

North



Design by Arik Levy.

North pendant collection consists of triangular Aluminum shades pendant from cables and adjustable carbon fibre rods. The rod and shade are disconnected from one another via nearly invisible cables in a dynamic system of adjustable parts, directing the LED-powered light where needed.

INDIVIDUAL MODEL



5660
Ø 16 cm




5662
Ø 40 cm




5664
Ø 60 cm



5670
Ø 16 cm



5672
Ø 40 cm



5674
Ø 60 cm





- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 42 Blue M1 (NCS S 5010-B10G)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PMMA
Shade: Aluminum
Rods: Carbon Fiber
Canopy: Steel

LED Colour Temperature

2700 K; CRI >90
3000 K; CRI >80
3500 K; CRI >90

Control


Individual model
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options



Remote Built-in Surface Free Wire

BIND related product




Pg 264/412 VOL 1 Pg 330 VOL 2

MULTIPLE MODELS

Set your composition at **vibia.com**



















Plusminus

Plusminus

Visual Hierarchy
284

Raining Light
294

Flowing Pendants
300

Creative Canopy Connection
310

Defying Gravity
316

Suspended Animation
324

Reimagining Spaces
332

Framing Space
338

Plusminus

Design by Diez Office

Plusminus is a versatile lighting system that takes the concept of the light rail to a new level. The conductive textile ribbon at its core allows for free placement of the luminaires and the creation of unique light solutions on the spot.



The fluidity
of light

Equal parts easy and avant-garde, Plusminus harnesses the design of a belt in a groundbreaking lighting concept that merges materiality and light. Featuring a textural, fabric belt that conducts electricity, it enables light to flow through space. Plusminus provides professionals a powerful toolkit for creating personalised lighting effects and unique atmospheres with different luminaires via Vibia's digital platform and click-and-connect functionality.



Luminaire types and lighting effects



Sphere



Volumetric Diffuser
distributes light equally in all directions (360°). It attracts a relaxed gaze towards the point of light, and creates a calm, very comfortable atmosphere.
The light sphere bathes all surfaces of the space, producing a peaceful, richer and extremely homogenous ambience.



Semisphere



Hidden Diffuser
emits a soft light that generates low contrasts between the illuminated areas and the shadows cast. The opaque part of the shade helps to direct the light through the diffuser, providing illumination that is both peaceful and concentrated at the same time.




Cone



Hidden Diffuser
emits a soft light that generates low contrasts between the illuminated areas and the shadows cast. The opaque part of the shade helps to direct the light through the diffuser, providing illumination that is both peaceful and concentrated at the same time.

Spotlight





Flat Diffuser
emits a soft light that generates low contrasts between the illuminated areas and the shadows cast. It is ideal for reading situations or when the light output is visible, as it does not produce glare.

Accent
emphasizes objects or architectural elements with intensive cones of light. Luminance contrasts attract the eye and bring the illuminated objects into the foreground. The light output is directed towards the object or architectural element and not towards the person, in order to avoid glare.






Linear Diffuser



Linear Flat Diffuser
provides a high degree of uniformity on the horizontal plane and generates a first layer of illumination on which to add more specific lighting applications.
It generates soft shadows and subdued brightness in which the space and its component elements do not display visual hierarchies.




Linear Low UGR



Linear High Efficiency
Low Glare
offers medium brightness and clarity of forms. Direct illumination, extended beam and luminaire performance enable installations with high-energy efficiencies and low-glare levels below UGR<19.

Linear High Comfort
Low Glare
provides high levels of illumination and comfort with UGR levels below 19. It is also ideal for work or meeting areas.













Easy connection
Fix / Click / Connect

Each belt, which can be cut as needed, accommodates multiple luminaires and operates with simple plug-in technology for unparalleled ease of installation and connection. The belt offers adjustments in tension from taut to relaxed as well as click-and-connect functionality, snapping into a buckle attached to each luminaire.

Shaping Atmospheres

Endlessly versatile, Plusminus offers the freedom to combine different levels of diffuse and focused illumination as never before to create a unique atmosphere in any interior.

Design a space by drawing with the belt, conducting light to the right place while evoking an emotional response and sense of wellbeing.

Visual Hierarchy
Raining Light
Reimagining Spaces
Framing Space
Defying Gravity
Flowing Pendants
Creative Canopy Connection
Suspended Animation


Visual Hierarchy

Plusminus's revolutionary belt design provides a powerful toolkit for reimagining spaces. Combining multiple lighting effects and placing light precisely where needed, it creates visual hierarchies in any space.





The fabric belt offers endless flexibility of use, conducting light across a range of ceiling shapes and angles.














Place multiple lights in different positions throughout a space with just a single electrical connection.


















An invitation to position light without limits, Plusminus accommodates any kind of architecture—no matter how unique.







Raining Light

From a single spotlight positioned close at hand to a cascading installation of luminaires overhead, Plusminus's ceiling-to-floor possibilities create a stunning display of light in varying intensity and effect.



Plusminus's powerful design capabilities include constructing columns of light up to 60 meters high.









Climbing the Walls


An innovative take on the wall lamp, Plusminus's fabric belt forms a linear architecture that hosts an array of lighting options—from a long row of accent lamps illuminating a hallway to sleek luminaires straddling opposite walls.

Flowing Pendants

Defined by their flowing, continuous forms, Plusminus pendants provide endless possibilities for illuminating a space. Suspended overhead in silhouettes, soft and draped or taut and precise, their graphic presence creates distinctive ambiances.








“The Plusminus collection is a toolbox which, thanks to the wide range it contains, enables you to find solutions to an incredible number of lighting problems. I think architects and lighting designers today need investment certainty, and Plusminus offers that.”


Stefan Diez













Composing Light

Both object of beauty and high-performance lighting toolkit, Plusminus offers personalised atmospheres while doubling as striking visual sculpture.














Creative Canopy Connection

Plusminus reimagines the use of the canopy. The belt flows in and out of the canopy, establishing conductivity and electrical connection where needed, with creative configurations becoming an essential element of the design.

















A surface canopy presents yet another opportunity to play with Plusminus, securing the belt in one spot while allowing it to flow freely across a space in countless configurations.




Defying Gravity

Plusminus's nearly invisible tensor wire introduces an element of intrigue to lighting. The wire extends from the belt to the wall or the ceiling, quietly completing the luminaire's design while lending it the magical look of floating in midair in defiance of gravity.













Balancing Act

Wall-to-wall installations hang in a delicate balance with Plusminus's invisible ceiling tensor. Lifting or lowering the belt, the cable creates varying degrees of tension that enables infinite configurations.









Suspended Animation

Ceiling design no longer limits lighting options thanks to Plusminus. A bar suspended from the ceiling serves as both a sleek architectural feature and an opportunity for creative exploration.




Play with height and length
to suit any setting and affix personalised
belt designs for a one-of-a-kind look.





Bar length 2 m
Tensor cables max. 5 m













Reimagining Spaces

Merging light and materiality, Plusminus introduces masterful new ways to delineate space. Tracing a slender outline, the fabric belt creates a contained area within an open layout, serving as an illuminated perimeter with minimal presence.















Reimagining Social Spaces

Plusminus designs facilitate use of communal spaces, encouraging effortless interaction and movement.

Rethinking Workplaces


Innovative configurations create space for collaboration, interaction, and exploration, both delineating and enhancing workspaces.





Framing Space

Plusminus's lean lines define an interior with precise transverse trajectories. Stretching from wall to wall, the belt evokes the effect of a false ceiling, reducing a room's volume and bringing light closer. With kinetic crisscrossed and zigzagged configurations or soothing straight lines, the luminaires appear integrated into the architecture.











Plusminus's nearly invisible tensor wire introduces an element of intrigue to lighting. Lifting or lowering the belt, the cable creates varying degrees of tension that enables infinite configurations.





Plusminus' inherent adaptability provides the perfect solution for spaces that feature special architecture, scale, materials, or artwork.






Belt

- Black
- Terra Red
- Blue
- Green
- Beige

Maximum 60 meters length
per electrical connection point

Fire Hazard Testing.
GW-960. fulfills the requirements of:
standards EN 60695-2-10:2013;
EN 60695-2-11:2015;
EN 60695-2-12:2011 / A1:2014

Belt: Polyester



Luminaires types

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 53 Green M1 (NCS S 6005-G80Y)

LED Colour Temperature

LED 2700 K; 3000 K; 3500 K

Accent

2700 K - 941 lm
3000 K - 987 lm
3500 K - 1022 lm
7,9W

CRI>90

Control

Analog: On/ Off; 1-10V; Push
Digital: DALI
Smart: Casambi; Casambi integrated on each individual luminaire (P2P); ProtoPixel Simultaneous*; ProtoPixel integrated on each individual luminaire (P2P)*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Sphere



6230
Ø 20 cm



6235
Ø 30 cm

Semisphere



6220
Ø 20 cm



6225
Ø 30 cm

Cone



6240
Ø 60 cm



6245
Ø 80 cm

Spotlight




Accent
6200 Narrow
Ø 10 cm



Accent
6205 Medium
6210 Wide
Ø 10 cm




Flat diffuser
6215
Ø 10 cm




Updated detailed spec sheets on **vibia.com**

Linear Diffuser



6250
102 x 4 x 3 cm




6255
202 x 4 x 3 cm


Linear High Comfort Low Glare



6260
26,8 x 7 x 3 cm



6265
52,5 x 7 x 3 cm




6270
103,7 x 7 x 3 cm


Linear High Efficiency Low Glare



6275
26,8 x 7 x 3 cm



6280
52,5 x 7 x 3 cm



6285
103,7 x 7 x 3 cm

Electrical connection options

Choose your preferred installation option according to your needs.



Surface



Built-in



Remote

Built-in



Surface



Plug



Optional wire connector

Dimming control options

Choose your preferred installation option according to your needs.


Dimming Control	**Electrical Connection**			
	Surface 25 - 240 W	Built-in 25 - 240 W	Remote 25 - 240 W	Plug Max 60W
On/ Off	✓	✓	✓	✓
Push Switch	–	–	–	✓
Push Simultaneous	✓	✓	✓	–
1-10V Simultaneous	✓	✓	✓	–
DALI Simultaneous	✓	✓	✓	–
Casambi Simultaneous	✓	✓	✓	✓
Casambi integrated on each individual luminaire (P2P)	✓	✓	✓	✓
ProtoPixel Simultaneous	✓	✓	✓	✓
ProtoPixel integrated on each individual luminaire (P2P)	✓	✓	✓	✓

Belt Options Surface Canopy


Choose your preferred installation option according to your needs.

















Belt terminations

Belt terminations can be adjusted during the installation process according to your preference.




















Easy to design and install


Compose a personalised Plusminus
at vibia.com

From scratch



+ Create and compose projects in detail.
+ Draw and personalise in 3D to see it in space.
+ Or personalise it step by step without drawing.

From of a layout



+ Personalise and adapt it to the needs of your project.
+ Add it to your project and edit it at any time.
+ More than 100 creations for you.

Accessories Toolbox

Thought out to the smallest detail.
Receive your personalised accessories toolbox
for a quick and easy installation.





Floor & Table

Floor & Table

Africa
356

Balance
400

Dama
364

Flat
405

Ghost
438

I.Cono
424

Jazz
444

Knit
378

Lily
372

Mayfair
394

Mayfair
Mini
388

Musa
454

North
412

Offset
460

Out
468

Pin
418

Plusminus
Solo
472

Skan
434

Sticks
Solo
384

Suite
430

Warm
448

Africa



Design by Francisco Gomez Paz.

An object of desire, Africa is a unique gift that
combines richness of form and materiality
with high performance lighting capabilities.
A holistic exploration of beauty and functionality.








“Africa was born as a response to new nomadic, free and casual ways of inhabiting, in which residential and professional spaces are increasingly hybridised”.

Francisco Gomez Paz







Portable

Its chargeable LED light source provides three levels of intensity which are controlled by a simple push button at the head.

Bolt-down

The bolted version is fixed in position, designed to integrate within the surrounding architecture.



1st Pulse
Intensity 33%

2nd Pulse
Intensity 66%

3rd Pulse
Intensity 100%

Battery capacity
10.000mAh

Battery voltage
3,7V

Battery autonomy:
6,5h at 100% Intensity
10h at 66% Intensity
20h at 33% Intensity



5580
Ø 5 x 45 cm

5585
Ø 5 x 40 cm

Portable



5590 Bolt-down
Ø 5 x 45 cm



5595 Bolt-down
Ø 5 x 40 cm


Bolt-down

- 24 Beige M1 (NCS S 2005-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)
- 29 Brown D1 (NCS S 8005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 83 Walnut (Tray)


Body: Aluminum
Diffuser: PC- Polycarbonate
Tray: Wood (Rustic Walnut)

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push



A439
Ø 27 cm



A440
Ø 27 cm

Tray that allows three or two luminaires to be charged by contact

To recharge the luminaire, the shaft slides seamlessly into a magnetised charger, a flawless continuation of its sculptural expression.

Dama



Design by Ludovica+Roberto Palomba.

A homage to the Abat-Jour lamp, the Dama collection connects the charm of tradition with the finesse of contemporary lighting design. Combining technical precision with aesthetic simplicity, Dama is ideal for shaping an intimate atmosphere with an elevated look.

Distinguished by its exposed frame, a cylindrical shade rests neatly on top of a slender aluminium stem which branches out into three legs available in two stylish finishes. The delicacy of the frame provides a feeling of weightlessness, enhanced by the softness of the paper diffuser.






“Paper, with its ‘imperfect perfection’, gave us precisely the sense of warmth that we were looking for, and at the same time a sense of lightness”.

Ludovica+Roberto Palomba



DAMA



3230
Ø 49,5 x 140 cm



3225
63,5 x 61 cm


- 11 Black (NCS S 8500-N)
- 25 Beige D1 (NCS S 4005-Y50R)

Tube: Steel
Base: Zinc Alloy
Shade: Paper

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push
Smart: Casambi; ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



Pg 20 VOL 1

Pg 364 VOL 1

With a desire for integrity, Dama incorporates a circular LED with an internal diffuser, projecting a warm 360 degree glow from an invisible source.



Floor switch




Table switch

Lily



Design by Ludovica+Roberto Palomba.

The Lily collection reveals contemporary lines with an ineffable lightness. Its graceful glass diffuser radiates with warmth and wellbeing, ideal for an elegant interior with a relaxed ambience.









Pairing timeless design with an ambient 360 degree glow, Lily is as intimate in performance as it is elegant in form.

A contemporary reimagining of the classic lampshade, it is characterised by a smooth, translucent glass diffuser which gently curves over at the top to conceal an invisible LED light source. A elegant aluminium stem denotes appeal as well as stability. The base consists of three or four rods which meet in the centre before branching out at the top to support the diffuser. The slender nature of the stem accentuates the sensuous curve of the diffuser.

- 11 Black (NCS S 8500-N)
- 25 Beige D1 (NCS S 4005-Y50R)

Body: Steel
Shade: Triple opal blown glass


LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push
Smart: Casambi; ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



5720
Ø 49 x 63,5 cm



5725
Ø 49 x 155 cm



Floor switch



Table switch



Pg 14 VOL 1



Pg 372 VOL 1

Knit



Design by Meike Harde.

Light, materiality and tangibility collide with the Knit collection. Its texture is magnetic, calling out for us to touch its surface, to feel its warmth and to keep it close. Light seeps outwards through the fabric transmitting a soft 360° glow.





A single knitted lycra sleeve stretched over an ovoid polymer diffuser, its texture is magnetic, calling out for us to touch its surface, to feel its warmth and to keep it close.





7480
Ø 45 x 178 cm



7485
Ø 45 x 170 cm



7487
Ø 65 x 195 cm



7490
Ø 45 x 55 cm



7492
Ø 65 x 51 cm



7494
Ø 65 x 62 cm

24 Beige M1 (NCS S 2005-Y50R)

Fabric shade: PES FR
Interior diffuser: PE- Polyethylene
Botom diffuser: PC- Polycarbonate
Diffuser ring and support: ABS
Stem: Iron
Floor base: Zinc Alloy

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push
Smart: Casambi;
ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)






Floor switch Ref.
7480, 7485, 7487

Pg 25 VOL 1 Pg 378 VOL 1

Sticks Solo





Design by Arik Levy.

Sticks Solo floor can be free-standing or arranged floor to wall, connecting two planes of the same space. The stand alone model features one or two Sticks that produce a pleasant ambient lighting effect or indirect light depending on rod rotation.

11 Black (NCS S 8500-N)

Stick: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push




Floor base
& plug




Linear flat
diffuser



High energy
efficiency and
low glare levels
UGR<19 for
horizontal
application
Ref. 7376, 7379



Pg 74/384 VOL 1








7338




7339



7348



7375 Flat Difusser
7376 High Efficiency - Low Glare



7378 Flat Difusser
7379 High Efficiency - Low Glare

Mayfair Mini




Design by Diego Fortunato.

The perfect lighting companion, the Mayfair Mini is a small-scale design that casts a contained pool of diffuse, downlight for an intimate atmosphere. A light to grab and go that can be moved where needed -indoors or out- via its slender stem.




The Mayfair Mini is offered in three formats. The portable version is perfect for indoor and outdoor use. Powered by a rechargeable battery, it can be transported to any desired position. It also comes in two bolted versions, available either with a base. The bolted formats are fixed in position, designed to integrate within the surrounding architecture.















MAYFAIR MINI



5495
Ø 20 x 38 cm

Portable



5496
Ø 20 x 38 cm



5497
Ø 20 x 38 cm

Bolt-down

- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)


Base and shade: ABS + PC- Polycarbonate
Diffuser: PC- Polycarbonate
Stem: Stainless steel

LED Colour Temperature
2700 K
CRI>90

Control
Analog: On/ Off; Sensor; 1-10V
Digital: DALI-2

Ref. 5495
Rechargeable battery autonomy:
6h at 100% Intensity
12h at 50% Intensity
18h at 25% Intensity

Touch sensor 5495 and 5496



Rechargeable battery 5495





Mayfair




Design by Diego Fortunato.


A modern reimagining of the traditional 19th-century bouillotte lamp, the Mayfair collection is a statement in contemporary design. Perfectly proportioned, its luminaire casts a pool of diffuse, downward light to create an intimate lighting effect.


















Featuring a steel column and steel or methacrylate shade, the LED-powered floor lamp casts an ambient glow that's ideal for a relaxed interior setting and can be dimmed via an optical sensor.







5510
Ø 30 x 147 cm

5500
Ø 30 x 52 cm

5515
Ø 30 x 147 cm

5505
Ø 30 x 52 cm

PMMA shade: Refs. 5500, 5510

- 07 Graphite and green (RAL 7016 and RAL 6026)
- 08 Graphite and orange (RAL 7016 and RAL 2009)

Steel shade: Refs. 5505, 5515

- 20 Gold (Gold)
- 67 Copper (Copper)

Colour shade: Refs. 5505, 5515

- 18 Graphite (RAL 7016)
- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)


Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Tube: Steel
Base: Zinc Alloy

LED Colour Temperature
2700 K
CRI>90


Control
Analog: Optical sensor

Floor: Optical sensor on shade
Table: Optical sensor on base



Pg 194 VOL 1 Pg 394 VOL 1

Balance





Design by Jordi Vilardell.

Balance features a classic drum shade, elegantly cantilevered from its column to provide a general ambient lighting effect or a more focused reading light.



5189 5190
260 x 210 cm



5191 5192
215 x 210 cm

The Balance floor lamp serves multiple requirements simultaneously. Illuminating a variety of spaces with its simple movement - it functions as a dining room lamp, an ambient living room light, or a reading lamp for work purposes. Evoking the essence of its namesake, the drum shade is poised on a metal rod cantilevered from its steel column. Adjusting a small pull piece on the diffuser activates the fixture's counterweight system, enabling it to move to the right or left, or up or down - all the while remaining parallel to the floor.

18 Graphite (RAL 7016)
30 Nickel (Metallic finish)

Shade: Parchment paper/ Aluminum
Vertical tube: Aluminum
Base: Steel
Arm: Stainless steel

LED Colour Temperature
2700 K

Control
Analog: Push



Flat

Design by Ichiro Iwasaki.

A study in geometry, the Flat collection features distinctive, disc-shaped diffusers that form horizontal planes of light, infusing a space with pools of soft illumination.


DIALOGUES









The LED-powered collection features flat metal plates reflecting light off their surface, casting an enveloping, wraparound glow that appears illuminated from within. The floor lamp comes in small and large sizes, with a single or double plate - either a compact disc or a shelf-like plate that doubles as furniture. When deployed in pairs, the smaller, complementary disc captures and reflects light back at the larger plate, creating pockets of soft, pooled indirect light that illuminate both the space and the surface itself.



5965
35 x Ø 30 x 16 cm



5970
29 x 17 x 30 cm



5972
11 x 30 cm

Bolt-down

Ref. 5945, 5957, 5965
- 13 Off-White (NCS S 1000-N)
- 47 Green L1 (NCS S 4005-G80Y)

Ref. 5950
- 10 White (NCS S 0300-N)

Ref. 5955, 5970, 5972
- 11 Black (NCS S 8500-N)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)

Shade: Aluminum
Diffuser: PC- Polycarbonate
Structures: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: Push


Ref. 5945
One general on/off and dimming switch for both discs



5945
76 x 64 x 90 cm



5950
Ø 55 x 43 cm



5955
46 x 25 x 100 cm



5957
48 x 35 x 96 cm

Pg 94/405 VOL 1 Pg 68 VOL 2


North



Design by Arik Levy.


North features a base, stem, and shade that are disconnected from one another in a dynamic system of adjustable parts. Protruding arms hold triangular shades that direct the light where needed.







The North Floor Pendant is defined by a dynamic, deconstructed silhouette. It synthesises the typical floor and pendant lamp by connecting floor and ceiling, its sleek conical shade hanging from a slender carbon fibre rod and secured by a counterweight at floor level. The angle of the rod is adjustable, allowing light to be directed precisely over a coffee table or sofa.




5666

max. 210 x max. 310 x max. 130 cm



5605

max. 270 x max. 230 x max. 355 cm



5620

max. 447 cm x max. 325 cm x max. 425 cm

- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 42 Blue M1 (NCS S 5010-B10G)


Diffuser: PMMA
Shade: Aluminum
Rods: Carbon fiber
Base: Steel

LED Colour Temperature

LED 2700 K: CRI>90
LED 3000 K: CRI>80
LED 3500 K: CRI>90

Control

Analog: Push



Pg 264/412 VOL 1 Pg 330 VOL 2

Pin



Design by Ichiro Iwasaki.

A timeless proposal from Japanese designer Ichiro Iwasaki, the Pin is both classic and contemporary. Characterised by a graceful stem and subtle, functional expression, it is small in scale but with exceptional lighting efficiency.




Slick, refined and understated, the Pin floor lamp is a state of the art design. Perfect for reading, its simple geometric form is designed to arc playfully over a sofa or chair.

Offering two arm lengths, a single or double stem and with an adjustable head, the Pin table lamp provides versatile task lighting that's ideal for work spaces.









Pg 418 VOL 1 Pg 262 VOL 2

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 58 Cream (NCS S 2500-Y20R)
- 62 Green (NCS S 3010-G20Y)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Head: Aluminum
Rods: Steel
Base: Zinc Alloy

LED Colour Temperature
2700 K
CRI>90

Control
Analog: On/ Off



1650
23 x 55 cm

1655
40 x 55 cm

1660
25 x 125 cm

1670
35 x 143 cm

I.Cono



Design by Lievore, Altherr, Molina.

Distinguished by its signature visor-shaped shade, I.Cono presents a poised presence. The visual purity of its angular shade is matched by a sleek base and stem and complemented by a range of elegant finishes.



I.Cono’s smooth surfaces and refined silhouette conceal advanced mechanisms for rotating the head and metal base, ideal for precision lighting and reading.






10 White (NCS S 0300-N)
21 Grey D1 (NCS S 7000-N)
25 Beige D1 (NCS S 4005-Y50R)
37 Terra Red (NCS S 4040-Y70R)
42 Blue M1 (NCS S 5010-B10G)


Shade: ABS + PC- Polycarbonate
Tube: Metal
Base: Zinc Alloy

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push
Smart: Casambi; ProtoPixel*
*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

On/off switch on the cable





0712
21 x 129 x 35 cm



0700
17 x 56 x 32 cm




Pg 424 VOL 1 Pg 308 VOL 2

Suite



Design by Jordi Vilardell & Meritxell Vidal.

Suite reimagines the traditional pairing of shelf and lamp. The collection consists of a set of shelves and a table lamp, with invisible ambient illumination adding an unexpected surprise.





On/off switch under the shelf.
USB charging connection.



6007 and 6012.
Reading light Mink (Pantone 407C), mounted on shelf with dimmable light.
Dimming push-button under the shelf.

14 Chocolate (RAL 8019)
23 Warm White (NCS S 0502-Y50R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Shelf: Aluminum
Lid: ABS with fiberglass
Vertical tube: Steel
Base: Steel

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push



6006
46 x 46 x 133 cm



6007
46 x 46 x 133 cm



6011
46 x 39 x 97 cm



6012
46 x 39 x 112 cm



Pg 430 VOL 1 Pg 304 VOL 2

Skan





Design by Lievore, Altherr, Molina.

Skan is a sleek and unadorned fixture.
It combines lean lines with soothing purity of
form, adding a minimalist sensibility to any space.

Characterized by simple shapes that exude an unmistakable elegance, the Skan floor lamp features flat, disc-like shades which emit a diffuse, comfortable uplight. Three slender stems are entwined like a group of trees, the body and head available in various contemporary matte finishes.

- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 37 Terra Red (NCS S 4040-Y70R)

Finish customization
(Available options: Vibia colour palette)

Head: Aluminum
Diffuser: PMMA
Vertical tube: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push


0260
43 x 37,5 x 198 cm



Pg 116 VOL 1



Pg 434 VOL 1



Ghost




Design by Arik Levy.

A study in contrasts, the Ghost collection embodies both spirit and materiality, discretion and presence. A contemporary reimagining of the grand lights that once graced entryways and living areas, its sensuous form radiates with a warm, welcoming glow.



The Ghost table lamp features a stacked silhouette of voluminous forms to offer an enveloping luminous effect.
A black band encircles the midsection, accentuating its sensuous curves while serving as a hand-touch dimmer.





“Ghost is the pure expression of a state of mind, of the immateriality of mouthblown glass that projects a sensuous halo in space”.

Arik Levy



4960
Ø 47,5 x 112 cm



4965
Ø 47,5 x 92 cm



4970
Ø 47,5 x 88 cm

11 Black (NCS S 8500-N)


Diffuser: Opal Glass
Metal parts: Aluminum

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi



/_ 5: Push-dimming model equipped with two buttons, one for each diffuser. A quick push turns the light on and off, a longer pression dims the light.



Pg 90/438 VOL 1



Jazz

Design by Diego Fortunato.

Undulating and fluid, Jazz's smooth silhouette is strikingly organic. The gently curved design imparts a playful presence, like an oversized chess piece standing guard.





1329

Ø 25 x 190 cm

- 10 White (NCS S 0300-N)
- 25 Beige D1 (NCS S 4005-Y50R)
- 45 Blue D1 (NCS S 7010-B10G)

Body: PU- Polyurethane
Diffuser: PC- Polycarbonate

LED Colour Temperature
LED 2700 K
CRI>90

Control
Analog: Push
Smart: Casambi; ProtoPixel*


*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



Floor switch



Warm



Design by Ramos & Bassols.

A contemporary take on a timeless design,
Warm features a generous drum shade in
a muted colour palette for a refined touch.




Bringing a touch of elegance that's adaptable to any atmosphere, Warm is available in two models: the translucent screen provides general ambient illumination and the opaque aluminium shade offers a brighter, up- and downlight.















4895 4896
Ø 19 x 41 cm

4900 4901
Ø 32,4 x 59 cm

4905 4906
Ø 32,4 x 150 cm

Screen shade: Ref. 4895, 4900, 4905
- 10 White (NCS S 0300-N)

Aluminum shade: Ref. 4896, 4901, 4906
- 10 White (NCS S 0300-N)
- 25 Beige D1 (NCS S 4005-Y50R)
- 28 Brown M1 (NCS S 4020-Y60R)
- 56 Green D1 (NCS S 7010-G30Y)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PMMA
Rod: Aluminum
Base: Steel

LED Colour Temperature
2700 K

Pg 122 VOL 1

Pg 448 VOL 1

Musa


Design by Note Design Studio.

A poetic lighting solution, Musa is inspired by the beauty of nature. Its delicate silhouette consists of two ovals: a milky-white blown-glass shade and an LED-powered bulb cradled within.










Refs. 7400, 7402.
Electric cable with plug.
Push-button on the base.





Ref. 7404.
Portable version with battery.
Electric cable with plug.
Push-button on the base.



7400



7402 7404

7400

9 x Ø 26 cm

7402 7404

Ø 26 x 14 x 10 cm

As a table lamp, its smooth bowl rests on an aluminium base that's tucked behind the body so as not to disrupt the design. A small, dimmable bulb nestles at its base, casting a soft glow that spreads across the larger sphere which contains and diffuses it.

- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)
- 36 Soft Pink (NCS S 1010-Y50R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: Blown-glass
Body: Aluminum

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push

Ref: 7404

Portable

Battery life: from 6 to 18 hours
(depending on intensity)

Pg 454 VOL 1 Pg 296 VOL 2

Offset





Design by Xuclà.

Offset consists of a vertical rod extending from a solid base. The rod can be angled to illuminate an adjacent wall with a diffuse, ambient lighting effect. A combination of multiple fixtures of different lengths adds a graphic dimension to a contemporary interior.






Never harsh or obvious, these are thoughtful, ultra-nuanced colours that respect and reflect the characteristics of natural light while capturing or enhancing a desired mood or moment. Applicable to day and night and every hour in between, each hue has an adaptable tone that can be tailored to any scenario or space.

Whatever the situation, these are illuminating tones that set the stage for life in all its colourful complexity.

A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.
Natural light is never mono-tonal. Gradients come in infinite colours.



Vibia Chromatica colours of light

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

Static White

2200 K | 2500 K | 2700 K

3000 K | 3500 K | 4000 K

You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface.
You can also integrate your selection into the control system for specific scene design and activate it using the Vibia App

Colour Moods

Still - A pale and thin green light, inspired by the very first rays of morning sun

Vivid - A vibrating blue with a hint of pale yellow for a feeling of liveliness

Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones

Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Delicate colour mood

A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window. Golden tones from apricot pink to soft orange meet in the gradient.



Colour Mood Grazer

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum
Lens: PMMA


LED Colour Temperature

Infinite Colour (TW + RGB)
CRI >90

Control
Smart: ProtoPixel*
(also with push buttons)

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface





1780

14 x 128 cm



Pg 460 VOL 1 Pg 94/348 VOL 2



Out



Design by Víctor Carrasco.

A romantic response to the global transition to life outside, Out brings the intimacy of indoor lighting outdoors. Suitable for illuminating a table or meeting point, this luminaire emanates with wa soft, diffuse downlight.





4270 Not Fixed
211 x 242 cm



4275 Bolt-down “hard wired”
211 x 242 cm

- 22 Graphite Black (NCS S 8000-N)
- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)
- 36 Soft Pink (NCS S 1010-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)

Tube: Stainless Steel
Shade: Aluminum
Diffuser: PE- Polyethylene

LED Colour Temperature
2700 K
CRI>90

Control
Ref. 4270
Analog: Push
Smart: Casambi; ProtoPixel*
*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)
Ref. 4275
Digital: DALI-2
Smart: Casambi (Remote)

IP65


4270. Cable with switch IP44






Pg 468 VOL 1
Pg 378 VOL 2

Plusminus Solo



Spot Flat Diffuser



Spot Accent Light

Design by Diez Office.

Introducing a collection of versatile semispheres, Plusminus Solo offers complete freedom to create dynamic and restorative atmospheres. A combination of various typologies unlocks harmonious effects, from diffuse and general through to accented lighting.







Table switch









Floor switch



Plusminus Solo offers two distinct designs, visually connected by their signature semi-spherical shades. A range of dome-shaped flat diffusers can be positioned as desired, directed upwards from floor level or tilted at an angle.
A compact floor or table lamp completes the set. With a thick cylindrical base and adjustable shade, this portable model provides accent or diffuse spotlighting wherever needed.

PLUSMINUS SOLO



6341 Surface Accent medium
6343 Surface Flat diffuser

Ø 10 x 50 cm

6346 Bolt-down Accent medium
6348 Bolt-down Flat diffuser

Ø 10 x 50 cm

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum
Base: Steel / Zinc Alloy
Diffuser: PC- Polycarbonate

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push
Digital: DALI-2 (Bolt-down)
Smart: Casambi; ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)



6361
Surface / Bolt-down
Accent medium

6363
Surface / Bolt-down
Flat diffuser

Ø 10 x 10 cm



6365
Surface / Bolt-down
Flat diffuser

Ø 20 x 14 cm



6370
Surface / Bolt-down
Flat diffuser

Ø 30 x 20 cm



Pg 472 VOL 1



Pg 120/216 VOL 2


Openhouse
Issue N°19
Openhouse
Issue N°18
Openhouse
Issue N°15
CATALÀ-ROCA
TASCHEN

Lighting Typologies

Support Portfolio

Lighting Typologies

Diffuse

Flat Diffuser




General



Proximity



Linear



Linear High Confort




Volumetric Diffuser











Hidden Diffuser




General



Proximity



Indirect



Reflected










Surface Grazer



360°



Direct



Mood Grazer

Wall Washer



Linear



Spot

Direct

Spotlight



Accent





Reading



Downlight



Accent







Linear High Efficiency Low Glare



Lighting Typologies

Diffuse

Flat Diffuser

Comfortable, uniform illumination with soft shadows, subdued highlights and little visual hierarchy



General
First layer of basic, general illumination



Close Proximity
Lighting applications for illumination in close proximity to the user



Linear
Linear lighting applications for functional and graphic illumination



Linear High Comfort
Linear lighting applications with High lighting and comfort levels (UGR <19) for illumination in close proximity

Volumetric Diffuser



Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface.










Hidden Diffuser



Subtly directed diffused light that generates a soft hierarchy of light on to the illuminated surface



General
First layer of basic, general illumination



Close Proximity
Lighting applications for illumination in close proximity to the user

Indirect

Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the product









Surface Grazer

Creation of visual hierarchies through projected light, emphasising the materiality and texture of the surrounding environment



360°
Full-circle grazing light



Direct
Directed grazing light



Mood Grazer
Tunable white or infinite colour regulation to curate the perfect atmosphere

Wall Washer

Vertical lighting to give structure and amplitude to a space. Diffuse light is reflected from the illuminated surface for a soft and homogeneous atmosphere



Linear
Bathing a vertical surface with light projected from a linear lighting application



Spot
Bathing a vertical surface with light projected from a spot lighting application

Direct

Spotlight

Adjustable, directed light for dynamic visual hierarchies, emphasising functional areas, objects or architectural elements



Accent
Narrow: Angles less than 20°.
Suitable for generating high contrasts or projections at far distances.
Medium: Angles between 20° and 40°.
Suitable for generating medium contrasts or projections at medium distances.
Wide: Angles greater than 40°.
Suitable for generating moderate contrasts or projections at near distances.



Reading
High intensity, glare-free task lighting



Downlight

Static, directed light for creating visual hierarchies and emphasising functional areas, objects or architectural elements




Accent
Narrow: Angles less than 20°.
Suitable for generating high contrasts or projections at far distances.
Medium: Angles between 20° and 40°.
Suitable for generating medium contrasts or projections at medium distances.
Wide: Angles greater than 40°.
Suitable for generating moderate contrasts or projections at near distances.



Linear High Efficiency Low Glare



High energy efficiency and low glare levels UGR<19 for linear light applications



Support Portfolio

Atmosphere Design Support → Control System Design Support → Installation and Maintenance Support

From Project Support to Usage

To achieve wellbeing scenes it is necessary to cover the entire end-to-end journey. From **design** and composition through to **installation** and **user interaction,** Vibia's team is prepared to assist you in any request you may have.

Sales Team Project Support

Direct contact with the Vibia representative in your area to assist you with whatever you need.

Selection of the appropriate product and customisation.

Creation of project moodboards by scenes.

Use of Vibia's online professional tools (Website, App, etc.).




Technical Support Services (TSS)

Our technical service team is available to assist you with any post-sales queries you may have, including:

Installation process.

Control System implementation process.

Maintenance.



Installation and Maintenance Process

DALI
CASAMBI
ProtoPixel


Control System Implementation

Online Professional Tools


Support for our digital tools designed for professionals.

Web: Professional Area.

Onsite App.



Web Project Management Area



Onsite App


Lighting & Wellbeing Studio

Vibia's specialised team is at your disposal to assist you in creating a complete Atmosphere Design project, including:


Scenes design.

Optional:

- Lighting calculations, renderings, etc.
- Control system approach.
- End-user interaction approach.



Lighting Project Design with Scenes



Control System and End-User Interaction Approach

Atmosphere Design Content and Professional Training

Consult about Vibia's training program.

New Approach to Atmospheres Design:

- Periodic online training sessions.
- In-company training.

Certification Programs: COMING SOON.

- Certificate in Emotional Atmosphere Design for project designers.
- Certificate for Vibia Authorised Installers to provide local support.



Events for professionals

Model	Vol	Page
0130	Vol 1	53
0131	Vol 1	53
0132	Vol 1	53
0135	Vol 2	59
0136	Vol 2	59
0137	Vol 2	59
0140	Vol 1	53 - Vol 2 59
0141	Vol 1	53 - Vol 2 59
0142	Vol 1	53 - Vol 2 59
0151	Vol 1	53 - Vol 2 59
0152	Vol 1	53 - Vol 2 59
0153	Vol 1	53 - Vol 2 59
0155	Vol 1	52 - Vol 2 58
0157	Vol 1	52 - Vol 2 58
0162	Vol 1	52 - Vol 2 58
0164	Vol 1	52 - Vol 2 58
0167	Vol 1	52 - Vol 2 58
0171	Vol 2	66
0172	Vol 2	66
0173	Vol 2	66
0176	Vol 1	64
0177	Vol 1	64
0178	Vol 1	64
0182	Vol 1	62
0185	Vol 1	62
0187	Vol 1	62
0193	Vol 1	63
0196	Vol 1	63
0260	Vol 1	436
0270	Vol 1	120
0275	Vol 1	120
0299	Vol 1	129
0300	Vol 1	129
0301	Vol 1	129
0302	Vol 1	129
0303	Vol 1	129
0309	Vol 1	129
0310	Vol 1	129
0311	Vol 1	129
0312	Vol 1	129
0315	Vol 1	142
0320	Vol 1	132
0325	Vol 1	132
0330	Vol 1	132
0338	Vol 1	132
0347	Vol 1	138
0348	Vol 1	138
0361	Vol 1	138
0374	Vol 1	143
0375	Vol 1	143
0376	Vol 1	142
0377	Vol 1	142
0378	Vol 1	143
0700	Vol 1	429
0712	Vol 1	429
0720	Vol 2	311
0721	Vol 2	311
0820	Vol 1	204
0825	Vol 1	210
0827	Vol 1	210
0830	Vol 1	210
0832	Vol 1	210
0835	Vol 1	210
0837	Vol 1	210
0840	Vol 1	210
0845	Vol 1	210
0847	Vol 1	210
0850	Vol 1	210
0860	Vol 1	210
0862	Vol 1	210
0865	Vol 1	210
0867	Vol 1	210
0870	Vol 1	210
0872	Vol 1	210
0875	Vol 1	210
0877	Vol 1	210
0920	Vol 1	216
1154	Vol 2	215
1155	Vol 2	215
1160	Vol 2	41 - 215
1170	Vol 2	41 - 215
1510	Vol 1	158
1527	Vol 1	158
1530	Vol 1	158
1540	Vol 1	159
1550	Vol 1	159
1560	Vol 1	159
1570	Vol 1	159
1575	Vol 1	150
1580	Vol 1	150
1585	Vol 1	150
1590	Vol 1	150
1650	Vol 1	423
1655	Vol 1	423
1660	Vol 1	423
1670	Vol 1	423
1675	Vol 2	266
1680	Vol 2	266
1685	Vol 2	266
1686	Vol 2	266
1690	Vol 2	266
1692	Vol 2	266
1694	Vol 2	266
1720	Vol 2	98
1722	Vol 2	98
1725	Vol 2	98
1727	Vol 2	98
1728	Vol 2	102
1729	Vol 2	108
1730	Vol 2	102
1732	Vol 2	108
1735	Vol 2	102
1737	Vol 2	108
1740	Vol 2	102
1742	Vol 2	108
1745	Vol 2	102
1747	Vol 2	108
1755	Vol 2	104
1757	Vol 2	104
1760	Vol 2	112 - 353
1762	Vol 2	112 - 353
1765	Vol 2	112 - 353
1767	Vol 2	112 - 353
1770	Vol 2	352
1772	Vol 2	352
1774	Vol 2	352
1780	Vol 1	466
1800	Vol 1	12
1805	Vol 1	12
1810	Vol 1	12
1815	Vol 1	12
1820	Vol 1	12
1825	Vol 1	12
1830	Vol 1	12
1835	Vol 1	12
1840	Vol 1	12
1845	Vol 1	12
1850	Vol 1	13
1855	Vol 1	13
1860	Vol 1	13
1865	Vol 1	13
1870	Vol 1	13
1875	Vol 1	13
1880	Vol 1	13
2012	Vol 2	174 - 302
2013	Vol 2	174 - 302
2014	Vol 2	174
2110	Vol 1	186
2111	Vol 1	186
2112	Vol 1	186
2113	Vol 1	186
2120	Vol 1	186
2121	Vol 1	186
2122	Vol 1	186
2141	Vol 1	193
2142	Vol 1	193
2143	Vol 1	193
2155	Vol 1	184
2165	Vol 1	190
2167	Vol 1	190
2260	Vol 2	292
2262	Vol 2	292
2263	Vol 2	292
2270	Vol 1	115
2272	Vol 1	115
2277	Vol 1	115
2282	Vol 1	114
2288	Vol 1	114
2292	Vol 2	171
2298	Vol 2	171
2330	Vol 1	222
2331	Vol 1	222
2332	Vol 1	222
2333	Vol 1	222
2340	Vol 1	220
2341	Vol 1	220
2342	Vol 1	220
2343	Vol 1	220
2350	Vol 1	226
2351	Vol 1	226
2355	Vol 1	228
2356	Vol 1	228
2360	Vol 2	338
2500	Vol 1	164
2501	Vol 1	164
2502	Vol 1	164
2510	Vol 1	164
2511	Vol 1	164
2515	Vol 1	164
2516	Vol 1	164
2600	Vol 2	273
2602	Vol 2	273
2610	Vol 2	273
2612	Vol 2	273
2615	Vol 2	273
2617	Vol 2	273
2630	Vol 2	180
2632	Vol 2	180
2634	Vol 2	180
2640	Vol 2	180
2642	Vol 2	180
2645	Vol 2	180
2647	Vol 2	180
2800	Vol 2	466
2805	Vol 2	466
2810	Vol 2	466
2815	Vol 2	466
2820	Vol 2	466
2825	Vol 2	466
3225	Vol 1	370
3230	Vol 1	370
3235	Vol 1	24
3300	Vol 2	24 - 28
3303	Vol 2	24 - 28
3306	Vol 2	24 - 28
3310	Vol 2	24 - 28
3313	Vol 2	24 - 28
3316	Vol 2	24 - 28
3320	Vol 2	24 - 28
3323	Vol 2	24 - 28
3326	Vol 2	24 - 28
3330	Vol 2	24 - 28
3333	Vol 2	24 - 28
3336	Vol 2	24 - 28
3350	Vol 2	32
3353	Vol 2	32
3360	Vol 2	34
3363	Vol 2	34
3500	Vol 2	80
3503	Vol 2	80
3505	Vol 2	80
3508	Vol 2	80
3510	Vol 2	80
3513	Vol 2	80
3515	Vol 2	80
3518	Vol 2	80
3530	Vol 2	84
3533	Vol 2	84
3535	Vol 2	84
3538	Vol 2	84
3540	Vol 2	84
3543	Vol 2	84
3550	Vol 2	86
3553	Vol 2	86
3555	Vol 2	86
3558	Vol 2	86
3560	Vol 2	86
3563	Vol 2	86
3565	Vol 2	86
3568	Vol 2	86
3575	Vol 2	88
3578	Vol 2	88
3580	Vol 2	88
3583	Vol 2	88
3585	Vol 2	88
3588	Vol 2	88
3605	Vol 2	90
3608	Vol 2	90
3610	Vol 2	90
3613	Vol 2	90
3700	Vol 2	260
3702	Vol 2	260
3704	Vol 2	260
3706	Vol 2	260
3710	Vol 2	260
3714	Vol 2	260
3716	Vol 2	260
3718	Vol 2	260
3720	Vol 1	172
3724	Vol 1	172
3726	Vol 1	172
3728	Vol 1	172
3730	Vol 1	172
3734	Vol 1	174
3736	Vol 1	174
3760	Vol 2	118
3764	Vol 2	118
3900	Vol 2	204
3905	Vol 2	204
3910	Vol 2	204
3915	Vol 2	204
3920	Vol 1	180
3925	Vol 1	180
3930	Vol 1	180
3935	Vol 1	180
4057	Vol 2	428
4062	Vol 2	428
4067	Vol 2	428
4072	Vol 1	232 - Vol 2 428
4077	Vol 1	232 - Vol 2 428
4078	Vol 1	232 - Vol 2 428
4101	Vol 2	432
4106	Vol 2	432
4108	Vol 2	432
4112	Vol 2	443
4114	Vol 2	443
4116	Vol 2	443
4118	Vol 2	443
4125	Vol 2	410
4130	Vol 2	410
4135	Vol 2	410
4136	Vol 2	410
4270	Vol 1	471 - Vol 2 387
4275	Vol 1	471 - Vol 2 387
4440	Vol 2	190
4442	Vol 2	190
4452	Vol 2	190
4454	Vol 2	190
4460	Vol 2	190
4500	Vol 2	315 - 392
4501	Vol 2	315 - 392
4504	Vol 2	315 - 392
4506	Vol 2	315 - 392
4508	Vol 2	315 - 392
4510	Vol 2	400
4516	Vol 2	400
4539	Vol 2	400
4540	Vol 2	400
4625	Vol 2	406
4630	Vol 2	406
4635	Vol 2	406
4640	Vol 2	406
4660	Vol 2	251
4662	Vol 2	251
4665	Vol 2	251
4670	Vol 2	251
4675	Vol 2	251
4680	Vol 2	255 - 376
4684	Vol 2	370
4688	Vol 2	370
4695	Vol 2	370
4697	Vol 2	370
4700	Vol 2	370
4702	Vol 2	370
4710	Vol 2	452
4715	Vol 2	452
4720	Vol 2	452
4780	Vol 2	448
4785	Vol 2	448
4800	Vol 2	421
4801	Vol 2	421
4802	Vol 2	421
4803	Vol 2	421
4804	Vol 2	420
4805	Vol 2	420
4810	Vol 2	420
4811	Vol 2	420
4812	Vol 2	420
4820	Vol 2	421
4870	Vol 2	11
4871	Vol 2	17
4872	Vol 2	11
4873	Vol 2	17
4874	Vol 2	11
4875	Vol 2	17
4876	Vol 2	11
4877	Vol 2	17
4878	Vol 2	11
4879	Vol 2	17
4880	Vol 2	11
4881	Vol 2	17
4895	Vol 1	452
4896	Vol 1	452
4900	Vol 1	452
4901	Vol 1	452
4905	Vol 1	452
4906	Vol 1	452
4925	Vol 1	125
4926	Vol 1	125
4960	Vol 1	442
4965	Vol 1	442
4970	Vol 1	442
4987	Vol 1	92
5189	Vol 1	402
5190	Vol 1	402
5191	Vol 1	402
5192	Vol 1	402
5410	Vol 2	195 - 322
5412	Vol 2	195 - 322
5425	Vol 2	322
5427	Vol 2	322
5430	Vol 2	195
5432	Vol 2	195
5435	Vol 2	195
5437	Vol 2	195
5470	Vol 2	327
5471	Vol 2	327
5472	Vol 2	327
5474	Vol 2	327
5476	Vol 2	327
5480	Vol 2	327
5481	Vol 2	327
5485	Vol 2	327
5486	Vol 2	327
5487	Vol 2	327
5491	Vol 2	327
5495	Vol 1	392
5496	Vol 1	392
5497	Vol 1	392
5500	Vol 1	399
5505	Vol 1	399
5510	Vol 1	399
5515	Vol 1	399
5520	Vol 1	198
5525	Vol 1	198
5580	Vol 1	362
5585	Vol 1	362
5590	Vol 1	362
5595	Vol 1	362
5605	Vol 1	416
5620	Vol 1	416
5630	Vol 2	333
5660	Vol 1	266
5662	Vol 1	266
5664	Vol 1	266
5666	Vol 1	416
5670	Vol 1	266
5672	Vol 1	266
5674	Vol 1	266
5720	Vol 1	377
5725	Vol 1	377
5730	Vol 1	18
5756	Vol 2	231
5757	Vol 2	231
5758	Vol 2	231
5759	Vol 2	231
5760	Vol 2	231
5761	Vol 2	231
5762	Vol 2	231
5763	Vol 2	231
5764	Vol 2	231
5765	Vol 2	231
5766	Vol 2	231
5767	Vol 2	231
5770	Vol 1	238
5772	Vol 1	238
5774	Vol 1	238
5776	Vol 1	238
5778	Vol 1	238
5780	Vol 1	238
5905	Vol 2	74
5910	Vol 2	74
5915	Vol 2	74
5920	Vol 2	74
5922	Vol 2	74
5924	Vol 2	74
5926	Vol 2	74
5930	Vol 1	98
5935	Vol 1	98
5940	Vol 1	98
5945	Vol 1	410
5950	Vol 1	410
5955	Vol 1	410
5957	Vol 1	410
5965	Vol 1	410
5970	Vol 1	410
5972	Vol 1	410
5975	Vol 2	186 - 240
5977	Vol 2	186 - 240
5979	Vol 2	186 - 240
5981	Vol 2	187 - 240
5983	Vol 2	187 - 240
5985	Vol 2	187 - 240
5987	Vol 2	241

Model	Vol	Page
5989	Vol 2	241
5991	Vol 2	241
5993	Vol 2	241
5995	Vol 2	241
6006	Vol 1	433
6007	Vol 1	433
6011	Vol 1	433
6012	Vol 1	433
6040	Vol 2	306
6041	Vol 2	306
6045	Vol 2	306
6046	Vol 2	306
6095	Vol 2	200
6100	Vol 2	200
6105	Vol 2	200
6160	Vol 1	104
6165	Vol 1	104
6200	Vol 1	346
6205	Vol 1	346
6210	Vol 1	346
6215	Vol 1	346
6220	Vol 1	346
6225	Vol 1	346
6230	Vol 1	346
6235	Vol 1	346
6240	Vol 1	346
6245	Vol 1	346
6250	Vol 1	347
6255	Vol 1	347
6260	Vol 1	347
6265	Vol 1	347
6270	Vol 1	347
6275	Vol 1	347
6280	Vol 1	347
6285	Vol 1	347
6330	Vol 2	126 - 224
6331	Vol 2	126 - 224
6332	Vol 2	126 - 224
6333	Vol 2	126 - 224
6335	Vol 2	126 - 224
6340	Vol 2	126 - 224
6341	Vol 1	480
6343	Vol 1	480
6346	Vol 1	480
6348	Vol 1	480
6361	Vol 1	480 - Vol 2 224
6363	Vol 1	480 - Vol 2 224
6365	Vol 1	480 - Vol 2 224
6370	Vol 1	480 - Vol 2 224
6414	Vol 2	287
6416	Vol 2	287
6418	Vol 2	287
6434	Vol 1	84
6436	Vol 1	84
6438	Vol 1	84
6444	Vol 2	283
6446	Vol 2	283

Model	Vol	Page
6474	Vol 1	88
6476	Vol 1	88
6500	Vol 1	259 - Vol 2 143
6504	Vol 1	259 - Vol 2 143
6510	Vol 1	259 - Vol 2 143
6514	Vol 1	259 - Vol 2 143
6520	Vol 1	259 - Vol 2 143
6524	Vol 1	259 - Vol 2 143
6525	Vol 1	259 - Vol 2 143
6528	Vol 1	259 - Vol 2 143
6529	Vol 1	259 - Vol 2 143
6530	Vol 1	259 - Vol 2 143
6534	Vol 1	259 - Vol 2 143
6538	Vol 1	259 - Vol 2 143
6540	Vol 1	258 - Vol 2 145
6542	Vol 1	258 - Vol 2 145
6560	Vol 1	263 - Vol 2 147
6561	Vol 1	263 - Vol 2 147
6570	Vol 1	263 - Vol 2 147
6571	Vol 1	263 - Vol 2 147
6575	Vol 1	262 - Vol 2 146
6576	Vol 1	262 - Vol 2 146
6580	Vol 1	263 - Vol 2 147
6581	Vol 1	263 - Vol 2 147
6583	Vol 1	263 - Vol 2 147
6584	Vol 1	263 - Vol 2 147
6586	Vol 1	263 - Vol 2 147
6587	Vol 1	263 - Vol 2 147
6590	Vol 1	262 - Vol 2 146
6591	Vol 1	262 - Vol 2 146
6600	Vol 2	152
6604	Vol 2	152
6610	Vol 2	156
6614	Vol 2	156
6620	Vol 2	160
6624	Vol 2	160
6630	Vol 2	156
6634	Vol 2	156
6640	Vol 2	160
6644	Vol 2	160
6650	Vol 2	152
6654	Vol 2	152
6658	Vol 2	152
6660	Vol 2	156
6664	Vol 2	156
6668	Vol 2	156
6670	Vol 2	160
6674	Vol 2	160
6678	Vol 2	160
6680	Vol 2	156
6684	Vol 2	156
6688	Vol 2	156
6690	Vol 2	160
6694	Vol 2	160
6698	Vol 2	160
6700	Vol 2	166
6702	Vol 2	166

Model	Vol	Page
7310	Vol 1	72
7313	Vol 1	72
7316	Vol 1	72
7320	Vol 1	73
7323	Vol 1	73
7326	Vol 1	73
7338	Vol 1	387
7339	Vol 1	387
7348	Vol 1	387
7350	Vol 1	73
7353	Vol 1	73
7356	Vol 1	73
7360	Vol 1	78
7361	Vol 1	78
7363	Vol 1	78
7364	Vol 1	78
7365	Vol 1	78
7366	Vol 1	78
7368	Vol 1	78
7369	Vol 1	78
7375	Vol 1	387
7376	Vol 1	387
7378	Vol 1	387
7379	Vol 1	387
7400	Vol 1	458
7402	Vol 1	458
7404	Vol 1	458
7415	Vol 2	298
7450	Vol 1	31
7455	Vol 1	31
7460	Vol 1	31
7470	Vol 1	31
7475	Vol 1	31
7480	Vol 1	382
7485	Vol 1	382
7487	Vol 1	382
7490	Vol 1	382
7492	Vol 1	382
7494	Vol 1	382
7749	Vol 2	276
7750	Vol 2	276
7751	Vol 2	276
7752	Vol 2	276
7753	Vol 2	276
7940	Vol 2	318
7942	Vol 2	318
A146	Vol 1	54 - Vol 2 60
A147	Vol 1	54 - Vol 2 60
A352	Vol 1	50 - Vol 2 56
A353	Vol 1	50 - Vol 2 56
A354	Vol 1	50 - Vol 2 56
A355	Vol 1	50 - Vol 2 56
A356	Vol 1	50 - Vol 2 56
A357	Vol 1	50 - Vol 2 56
A358	Vol 1	50
A359	Vol 1	50
A360	Vol 1	50

Model	Vol	Page
A361	Vol 1	50
A362	Vol 1	50
A363	Vol 1	50
A364	Vol 1	50
A365	Vol 1	50
A366	Vol 1	50
A367	Vol 1	50
A368	Vol 1	50
A369	Vol 1	50
A370	Vol 1	50
A371	Vol 1	50
A372	Vol 1	50
A373	Vol 1	50
A374	Vol 1	50
A375	Vol 1	50
A376	Vol 1	50
A377	Vol 1	50
A378	Vol 1	50
A379	Vol 1	50
A380	Vol 1	50
A381	Vol 1	50
A382	Vol 1	50
A383	Vol 1	50
A384	Vol 1	50
A385	Vol 1	50
A386	Vol 1	50
A387	Vol 1	50
A388	Vol 1	50
A389	Vol 1	50
A390	Vol 1	50
A391	Vol 1	50
A392	Vol 1	50
A393	Vol 1	50
A414	Vol 2	140
A415	Vol 2	140
A416	Vol 2	140
A417	Vol 1	260
A418	Vol 1	260
A419	Vol 1	260
A420	Vol 1	260
A421	Vol 1	260
A422	Vol 1	260
A423	Vol 1	260
A424	Vol 1	260
A425	Vol 1	260
A439	Vol 1	362
A440	Vol 1	362
A491	Vol 2	140
A492	Vol 2	140
A493	Vol 2	140
Match	Vol 1	168

CO Arquitectura and Altointeriorismo
(Page 8, 44, 58)

Photography: Alejandra Urquiza
(Page 9 , 145)

Photography: Matej Hakár
(Page 10)

Architecture: César Béjar
(Page 10)

Photography: Fernando Guerra
(Page 17)

Fieldwork Design
Photography: Jeremy Bittermann / JBSA
(Page 22)

CO Arquitectura and Altointeriorismo
(Page 44, 58)

Photography: Alex Bagué
(Page 47)

@ceramicasantagostino
(Page 48)

Photography: @fotografadearquitectura
Architecture: R21 Arkitekter
@r21aarkitekter / Constructor Saulius Balsevicius
@gravitas_bygg_as
(Pg 49)

Photography: Raúl Candales
Project: VIVE ESTUDIO
(Page 58)

Architect: Marià Castelló
(Page 58, 243)

Architecture: b720 Fermín Vázquez
(Page 59)

Architecture: Marià Castelló
@mcastello_arch
(Page 67)

Architecture: © Fran Silvestre Arquitectos
(Page 69)

Architecture firm: DOST
Photography: Andrin Winteler
(Page 69)

Architecture: Inmaculada González,
Harald Schönegger
Photography: Fernando Alda
(Page 70)

Photography: © Pedro Vennucchi
Architecture: David Ito
(Page 91)

Photography: Sandra Rojo
Architecture: Zoga Arquitectura
(Page 93)

Photography: Ricardo Gonçalves
www.ricardogoncalves.pt
Architecture: Aboim Inglez Arquitectos
(Page 108)

Photography: Ricardo Gonçalves
Architecture: Aboim Inglez Arquitectos
(Page 121)

Project: Leman Locke Hotel
Grzywinski+Pons
(Page 128)

Nacho Carbó
Photography: Mariela Apollonio
(Page 137, 369)

Photography: Germán Saíz
Architecture: Estudio Reciente
(Page 147)

VMS Investment Group Headquarters
Aedas Interiors
(Page 162, 165)

Photography: Frank Schinski,
Ostkreuz
www.frankschinski.de
(Page 172)

VSHD Design
Architect: Rania M Hamed
(Page 175)

Showroom: WSA Showroom
(Page 175)

Photography: Andrew Begley
Architecture: EGO Group Interiors:
Davenport Campbell Electrical:
Medland Metropolis
(Page 175)

Showroom: WSA Showroom
(Page 182)

VSHD Design
Architect: Rania M Hamed
(Page 187)

Project: Penthouse / Apartment in Tel Aviv
Photography: Amit Geron
Architecture: Pitsou Kedem Architects
Lighting Design: Orly Avron Alkabes
(Pag 192)

Interior and object consulting:
Christin Kaldma
www.christinkaldma.de
(Page 212)

Photography: Ewout Huibers
Arquitecture: SevilPeach Architecture + Design
Client: Spaces
(Page 215, 219, 222)

Photography: Adrià Goula
Architect: Gabriel Montañés
(Page 229, 244)

Photography: João Carmo Simões
www.joaocarmosimoes.com
(Page 229)

Photography: @fotografadearquitectura
Architecture: Ramón Esteve Estudio
(Page 244)

Photography: José Losada
@joselosadaphotography
(Page 247)

Studio M
(Page 249)

Photography: Highlite Images
Architecture: YUAN Architects
(Page 257)

Project: Desalto store
(Page 265)

Architect: Cristina Soler from Arquemo
Photography: Enric Badrinas
(Page 269)

Photography: Fernando Alda
Architecture: Inmaculada González,
Harald Schönegger
Project: Private house in Seville.
(Page 290, 313)

Barozzi Veiga
Photography: Mariela Apollonio
(Page 296)

Photography: Filippo Poli
(Page 298)

Photography: Dieter Muenchen
(Page 321)

Architecture: BAAS arquitectura
(Page 322)

Photography: Emily Gilbert
(Page 336)

Architecture: Carles Enrich
Photography: Adrià Goula
(Page 337)

Photography & Architecture:
Simón García
(Page 339)

Bernadí Hub
www.bernadi.es
(Page 356, 359, 360)

DTI Group - Office
Architecture: VEVS Amsterdam
(Rob van Sprang - Martijn d'Herripon)
Photography: Mike Bink
(Pg 409)

Zentrum la Garriga
(Pg 426)

Vibia Lighting, S.L.U.

Spain & Portugal T. +34 934 796 970
International T. +34 934 796 971
hello@vibia.com
www.vibia.com

Atmosphere Design

A space is an ecosystem; a combination of different elements that come together to create an atmosphere. With the right tools, a designer can shape the atmosphere of a space.

What determines our sense of wellbeing is the type of space and how individuals use it; the visual hierarchy and harmony created by the composition and combination of material and spatial elements; and the fusion of different lighting effects as they accompany us throughout the day.

vibia.com


1

PENDANT
PLUSMINUS
FLOOR & TABLE

2

CEILING
WALL
OUTDOOR

VIBIA



A New Approach to Atmosphere Design

A space is an ecosystem; a combination of different elements that come together to create an atmosphere. With the right tools, a designer can shape the atmosphere of a space.



What determines our sense of wellbeing is the type of space and how individuals use it; the visual hierarchy and harmony created by the composition and combination of material and spatial elements; and the fusion of different lighting effects as they accompany us throughout the day.

Designing the perfect atmosphere requires the consideration of **scene composition** and **control system integration** from the beginning of a project.



Lighting Project
Design with Scenes


Design by Use & Emotions

Visual Hierarchy


Density of Light

Design by Use & Emotions

Relaxation



Activation





Concentration



Socialisation

Designing by use and emotions involves exploring how individuals might use a space and designing **adaptable scenes** to suit their needs, considering how people might like to feel at **certain times of day** and how the atmosphere of the space might enhance these emotions.

Visual Hierarchy



Considering the key elements of the interior and create visual hierarchy using light to **direct the gaze** and highlight certain aspects of the space. **Light** and **material** elements come together to generate depth and harmony.

Density of Light



The key is to find a balance between soft and more accentuated light through a **unique blend of lighting effects** (direct, indirect and diffuse) and subtle variations in **intensity, tone** and **colour gradient.**

Control System Design

Designing the perfect atmosphere requires designing the control system right from the start of each project.

This facilitates the creation of hybrid scenes that **enhance wellbeing** while **reducing energy consumption and project costs.**

Control System Integration



Our portfolio of products and digital tools are designed to seamlessly integrate with any control systems and Building Management Systems (BMS).


Vibia Product Control Options


Analog (On/Off, Push, Sensor, TRIAC, 1-10V, 0-10V)
Digital (DALI 2, Lutron)
Smart (Casambi, ProtoPixel)

Integration with

Control System (Wired, Wireless)
Building Management Systems (BMS)
Used in large buildings to ensure centralised control and energy savings.

End User
Interaction Design





Incorporating end user interaction and automation from the beginning of every lighting project is essential. This ensures that the design is intuitive and responsive to user needs, enhancing the overall experience.

User Interfaces

Switches, apps, and voice assistants for simplified light interaction.

Automation

Use of time control.
Smart sensors trigger lighting adjustments automatically.

Scenes & Control System
Design Support



We offer personalised support with **control system approach**, as well as assistance and recommendation when designing an atmosphere of wellbeing.

By Your Side

From Project Support to Usage.
Creating scenes of wellbeing requires guidance and support throughout the entire project journey (end-to-end). From **design** and composition through to **installation** and **end-user interaction,** Vibia's team is prepared to help you with any technical or commercial need you might have.



Volume 1

Pendant 1
Plusminus 271
Floor & Table 355

Lighting Typologies 486
Support Portfolio 490
Item index 492
Acknowledgements 495

Volume 2

Ceiling 1
Wall 209
Outdoor 359

Lighting Typologies 472
Support Portfolio 476
Item index 478
Acknowledgements 481

Collections

Africa
Floor & Table
Vol 1 356

Algorithm Free
Pendant
Vol 1 200

Algorithm Grid
Pendant
Vol 1 206

Alpha
Wall
Vol 2 316

Array
Pendant
Vol 1 2

Balance
Floor & Table
Vol 1 400

Bamboo
Outdoor
Vol 2 414

Bigger
Pendant
Vol 1 176
Ceiling
Vol 2 202

Bind
Pendant
Vol 1 240
Ceiling
Vol 2 128

Bind Solo
Ceiling
Vol 2 148

Break
Outdoor
Vol 2 430

Break Plus
Outdoor
Vol 2 435

Brisa
Outdoor
Vol 2 402

Circle
Ceiling
Vol 2 18

Circus
Pendant
Vol 1 32
Ceiling
Vol 2 42

Circus Solo
Pendant
Vol 1 56
Ceiling
Vol 2 62

Class
Outdoor
Vol 2 456

Cosmos
Pendant
Vol 1 160

Dama
Pendant
Vol 1 20
Floor & Table
Vol 1 364

Dots
Wall
Vol 2 242

Dots Glass
Wall
Vol 2 252
Outdoor
Vol 2 372

Dots Outdoor
Outdoor
Vol 2 360

Duo
Ceiling
Vol 2 2

Duo Petra
Ceiling
Vol 2 12

Empty
Outdoor
Vol 2 408

Flamingo
Pendant
Vol 1 154

Flamingo Mini
Pendant
Vol 1 144

Flat
Pendant
Vol 1 94
Floor & Table
Vol 1 405
Ceiling
Vol 2 68

Funnel
Ceiling
Vol 2 172
Wall
Vol 2 300

Ghost
Pendant
Vol 1 90
Floor & Table
Vol 1 438

Guise
Pendant
Vol 1 110
Ceiling
Vol 2 168
Wall
Vol 2 288

Halo
Pendant
Vol 1 218
Wall
Vol 2 336

Halo Jewel
Pendant
Vol 1 224

I.Cono
Floor & Table
Vol 1 424
Wall
Vol 2 308

Jazz
Floor & Table
Vol 1 444

June
Outdoor
Vol 2 446

Knit
Pendant
Vol 1 26
Floor & Table
Vol 1 378

Kontorno
Pendant
Vol 1 80
Wall
Vol 2 278

Lily
Pendant
Vol 1 14
Floor & Table
Vol 1 372

Line
Ceiling
Vol 2 76

Match
Pendant
Vol 1 166

Collections

Mayfair
Pendant
Vol 1 194
Floor & Table
Vol 1 394

Mayfair Mini
Floor & Table
Vol 1 388

Meridiano
Outdoor
Vol 2 450

Musa
Floor & Table
Vol 1 454
Wall
Vol 2 296

North
Pendant
Vol 1 264
Floor & Table
Vol 1 412
Wall
Vol 2 330

Offset
Floor & Table
Vol 1 460
Ceiling
Vol 2 94
Wall
Vol 2 348

Origami
Wall
Vol 2 312
Outdoor
Vol 2 388

Out
Floor & Table
Vol 1 468
Outdoor
Vol 2 378

Palma
Pendant
Vol 1 170
Ceiling
Vol 2 116
Wall
Vol 2 256

Palo Alto
Outdoor
Vol 2 394

Pin
Floor & Table
Vol 1 418
Wall
Vol 2 262

Plusminus
Plusminus
Vol 1 271

Plusminus Solo
Floor & Table
Vol 1 472
Ceiling
Vol 2 120
Wall
Vol 2 216

Puck
Ceiling
Vol 2 192
Wall
Vol 2 320

Puck Wall Art
Wall
Vol 2 324

Rhythm Horizontal
Pendant
Vol 1 182

Rhythm Vertical
Pendant
Vol 1 188

Set
Wall
Vol 2 274

Skan
Pendant
Vol 1 116
Floor & Table
Vol 1 434

Slim
Pendant
Vol 1 212

Spa
Ceiling
Vol 2 182
Wall
Vol 2 232

Sticks
Pendant
Vol 1 66
Wall
Vol 2 340

Sticks Solo
Pendant
Vol 1 384
Floor & Table
Vol 1 384

Structural
Ceiling
Vol 2 176
Wall
Vol 2 268

Suite
Floor & Table
Vol 1 430
Wall
Vol 2 304

Tempo
Pendant
Vol 1 234
Wall
Vol 2 226

Top
Ceiling
Vol 2 36
Wall
Vol 2 210

Tube
Pendant
Vol 1 106

Tube Free
Pendant
Vol 1 100
Ceiling
Vol 2 196

Up
Ceiling
Vol 2 188

Warm
Pendant
Vol 1 122
Floor & Table
Vol 1 448

Wind
Pendant
Vol 1 230
Outdoor
Vol 2 422

Wireflow
Pendant
Vol 1 126

Wireflow Chandelier
Pendant
Vol 1 140

Wireflow Free
Pendant
Vol 1 134

Wireflow Lineal
Pendant
Vol 1 130

Ceiling

Ceiling

Bigger
202

Bind
128

Bind Solo
148

Circle
18

Circus
42

Circus
Solo
62

Duo
2

Duo
Petra
12

Flat
68

Funnel
172

Guise
168

Line
76

Offset
94

Palma
116

Plusminus
Solo
120

Puck
192

Spa
182

Structural
176

Top
36

Tube
Free
196


Up
188

Duo



Design by Ramos & Bassols.

Duo brings natural warmth to a space. Its gently curved form encases a supple wood-finished interior, lending a soothing sensibility.








Articulated through simple volumes with a sculptural quality, Duo becomes a focal point without the need for suspension. Crafted in veined oak and matte-lacquered aluminum, its sleek shell and richly textured veneer yield an intriguing material contrast, complemented by a rich, diffuse downlight.







Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white.
Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



Tunable White (2200K – 4000K)
Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K; 3500K
You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

"We chose wood because it's a natural and quality material. It lends warmth and at the same time contrasts with the surrounding meta"

Ramos & Bassols.





4870

Ø 47,5 cm



4872

Ø 78,5 cm



4878

Ø 70 cm



4880

Ø 70 cm



4874

Ø 35 cm



4876

Ø 35 cm



- 18 Graphite (ADAPTA RF9913WX)
- 58 Cream (RAL 7044)
- 93 White (RAL 9016)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Main Body: Aluminum
Inner structure: Oak wood

LED Colour Temperature
Static White
2700 K; 3500 K
Tunable White (2200 K - 4000 K)

CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Duo Petra





Design by Ramos & Bassols.

Duo Petra's slate veneer lends a timeless elegance to the collection. The ceiling lamp's gently curved form encases a velvety slate-finished interior for a sophisticated, natural aesthetic.



Simple volumes meet sculptural quality in Duo Petra, expressly designed for those lower-ceiling rooms where a pendant fitting is not suitable. It stands harmonious and sleek, its satinised diffuser radiating with a soft and general diffuse light.

Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white.
Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



Tunable White (2200K – 4000K)
Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K; 3500K
You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Duo Petra's silky slate-lined interior provides a subtle contrast with its matte aluminum outer shell, a sober and modern aesthetic for an elegant interior style.





4871

Ø 47,5 cm



4873

Ø 78,5 cm



- 18 Graphite (ADAPTA RF9913WX)
- 58 Cream (RAL 7044)
- 93 White (RAL 9016)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Main Body: Aluminum
Inner structure: Slate

LED Colour Temperature
Static White
2700 K; 3500 K
Tunable White (2200 K - 4000 K)

CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

4875

Ø 35 cm



4877

Ø 35 cm



4879

Ø 70 cm




4881

Ø 70 cm



Circle




Accent Downlight

Wall Washer

Flat Diffuser

Combining accent, diffuse and general lighting effects with dynamic control and temperature regulation, Circle is a highly-functional complementary product designed to curate a nuanced ambience.




Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time.** The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

1800 K 4000 K

Dim-To-Warm

1800 K 3000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Scenographic lighting plays a critical role in retail design. Light enhances the expressive capacity of a space, creating visual hierarchy and ensuring a dialogue with customers.
Different effects can be used to highlight certain products, draw the eye to particular areas and determine the general atmosphere, strengthening the shopping experience. Diffusers and wall-washers ensure comfortable background lighting, while accent downlights and spots create brilliance and contrast, lifting products out of their setting for dramatic effect.





Accent Downlight - Colour

COLOUR MODELS
A set of minimalist accent downlights in four versatile finishes attracts a relaxed gaze to a specific point of light. The option of a trimless profile offers seamless integration within the surrounding architecture.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)

Body: Aluminum
Shade: PC- Polycarbonate
Lens: PMMA

LED Colour Temperature

Ø 6 cm; Ø 7cm

Static White
2700 K - 607 lm
3000 K - 634 lm
3500 K - 657 lm
6,2W

Dim-To-Warm (1800 K - 3000 K)
611 lm 5,8W

Tunable White (1800 K - 4000 K)
308 lm - 504 lm 5,5W

Ø 10 cm; Ø 11 cm

Static White
2700 K - 1256 lm
3000 K - 1313 lm
3500 K - 1360 lm
12,4W

Dim-To-Warm (1800 K - 3000 K)
1258 lm 11,6W

Tunable White (1800 K - 4000 K)
571 lm - 895 lm 8,9W

CRI>90

Control

Analog: On/Off; Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Electrical connection

Built-in (Driver included)
Remote

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**



TRIM



TRIMLESS

3300 Narrow
3303 Medium
3306 Wide


Ø 7 cm



3310 Narrow
3313 Medium
3316 Wide

Ø 6 cm






3320 Narrow
3323 Medium
3326 Wide


Ø 11 cm



3330 Narrow
3333 Medium
3336 Wide

Ø 10 cm





↥ IP20
↧ IP40





Accent Downlight - Wood

WOOD MODELS
The collection includes the option of a natural wood in White oak or Walnut. Reflected in its textured surface, warm light bathes the space, producing a rich and restorative atmosphere.

- 82 White oak
- 83 Walnut

Body: Aluminum
Shade: Wood
Lens: PMMA

LED Colour Temperature

Ø 6 cm; Ø 7cm

Static White
2700 K - 607 lm
3000 K - 634 lm
3500 K - 657 lm
6,2W

Dim-To-Warm (1800 K - 3000 K)
611 lm 5,8W

Tunable White (1800 K - 4000 K)
308 lm - 504 lm 5,5W

Ø 10 cm; Ø 11 cm

Static White
2700 K - 1256 lm
3000 K - 1313 lm
3500 K - 1360 lm
12,4W

Dim-To-Warm (1800 K - 3000 K)
1258 lm 11,6W

Tunable White (1800 K - 4000 K)
571 lm - 895 lm 8,9W

CRI>90

Control

Analog: On/Off; Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Electrical connection

Built-in (Driver included)
Remote

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**



TRIM



TRIMLESS

3300 Narrow
3303 Medium
3306 Wide


Ø 7 cm



3310 Narrow
3313 Medium
3316 Wide

Ø 6 cm





Ø 0,4 m 1640 lx
Ø 0,8 m 410 lx

ø 1 m 385 lx
Ø 2 m 96 lx

ø 1,3 m 226 lx
Ø 2,6 m 56 lx

3320 Narrow
3323 Medium
3326 Wide


Ø 11 cm



3330 Narrow
3333 Medium
3336 Wide

Ø 10 cm





ø 0,35 m 3559 lx
Ø 0,7 m 967 lx


ø 1,5 m 1090 lx
Ø 3 m 273 lx

ø 1,5 m 703 lx
Ø 3 m 176 lx

IP20
IP40

Circle is designed to complement Vibia's wider product range. Its four contemporary tones and trim or trimless profile adapt to both high contrast and subtle design requirements. Especially suited to a natural, rounded aesthetic, the walnut and oak finishes combine well with Dots and Duo.







Wall Washer

A Wall Washer option can be used to illuminate a vertical surface with uniform brightness, to accentuate an entrance or to highlight a specific feature such as a shelving unit. Light reflected from the matte surface of the wall makes the space appear brighter and provides soft, diffuse illumination.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)

Body: Aluminum
Shade: PC- Polycarbonate
Lens: PMMA

LED Colour Temperature

Static White
2700 K - 914 lm
3000 K - 956 lm
3500 K - 990 lm
7,4W

Dim-To-Warm (1800 K - 3000 K)
1258 lm 11,6W

Tunable White (1800 K - 4000 K)
571 lm - 895 lm 8,9W

CRI>90

Control

Analog: On/ Off; Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Electrical connection

Built-in (Driver included)
Remote

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**



TRIM




TRIMLESS

3350
Ø 11 cm



3353
Ø 10 cm





H 2,5 m x 1 m 128 lx
H 4 m x 1 m 55 lx

IP20
IP40

Flat Diffuser

Featuring a translucent cover to control the brightness, the Flat Diffuser model provides soft, general lighting for a comfortable atmosphere or effective transitioning between different spaces.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)

Body: Aluminum
Shade: PC- Polycarbonate
Diffuser: PC- Polycarbonate

LED Colour Temperature

Static White
2700 K; 3000 K; 3500 K
Tunable White (2200 K - 4000 K)

CRI>90

Control

Analog: On/Off; Push
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Electrical connection

Built-in (Driver included)




3360

Ø 36 cm



3363

Ø 47 cm



IP20
IP40

Updated detailed spec sheets
on **vibia.com**

Top





Design by Ramos & Bassols.

Soft, spherical shapes and a warm luminescence characterize the Top collection. Its glowing epicenter is encircled by a larger ring, framing the light within its pure geometry.



TOP








A contemporary take on the traditional rosette motif, Top is defined by a pair of concentric circles that combine to produce a halo of ambient, indirect light.





1160
Ø 60 cm

1170
Ø 90 cm


Top distills the timeless rosette down to its essence. A pair of simple circles creates a pulsing nucleus of LED-powered light overhead. The smaller illuminated sphere projects light outwards towards the larger one, creating a halo of even, indirect light and generating a soothing atmosphere.

- 10 White (NCS S 0300-N)
- 36 Soft Pink (NCS S 1010-Y50R)
- 40 Blue L1 (NCS S 3010-B)
- 47 Green L1 (NCS S 4005-G80Y)

Body: Aluminum
Ref. 1170
Diffuser: Triplex Opal Glass


LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V;
Digital: DALI-2
Smart: Casambi




Pg 36 VOL 2 Pg 210 VOL 2


Circus



Volumetric Diffuser



Hidden Diffuser



Accent Spotlight




Accent Downlight




Reflected Light

Design by Antoni Arola.

A creative toolkit full of possibilities to explore and enjoy,
Circus offers total freedom of composition, multiple components
and a myriad of diffuse, accented and reflected lighting effects.
Inspired by the tension and dynamics of a trapeze act, the collection
is defined by its minimalist structure and signature conductive bar,
delicately balanced by opposing elements to create a joyful
festival of light.









Often considered the heart of any home, the kitchen serves as a space for preparing food, for cooking, and for eating. But it also transcends its functional purpose. The act of eating creates an opportunity for people to gather together. It is a social space, a meeting point for the entire family, and a manifestation of cultural traditions.


A good kitchen should combine functionality with aesthetics, embracing the many different uses we have for our kitchens today. Circus allows the designer to play with different lighting effects, introducing a variety of fixtures that can be built into the conductive bar, suspended from a track or hung directly from the surface of the ceiling. Go to vibia.com to find the best solution for your project.








Spots and downlights can be used to play with contrasts, define functional areas or highlight key aspects of a space. Thanks to their capacity for adaptation, rotation, and different degrees of lens aperture, Circus spotlights accomodate different functions. The narrower the beam, the more specular the light becomes, creating dynamic visual hierarchies with darker shadows and intense highlights.









































The bar amplifies the possibilities for shaping a space by conducting electricity and transporting light to wherever it is needed, turning the professional into a composer of atmospheres.

The track is available in two sizes and the electrical connection piece is concealed to adapt to all kinds of ceilings. A choice of two versatile finishes ensures the collection adapts to any interior style.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Electrical connection options



Surface



Built-in



Remote

Ceiling Tracks

A352 210 cm



A355 300 cm





Developed both vertically and horizontally, the system combines spots, reflective discs and a range of striking diffusers to create a perfect synthesis of atmospheres. With a traditional light rail the connection is visible from below, but with Circus, the luminaires are connected to the bar from above and sealed with cover, significantly enhancing the aesthetic purity of the design.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Volumetric Diffuser
Diffuser: PE- Polyethylene

Hidden Diffuser
Shade: Aluminum
Diffuser: PC- Polycarbonate

Spots / Downlight
Body: Aluminum
Lens: PMMA

Pendant Spot
Body: Zinc Alloy
Lens: PMMA

LED Colour Temperature

Volumetric Diffuser / Hidden Diffuser

Static White
2700 K; 3000 K; 3500 K

Tunable White (1800 K- 4000 K)

Tunable Red (Red - 2700 K)

Spots / Downlight

Static White
2700 K - 680 lm
3000 K - 711 lm
3500 K - 737 lm
7,2W

Only ref. 0136, 0137, 0141, 0142, 0152 and 0153
Tunable White (1800 K - 4000 K)
Smart (P2P)
308 lm - 504 lm 5,5W

Only ref. 0136, 0141 and 0152
Tunable Red (Red - 2700 K)
Smart (P2P)
155 lm - 581 lm 7W

CRI>90

Control

Digital: DALI-2 (P2P)
Smart: Casambi (simultaneous line); Casambi (P2P); ProtoPixel* (P2P)

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on **vibia.com**

Volumetric Diffuser


PENDANT

0162



Ø 20 cm

0167



Ø 45 cm

DIRECT TO TRACK


0164

Ø 20 cm

Hidden Diffuser

PENDANT

0155



Ø 40 cm

DIRECT TO TRACK

0157



Ø 40 cm

Accent Spotlight

PENDANT

0140 Narrow
0141 Medium
0142 Wide




Ø 4 cm

SIDE-SPOTS

0135 Narrow
0136 Medium
0137 Wide



Ø 4 cm



Pg 32 VOL 1 Pg 42 VOL 2


Accent Downlight

DOWNLIGHTS

0151 Narrow
0152 Medium
0153 Wide



Ø 4 cm



Suspended from the ceiling and positioned at any angle, a range of reflector discs reflect diffuse light from a spot angled towards them. Lustrous and ethereal, they cast a spherical shadow on the adjacent surface like a lunar eclipse.

11 Black
(Bottom face: White / Top face: Black)





Reflected Light

LIGHT REFLECTOR

A146



Ø 40 cm L 9 m



A147



Ø 60 cm L 9 m



Dynamic light

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .


Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing.

A source of emotion

Vibia's approach to coloured light invites the use of colour and intensity to create and experience different atmospheres, making them as natural and subtle as possible.

Colour is a source of emotion, it can instantly set a mood, convey a feeling or generate a sense of wellbeing.





Static, tunable white and tunable red

Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

1800 K 4000 K


Tunable Red

Red 2700 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Circus Solo

Accent Spotlight



Circus Solo features a remote or built in accent spot that can be used to play with contrasts, define functional areas or highlight key aspects of a space. By mixing accent, reflected and diffuse lighting, the Circus system allows professionals to experiment with light density, creating multiple scenes within a single space.







Accent Spotlight

11 Black (NCS S 8500-N)
24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum
Lens: PMMA
Snoot: PC- Polycarbonate

LED Colour Temperature

Static White
2700 K - 680 lm
3000 K - 711 lm
3500 K - 737 lm
7,2W

Only ref. 0172, 0173
Tunable White (1800 K - 4000 K)
Smart
308 lm - 504 lm 5,5W

Only ref. 0172
Tunable Red (Red - 2700 K)
Smart
155 lm - 581 lm 7W

CRI>90

Control

Analog: On/ Off; Push
Digital: DALI-2*
Smart: Casambi

*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Electrical connection options



Remote
Micro



Built-in

Driver included


Visit **vibia.com** to group several pieces with just one elecrical point

Pg 56 VOL 1 Pg 62 VOL 2

SPOTS (REMOTE / BUILT-IN)

0171 Narrow
0172 Medium
0173 Wide





Ø 0,36 m	2087 lx	Ø 0,91 m	477 lx	Ø 1,33 m	251 lx
Ø 0,72 m	522 lx	Ø 1,82 m	150 lx	Ø 2,7 m	63 lx

Static, tunable white and tunable red

Circus product options offer a range of static white in three different temperatures as well as the option of tunable white. Tunable lighting allows for comprehensive temperature regulation: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

The **tunable red** option allows you to glide from red to white, exploring a range of relaxing and cosy effects. Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

1800 K 4000 K

Tunable Red

Red 2700 K



Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Flat



Design by Ichiro Iwasaki.

A study in geometry, the Flat collection features distinctive, disc-shaped diffusers that form horizontal planes of light, infusing a space with pools of soft illumination.











"A reflector lamp collection that connects a floating light source with a linear structure. Minimal reflector discs and linear structure provide simple and powerful universality like alphabets and musical scores".

Ichiro Iwasaki

FLAT

5920
Ø 40 cm



5915
Ø 55 cm



5926
Ø 90 cm



***5922**
178 x 149 cm

***5905**
101 x 88 cm



***5924**
186 x 149 cm

***5910**
106 x 90 cm



Ref. 5922

10 White (NCS S 0300-N)

71 White, Green L1, Off-White
(NCS S 0300-N, NCS S 4005-G80Y,
NCS S 1000-N)

Ref. 5924

10 White (NCS S 0300-N)

72 White, Green L1
(NCS S 0300-N, NCS S 4005-G80Y)

73 White, Off-White
(NCS S 0300-N, NCS S 1000-N)

Ref. 5926, 5915

10 White (NCS S 0300-N)

Ref. 5920

10 White (NCS S 0300-N)

13 Off-White (NCS S 1000-N)

47 Green L1 (NCS S 4005-G80Y)


Shade: Aliminum. Diffuser: PC- Polycarbonate
Structures: Steel. Canopy: Aluminum

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Ref. 5920, 5926
Analog: Push; 1-10V
Digital: DALI-2

Ref. 5922, 5924
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

* One electrical connection point



Pg 94/405 VOL 1



Pg 68 VOL 2



Line



High Comfort Diffuser




Flat Diffuser



High Efficiency Low Glare



Wall Washer



Colour Mood Grazer


Line consists of a series of simple linear luminaires, each with a distinct lighting effect. Integrating dynamic control and subtle gradients in intensity, tone and colour, the collection complements Vibia's wider product range to curate a subtle atmosphere.

Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time.** The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

2200 K 4000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.



High Comfort Diffuser

Available in various lengths, with and without trim, and in two modest finishes, Line guarantees subtle integration within the surrounding architecture. The homogeneous quality of light from the High Comfort diffuser is designed to create a peaceful, rich and relaxing ambience, ensuring smooth lighting across the surface of the ceiling.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate
Shade: PC- Polycarbonate
Diffuser: PE- Polyethylene
Trimless frame: Aluminum


TRIMLESS





TRIM





3503 Trimless 13 x 3 cm 

3500 Trim 14 x 4 cm 

3508 Trimless 27 x 3 cm 

3505 Trim 28 x 4 cm 

3513 Trimless 53 x 3 cm 

3510 Trim 54 x 4 cm 

3518 Trimless 102 x 3 cm 

3515 Trim 103 x 4 cm 

LED Colour Temperature

Static White
2700 K; 3000 K; 3500 K

Tunable White (2200 K - 4000 K)

CRI>90

UGR<21

Control


Analog: On/ Off; Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Electrical connection

Built-in (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**





A well-illuminated work space with clearly defined areas of activity can enhance productivity, concentration and dialogue, strengthening the work-day experience and generating a collective sense of well-being. General lighting sets the tone, washing a space with comfortable uniform illumination that brightens the entire area. Task lighting, on the other hand, provides the right kind of light for a specific use. The nature and intensity of the light is determined by the intended purpose, defining clear “activity zones” within a space.

Flat Diffuser

Featuring a translucent cover to control the brightness, the Flat Diffuser creates a comfortable atmosphere by casting a pleasant, uniform light. Designers can experiment with composition, incorporating various lengths for a distinctly linear look.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)

Body: Aluminum
Trimless frame: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature
2700 K; 3000 K; 3500 K
Tunable White (2200 K - 4000 K)
CRI>90

Control
Analog: On/ Off; Push; 1-10V
Digital: DALI-2*; DALI-2 DT8*
Smart: Casambi

*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Electrical connection
Built-in (Driver included)

Updated detailed spec sheets on **vibia.com**

TRIMLESS





TRIM





3533 Trimless 52 x 3 cm

3530 Trim 53 x 4 cm



3538 Trimless 102 x 3 cm

3535 Trim 103 x 4 cm



3543 Trimless 202 x 3 cm

3540 Trim 203 x 4 cm





High Efficiency Low Glare

Respecting our natural circadian rhythms, the Linear Low-Glare High Efficiency option eliminates unwanted glare, providing soft, general lighting for a comfortable interior or subtle transition between different scenes.

TRIMLESS






TRIM








d 1,3 m x D 1,4 m
d 2,7 m x D 2,9 m

232 lx
58 lx

H = 1,5 m
H = 3 m

3553 Trimless 13 x 3 cm

3550 Trim 14 x 4 cm




d 1,4 m x D 1,5 m
d 2,8 m x D 3 m

418 lx
104 lx

H = 1,5 m
H = 3 m

3558 Trimless 26 x 3 cm

3555 Trim 27 x 4 cm




d 1,4 m x D 1,5 m
d 2,8 m x D 3 m

836 lx
209 lx

H1 = 1,5 m
H2 = 3 m

3563 Trimless 51 x 3 cm

3560 Trim 53 x 4 cm



d 1,4 m x D 1,5 m
d 2,8 m x D 3 m

1581 lx
395 lx

H = 1,5 m
H = 3 m

3568 Trimless 102 x 3 cm

3565 Trim 104 x 4 cm

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate
Shade: PC- Polycarbonate
Diffuser: PE- Polyethylene
Trimless frame: Aluminum

LED Colour Temperature

13 cm; 14 cm

Static White
2700 K - 897 lm
3000 K - 928 lm
3500 K - 960 lm
7,4W

Tunable White (2200 K - 4000 K)
664 lm - 898 lm 7,2W

26 cm; 27 cm

Static White
2700 K - 1674 lm
3000 K - 1733 lm
3500 K - 1791 lm
13,7W

Tunable White (2200 K - 4000 K)
1262 lm - 1707 lm 13,7W

51 cm; 53 cm

Static White
2700 K - 3348 lm
3000 K - 3466 lm
3500 K - 3582 lm
27,4W

Tunable White (2200 K - 4000 K)
2524 lm - 3414 lm 27,4W

102 cm; 104 cm

Static White
2700 K - 6696 lm
3000 K - 6932 lm
3500 K - 7164 lm
54,8W

Tunable White (2200 K - 4000 K)
5048 lm - 6828 lm 54,7W

CRI>90

UGR<18

Control

Analog: On/ Off; Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi


Electrical connection

Built-in (Driver included)

Updated detailed spec sheets on **vibia.com**

Visit **vibia.com** to group several pieces with just one electrical point







Wall Washer

A Wall Washer can be selected to illuminate a vertical surface with uniform brightness, accentuate an entrance or highlight a specific feature. Light reflected from the matte surface of the wall makes the space appear brighter and provides soft, diffuse illumination.

TRIMLESS



TRIM





H = 2,5 m
H = 4 m

H 2,5 m x 1 m 75 lx
H 4 m x 1m 33 lx

3578 Trimless 26 x 3 cm

3575 Trim 27 x 4 cm




H = 2,5 m
H = 4 m

H 2,5 m x 1 m 134 lx
H 4 m x 1m 60 lx

3583 Trimless 51 x 3 cm

3580 Trim 53 x 4 cm



H = 2,5 m
H = 4 m

H 2,5 m x 1 m 232 lx
H 4 m x 1m 107 lx

3588 Trimless 102 x 3 cm

3585 Trim 104 x 7 cm

11 Black (NCS S 8500-N)

23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate
Shade: PC- Polycarbonate
Diffuser: PE- Polyethylene
Trimless frame: Aluminum

LED Colour Temperature

26 cm; 27 cm

Static White

2700 K - 1392 lm
3000 K - 1430 lm
3500 K - 1455 lm
13,3W

Tunable White (2200 K - 4000 K)
764 lm - 849 lm 11,5W

51 cm; 53 cm

Static White
2700 K - 2784 lm
3000 K - 2860 lm
3500 K - 2911 lm
26,6W

Tunable White (2200 K - 4000 K)
1528 lm - 1698 lm 23W

102 cm; 104 cm

Static White
2700 K - 5568 lm
3000 K - 5721 lm
3500 K - 5822 lm
53,2W

Tunable White (2200 K - 4000 K)
3056 lm - 3396lm 46W

CRI>90

Control

Analog: On/ Off; Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Electrical connection


Built-in (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**







Tunable White lighting allows for comprehensive temperature regulation. By controlling the individual LEDs, you can precisely tune the temperature from warm to cool white, depending on the desired atmosphere.

Tunable White

2200 K 4000 K

Colour Mood Grazer

Natural light is never mono-tonal.
The Colour Mood Grazer is an elegant solution where either Tunable White or Infinite Colour regulation is desired. Infinite Colour incorporates six unique hues, available both as static colours or gradients, each spectrum unique to Vibia and designed to transmit a particular mood. The installer plays a fundamental role in programming the appropriate lighting mode for the space and its desired use.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)

Body: Aluminum / PC- Polycarbonate
Shade: PC- Polycarbonate
Diffuser: Polyethylene
Trimless frame: Aluminum

LED Colour Temperature
Infinite Colour (TW + RGB)
CRI>90

Control
Smart: ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Electrical connection
Built-in (Driver included)

Updated detailed spec sheets on **vibia.com**

TRIMLESS





TRIM





3608 Trimless 100 x 3 cm

3605 Trim 103 x 4 cm



3613 Trimless 202 x 3 cm

3610 Trim 203 x 4 cm



A source of emotion

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.
Natural light is never mono-tonal. Gradients come in infinite colours.

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing



Vibia Chromatica colours of light

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

Static White

2200 K | 2500 K | 2700 K

3000 K | 3500 K | 4000 K

Colour Moods

Still - A pale and thin green light, inspired by the very first rays of morning sun

Vivid - A vibrating blue with a hint of pale yellow for a feeling of liveliness

Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones

Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

You can integrate your lighting selection into the control system for specific scene design and activate it also using the Vibia App.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Still colour mood

Light and airy, with a softness that suggests the quiet moment before a new beginning.
A pale and thin green light, inspired by the very first rays of morning light. The gradient has a hint of blue to it.

Offset



Accent Downlight



High Comfort Diffuser



Flat Diffuser



High Efficiency Low Glare



Colour Mood Grazer

Design by Xuclà.


Offset combines intuitive lighting with an industrial, geometric silhouette.
A complementary system of superficial ceiling fixtures, the collection integrates five lighting effects with advanced colour and temperature regulation for a carefully curated atmosphere.

Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

2200 K 4000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Accent Downlight

A complementary system of graphic fixtures, Offset accomodates ceilings that don't allow for recessed fittings. Ideal for transitional spaces, the accent downlight is visually compact. Pinpoints of light set into its robust aluminium casing attract a relaxed gaze towards the illuminated surface. Designers can experiment with composition, incorporating various lengths and angles to create a distinctly modular design.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum

LED Colour Temperature
2700 K; 3000 K; 3500 K
285 lm 2,9W
CRI>90

Control
Analog: Push
Digital: DALI-2
Smart: Casambi; ProtoPixel*
*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Electrical connection
Surface (Driver included)

Updated detailed spec sheets on **vibia.com**




H = 1,5 m
H = 3 m

Ø 0,7 m 331 lx
Ø 1,4 m 83 lx




1720
15 x 4 x 7 cm




H = 1,5 m
H = 3 m

d 0,7 m x D 0,77 m 987 lx
d 1,4 m x D 1,45 m 250 lx




1722
25 x 4 x 7 cm




H = 1,5 m
H = 3 m

d 0,7 m x D 0,73 m 659 lx
d 1,4 m x D 1,42 m 167 lx



1725
15 x 15 x 7 cm



1727
15 x 15 x 7 cm




High Comfort Diffuser


Particularly suited to residential hallways or corridors, the High Comfort Diffuser comes in a broad range of lengths. The aluminium frame is fitted with high performance LED strips that provide diffuse, homogeneous illumination for a smooth and relaxed ambience.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)


Body: Aluminum
Diffuser: PC- Polycarbonate




1728
40 x 4 x 7 cm




1730
65 x 4 x 7 cm



1735
100 x 4 x 7 cm



1740
31 x 15 x 7 cm



1745
31 x 15 x 7 cm

LED Colour Temperature
Static White
2700 K; 3000 K; 3500 K
Tunable White (2200 K - 4000 K)

CRI>90

Control
Analog: Push.
Digital: DALI-2; DALI-2 DT8
Smart: Casambi; ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Electrical connection
Surface (Driver included)

Updated detailed spec sheets on **vibia.com**




Flat Diffuser


The Flat Diffuser guarantees a calm and comfortable atmosphere.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum
Diffuser: PC- Polycarbonate



1755
125 x 4 x 7 cm



1757
225 x 4 x 7 cm

LED Colour Temperature
Static White
2700 K; 3000 K; 3500 K
Tunable White (2200 K - 4000 K)

CRI>90

Control
Digital: DALI-2; DALI-2 DT8
Smart: Casambi; ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)


Electrical connection
Surface (Driver included)

Updated detailed spec sheets on **vibia.com**

Casting a pleasant, uniform, 360° light, the Flat Diffuser ensures a calm and luminous environment


High Efficiency Low Glare

Eliminating unwanted glare, the Low-Glare High-Efficiency model provides comfortable general lighting suitable for transitional spaces and working environments such as libraries or offices.




d 1,4 m x D 1,5 m — 418 lx
d 2,8 m x D 3 m — 104 lx

H = 1,5 m
H = 3 m




1729
40 x 4 x 7 cm




d 1,4 m x D 1,5 m — 836 lx
d 2,8 m x D 3 m — 209 lx

H = 1,5 m
H = 3 m




1732
65 x 4 x 7 cm




d 1,4 m x D 1,8 m — 1254 lx
d 2,8 m x D 3,6 m — 312 lx

H = 1,5 m
H = 3 m




1737
100 x 4 x 7 cm



d 1,4 m x D 1,5 m — 418 lx
d 2,8 m x D 3 m — 104 lx

H = 1,5 m
H = 3 m



1742
32 x 15 x 7 cm



1747
32 x 15 x 7 cm

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)

Body: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature

Ref. 1729 and 1732

Static White
2700 K - 3348 lm
3000 K - 3466 lm
3500 K - 3582 lm
20,8W 27,4W

Tunable White (2200 K - 4000 K)
1842 lm - 2150 lm 20,8W

Ref. 1737

Static White
2700 K - 5022 lm
3000 K - 5199 lm
3500 K - 5373 lm
41,1W

Tunable White (2200 K - 4000 K)
2763 lm - 3225 lm 31,2W

Ref. 1742 and 1747

Static White
2700 K - 1674 lm
3000 K - 1733 lm
3500 K - 1791 lm
13,7W

Tunable White (2200 K - 4000 K)
921 lm - 1075 lm 10,4W

CRI>90

Control


Analog: Push.
Digital: DALI-2; DALI-2 DT8
Smart: Casambi; ProtoPixel*


*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Electrical connection

Surface (Driver included)

Updated detailed spec sheets on **vibia.com**





Colour Mood Grazer

Natural light is never mono-tonal. The Colour Mood Grazer is an elegant solution where either Tunable White or Infinite Colour regulation is desired. Infinite Colour incorporates six static colours and six gradients, each spectrum unique to Vibia and designed to transmit a particular kind of sensation or mood. The installer plays a fundamental role in programming the appropriate lighting mode for the space and its desired use.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)

Diffuser: PC- Polycarbonate
Lens: PMMA

LED Colour Temperature
Infinite Colour (TW + RGB)
CRI >90

Control
Smart: ProtoPixel*
*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Electrical connection
Surface (Driver included)


Updated detailed spec sheets on **vibia.com**



Right Left
1760 1762
7 x 125 x 5 cm



Right Left
1765 1767
7 x 225 x 5 cm



Dynamic light
Like the natural light that ascends gradually at dawn or dusk, following circadian rhythms, our infinite colour gradients add layers of visual depth and emotion, adapting to specific scenes and moods by creating a nuanced atmosphere.






Pg 460 VOL 1 Pg 94/348 VOL 2

A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.
Natural light is never mono-tonal. Gradients come in infinite colours.



Vibia Chromatica colours of light

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

Static White

2200 K | 2500 K | 2700 K

3000 K | 3500 K | 4000 K

You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface.
You can also integrate your selection into the control system for specific scene design and activate it using the Vibia App

Colour Moods

Still - A pale and thin green light, inspired by the very first rays of morning sun

Vivid - A vibrating blue with a hint of pale yellow for a feeling of liveliness

Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones

Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.



Palma

Design by Antoni Arola.

Antoni Arola brings an entirely new dimension to the Palma collection with a new ceiling edition. A central aluminium shaft extends vertically into the room, decorated with a choice of either two or four distinctive Palma spheres. Positioned at different heights and angles, they form an organic structure, projecting a warm, diffuse light in all directions.



3760
50 x 61 cm



3764
50 x 74 cm



18 Graphite (ADAPTA RF 9913 WX)


Diffuser: Blown-glass
Profile: Aluminum

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi



Pg 170 VOL 1




Pg 116/256 VOL 2




Plusminus Solo


Design by Diez Office.

The ceiling range can be mounted as desired, creating visual hierarchy by directing the gaze towards specific features within a space, and combined to form intriguing compositions.





Plusminus Solo expands to include a range of surface mounted semi-spherical ceiling lights. Combining Accent Spotlights with Directed Flat Diffusers, the collection provides comfortable general lighting as well as more pointed illumination. Available in five elegant finishes, the set is designed to adapt to a range of contemporary interior styles.



- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature

Accent

2700 K - 941 lm
3000 K - 987 lm
3500 K - 1022 lm
7,9W

CRI>90


Flat diffuser

LED 2700 K; 3000 K; 3500 K

CRI>90

Control

Analog: On/ Off; Push; 1-10V
Digital: DALI-2
Smart: Casambi



Updated detailed spec sheets
on **vibia.com**

To see **Plusminus** collection
go to page **p. 272 VOL 1**



Pg 472 VOL 1

Pg 120/216 VOL 2

Remote version Built-in

SPOTLIGHT



Accent

6330 Narrow
6331 Medium
6332 Wide


Ø 10 cm



Flat diffuser

6333

Ø 10 cm



ø 0,2 m	1240 lx	ø 0,9 m	851 lx	ø 0,69 m	307 lx
Ø 0,4 m	310 lx	Ø 1,8 m	213 lx	Ø 1,37 m	77 lx

SEMISPHERE



Flat diffuser

6335

Ø 20 cm



Flat diffuser

6340

Ø 30 cm



Bind

Pendants

Accent Downlight



Accent Spotlight



Wide Accent Downlight



Design by Martín Azúa.

Bind is a hybrid lighting system designed to create multiple atmospheres to suit a range of spaces, uses and moods. It allows professionals to experiment with different lighting typologies and levels of density, modelling a space by generating subtle gradients between soft and more accentuated light.










































Ceiling Tracks

The Bind collection features ceiling surface track lighting as well as a range of independent elements that can be fitted directly to the ceiling. The connective quality, ease of installation and versatility of this fully modular system facilitates holistic solutions to complex demands.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Track: Aluminum
Canopy: Aluminum

Electrical connection options



Surface



Remote

A491 120 cm
A492 210 cm
A493 300 cm







Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

Static White



2700 K 3000 K 3500 K

Tunable White

1800 K 4000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach..



As a ceiling track, Bind easily integrates within the existing architecture. Multiple fixtures can be connected at any point using a pincer, oriented to direct light in various directions.

11 Black (NCS S 8500-N)

24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA
Body: Aluminum

LED Colour Temperature

Ø 3 cm

Static White
2700 K - 451 lm
3000 K - 471 lm
3500 K - 489 lm
4,3W

Ø 4 cm

Static White
2700 K - 530 lm
3000 K - 554 lm
3500 K - 574 lm
5,2W

Only Ref. 6525, 6529, 6534 and 6538

Tunable White (1800 K - 4000 K)
308 lm - 504 lm 5,5W


CRI>90


Control

Analog: On/ Off; 1-10V; Push (simultaneuos line)
Digital: DALI-2 (simultaneous line);
Smart: Casambi (simultaneous line);
Casambi (P2P); ProtoPixel* (P2P)

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Updated detailed spec sheets on **vibia.com**







Accent Downlight

DOWNLIGHT Ø 3 cm

6500 Narrow
6504 Medium

Ø 3 x 15 cm



DOWNLIGHT Ø 4 cm

6520 Narrow
6524 Medium
6528 Wide

Ø 4 x 17,5 cm



6525 Medium
6529 Wide

Ø 4 x 20 cm



Accent Spotlight

SPOTLIGHT Ø 3 cm

6510 Narrow
6514 Medium


Ø 3 x 20 cm





SPOTLIGHT Ø 4 cm


6530 Narrow
6534 Medium
6538 Wide

Ø 4 x 22,5 cm









Pg 240 VOL 1 Pg 128 VOL 2



To highlight a particular activity zone or feature, Bind is compatible with a wide accent downlight fixture that provides functional diffuse and accented lighting.

11 Black (NCS S 8500-N)
24 Beige M1 (NCS S 2005-Y50R)

Lens: PC- Polycarbonate
Body: Aluminum

LED Colour Temperature

Static White
2700 K - 1256 lm
3000 K - 1313 lm
3500 K - 1360 lm
12,4W

Tunable White (1800 K - 4000 K)
Smart (P2P)
571 lm - 895 lm 8,9W

CRI>90

Control

Analog: On/ Off; 1-10V; Push (simultaneuos line)
Digital: DALI-2 (simultaneous line)
Smart: Casambi (simultaneous line); Casambi (P2P); ProtoPixel* (P2P)

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us))

Updated detailed spec sheets on **vibia.com**

Wide Accent Downlight

6540 Medium
6542 Wide

Ø 18,5 cm



Medium



Ø 0,62 m 1485 lx
Ø 1,24 m 371 lx

Wide



Ø 1,55 m 360 lx
Ø 3,1 m 90 lx

H = 1,5 m
H = 3 m



Pg 240 VOL 1 Pg 128 VOL 2

Bind track is compatible with the Skan, Slim, North, Tempo and Tube pendant collections, presenting a range of decorative silhouettes with multiple lighting effects. Single or multiple pendants can be suspended as desired, allowing for the formation of intricate chandeliers created from a compilation of tracks with multiple pendants.

Track adapter: Aluminum

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: On/Off; Push; 1-10V (simultaneuos line);
Digital: DALI-2 (simultaneous line);
Smart: Casambi (simultaneous line);
Casambi (P2P); ProtoPixel (P2P)

Updated detailed spec sheets on **vibia.com**



Track adapter
- Black (NCS S 8500-N)
- Beige M1 (NCS S 2005-Y50R)



6560 (Black)
6561 (Beige)

Skan Colours
- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 47 Green L1 (NCS S 4005-G80Y)

6570 (Black)
6571 (Beige)

Slim Colours
- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)
- 68 Ocre (NCS S 3050-Y30R)



Pg 240 VOL 1 Pg 128 VOL 2



6575 (Black)
6576 (Beige)

North Colours
- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2500-Y50R)
- 42 Blue M1 (NCS S 5010-B10G)



6590 (Black)
6591 (Beige)

Tube Colours
- 10 White (NCS S 0300-N)
- 15 Grey L2 (NCS S 2500-N)
- 16 Grey M1 (NCS S 4500-N)
- 21 Black Grey (NCS S 7000-N)
- 24 Beige (NCS S 2500-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)



6580 (Black)
6581 (Beige)

Tempo Colours
- 18 Graphite (ADAPTA RF9913WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)



6583 (Black)
6584 (Beige)

Tempo Colours
- 18 Graphite (ADAPTA RF9913WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)



6586 (Black)
6587 (Beige)

Tempo Colours
- 18 Graphite (ADAPTA RF9913WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)

Bind Solo


Accent Downlight - Micro

Accent Downlight


Accent Spotlight


Wide Accent Downlight

Bind Solo provides a set of tools to play with contrasts, defining functional and transitional areas, as well as hybrid activity zones.
The range can be mounted to the ceiling as desired, creating visual hierarchy by directing the gaze towards specific features and combining to form unique compositions overhead.

Dynamic light

Designing an atmosphere of wellbeing is based on two main axes: **space** and **time**. The axis of time implies the concept of dynamic light .

Atmosphere design is intentional, depending on the **design of different scenes according to the specific use of a space** as it evolves throughout the day. Light is dynamic because ambience also depends **on the time of day** and on the influence of the natural light at every moment.

Dynamic light allows professionals to play with subtle degrees of intensity and colour temperature to recreate a subtle ambience for every scene within a lighting project



Throughout the day our circadian rhythms respond primarily to light, which regulates our sense of physical and mental wellbeing

Comfortable environments

Vibia's spot accent, downlight and general lighting luminaires include the option of tunable white. Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.

Tunable lighting allows for comprehensive temperature regulation and intensity: colour temperature can be precisely tuned depending on the desired atmosphere for every scene.

Static White

2700 K 3000 K 3500 K

Tunable White

1800 K 4000 K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

The simplest and most effective solution for your projects

Accent Downlight - Micro

Bind Solo offers a range of scope apertures to choose from depending on the desired scenography. Thanks to a micro-profile variation, the Accent Downlight offers seamless integration within the surrounding architecture.

11 Black (NCS S 8500-N)
24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA
Body: Aluminum

LED Colour Temperature

Ø3 cm

Static White
2700K - 451 lm
3000K - 471 lm
3500K - 489 lm
4,3W

Ø4 cm

Static White
2700 K - 530 lm
3000 K - 554 lm
3500 K - 574 lm
5,2W

Only ref. 6654, 6658
Tunable White (1800 K - 4000 K)
308 lm - 504 lm 5,5W

CRI>90

Control

Analog: On/ Off; Push
Digital: DALI-2*; DALI-2 DT8*
Smart: Casambi

*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Visit **vibia.com** to group several pieces with just one electrical point


Updated detailed spec sheets on **vibia.com**



6600 Narrow
6604 Medium

Ø 3 cm






6650 Narrow
6654 Medium
6658 Wide

Ø 4cm











Accent Downlight

For a visually compelling variation, Bind Solo also offers a superficial Accent Downlight in various diameters and lengths. The range of apertures allows for precise modelling of the space using light and shadow.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA
Body: Aluminum
Ceiling support: Aluminum

LED Colour Temperature

Ø3 cm

Static White
2700 K - 451 lm
3000 K - 471 lm
3500 K - 489 lm
4,3W

Ø4 cm

Static White
2700 K - 530 lm
3000 K - 554 lm
3500 K - 574 lm
5,2W

Only ref. 6664, 6668, 6684, 6688
Tunable White (1800 K - 4000 K)
308 lm - 504 lm
5,5W

CRI>90

Control

Analog: On/Off; Push
Digital: DALI-2*; DALI-2 DT8*
Smart: Casambi


*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Electrical connection

Remote (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**



DOWNLIGHT Ø 3 cm

6610 Narrow
6614 Medium


Ø 3 x 4 cm



6630 Narrow
6634 Medium

Ø 3 x 10 cm





d 0,7 m 331 lx
D 1,42 m 83 lx

d 0,98 m 221 lx
D 1,95 m 56 lx

DOWNLIGHT Ø 4 cm

6660 Narrow
6664 Medium
6668 Wide


Ø 4 x 7 cm



6680 Narrow
6684 Medium
6688 Wide

Ø 4 x 10 cm





d 0,38 m 1574 lx
D 0,75 m 393 lx


d 0,95 m 335 lx
D 1,9 m 90 lx

d 1,45 m 163 lx
D 2,9 m 41 lx



Combining Accent Spotlights with Standard and Wide Accent Downlights, the Bind Solo collection provides comfortable general lighting as well as pointed illumination. Designed to complement Vibia's wider product range, it allows professionals to experiment with light density, combining different lighting typologies to create dynamic and restorative atmospheres.







Accent Spotlight

To highlight a particular activity zone or feature, Bind Solo incorporates a series of fixed-angle spots of various lengths.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Lens: PMMA
Body: Aluminum
Ceiling support: Aluminum

LED Colour Temperature

Ø3 cm

Static White
2700 K - 451 lm
3000 K - 471 lm
3500 K - 489 lm
4,3W

Ø4 cm

Static White
2700 K - 530 lm
3000 K - 554 lm
3500 K - 574 lm
5,2W

Only ref. 6674, 6678, 6694, 6698
Tunable White (1800 K - 4000 K)
308 lm - 504 lm
5,5W

CRI>90

Control

Analog: On/Off; Push
Digital: DALI-2*; DALI-2 DT8*
Smart: Casambi


*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.

Electrical connection

Remote (Driver included)

Visit **vibia.com** to group several pieces with just one electrical point

Updated detailed spec sheets on **vibia.com**



SPOTLIGHT Ø 3 cm

6620 Narrow
6624 Medium

Ø 3 x 7 cm



6640 Narrow
6644 Medium

Ø 3 x 11,5 cm



d 0,7 m 331 lx
D 1,42 m 83 lx

d 0,98 m 221 lx
D 1,95 m 56 lx

SPOTLIGHT Ø 4 cm

6670 Narrow
6674 Medium
6678 Wide


Ø 4 x 10 cm



6690 Narrow
6694 Medium
6698 Wide

Ø 4 x 14 cm






d 0,38 m 1574 lx
D 0,75 m 393 lx

d 0,95 m 335 lx
D 1,9 m 90 lx

d 1,45 m 163 lx
D 2,9 m 41 lx






The Bind Solo collection incorporates a range of independent elements that can be fitted directly to the ceiling, including spots, downlights and general lighting fixtures. This combination of functional lighting with decorative pendants means designers can create made-to-measure lighting solutions for moods and uses within the same space.







Wide Accent Downlight

For softer contrasts and a more diffuse lighting effect, Bind Solo's Wide Accent Downlight floods the space from above, thanks to a generous diameter and wider gradient of light.

- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)

Lens: PC- Polycarbonate
Body: Aluminum
Ceiling support: Aluminum

LED Colour Temperature

Static White
2700 K - 1256 lm
3000 K - 1313 lm
3500 K - 1360 lm

12,4W

Tunable White (1800 K - 4000 K)
571 lm - 895 lm
8,9W

CRI>90

Control

Analog: Push
Digital: DALI-2*; DALI-2 DT8*
Smart: Casambi

*DALI-2 products are compatible (via a designated gateway) with all ProtoPixel dynamic-light solution products.


Electrical connection

Surface (Driver included)

Updated detailed spec sheets on **vibia.com**


6700 Medium
6702 Wide











Guise

Design by Diez Office.

Crafted of precision-cut glass and embedded with a row of recessed LEDs, Guise explores the relationship between light and transparency. The light inside the glass appears invisible, while the delicately engraved surface generates a beautiful diffusion.





The Guise ceiling light is surface-mounted and available in two sizes. Crafted of precision-cut borosilicate glass, light emanates from the tube while the source remains hidden. When turned on it becomes a luminous hypnotic presence; turned off, the transparent quality of the glass lends an airy sensibility.

18 Graphite (ADAPTA RF9913WX)

Diffuser: Borosilicate
Body: Aluminum

LED Colour Temperature

3000 K
CRI>90

Control

Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi


2292


Ø 25 cm



2298


Ø 40 cm





Pg 110 VOL 1 Pg 168/288 VOL 2

Funnel



A gentle presence with a distinctly sculptural form, Funnel is a study in materiality, light and space.



2014
Ø 50 cm



2013
Ø 35 cm



2012
Ø 22 cm



As its name suggests, light seems to flow freely from the smooth curve of this ceiling fixture. Its sculptural form conceals an LED light source behind the cap.
Light is reflected back into the funnel, creating a flood of indirect, ambient illumination. The collection can be mounted individually or as a collection for greater visual impact.


10 White (NCS S 0300-N)
36 Soft pink (NCS S 1010-Y50R)
47 Green L1 (NCS S 4005-G80Y)

Additional finish only for Ref. 2012, 2013
51 Gold leaf (Gold)

Shade: Aluminum
Reflector: Aluminum
Support: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>80; CRI>90

Control
Analog: On/Off; Push; 1-10V
Digital: DALI-2
Smart: Casambi



Pg 172/300 VOL 2



Structural



Design by Arik Levy.

Structural features cubic forms paired with slender metal rods that both join and separate its volumes. Deconstructing the source, it casts light in unexpected places, creating points of light connected in space.








SSENSE





2630
18 x 21 cm



2632
24 x 15cm



2634
48 x 13 cm



2640
120 x 21 cm




2642
160 x 15 cm




2645
120 x 21 cm

2647
160 x 21 cm



Through the combination of direct and indirect lighting, Structural bathes ceilings with an intense lighting effect. Different cubic volumes meet and expand, its adaptable nature providing flexible solutions while its geometric form maintains a sense of order.



Pg 176/268 VOL 2

15 Grey L2 (NCS S 2500-N)
21 Black Grey (NCS S 7000-N)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Main body: Aluminum
Structures: Aluminum


LED Colour Temperature
Static White
2700 K; 3000 K; 3500 K
Tunable White (2200 K - 4000 K)

CRI>90

Control
Analog: 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi



Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white.
Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.




Tunable White (2200K – 4000K)
Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K; 3000K; 3500K
You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Spa




Design by Ramos & Bassols.

Spa is the perfect lighting solution for any wellness space. From public dressing rooms, restaurants and spas, to private kitchens, corridors and bathrooms, its graceful simplicity and linear form allow for seamless integration within a variety of humid interiors.



Multiple luminaires can be positioned in a row to illuminate up to six metres of wall or ceiling space from a single point of connection.









WALL & CEILING



5975
121 x 4,7 x 6,5 cm



5977
201 x 4,7 x 6,5 cm



5979
301 x 4,7 x 6,5 cm

Spa is an adaptable system of linear LEDs that allows for limitless compositional freedom. From intimate corners for personal wellbeing to functional spaces designed for general wellness, Spa's minimalist form and accomodates a range of atmospheres.

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)

Profile and canopy: Aluminum
Diffuser: PMMA

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi (Remote)

IP44



Pg 182/232 VOL 2

WALL & CEILING




5981
253 x 4,8 x 6,6 cm




5983
413 x 4,8 x 6,6 cm



5985
613 x 4,8 x 6,6 cm





Up



Design by Ramos & Bassols.

Inspired by the neoclassical cornice, Up's geometric form protudes from the ceiling with a quiet elegance. Its broad flat diffuser and refined rim create the illusion of daylight passing through an opening in the ceiling.

With a depth of merely 7 centimeters, the surface-mounted aluminum fixture adds an understated, yet distinctive design element.

18 Graphite (RAL 7016)
93 White (RAL 9016)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Body: Aluminum
Ceiling support: Steel

LED Colour Temperature

Static White
2700 K

Tunable White (2200K - 4000K)

CRI>90

Control

Analog: Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

4440
Ø 50 cm



4442
Ø 77 cm




4460
106 x 106 cm



4452
73 x 121 cm




4454
64 x 64 cm







Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white.
Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



Tunable White (2200K – 4000K)
Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Puck





Design by Jordi Vilardell.

Inspired by the iconic circle motif, Puck's simple, spherical forms can be superimposed on top of one another, lending the whole an organic sensibility.



The Puck collection offers users a versatile ceiling light defined by its strong formal expression and warm illumination thanks to its LED light source and blown-glass diffuser. Puck combines a series of models of different compositions, all of which work off a single electrical point connection, using circles as their central leitmotif.

03 White (RAL 9016)

Canopy: Aluminum
Diffuser: Blown-glass

LED Colour Temperature
2700 K
CRI>90

Control
Analog: On/ Off

All versions require just one electrical connection.
Surface mounted

5410
24,4 x 6,6 cm

5412
27,2 x 7,7 cm

5430 5432
46,7 x 38 cm

5435 5437
56,8 x 49,2cm




Tube Free



Design by Ichiro Iwasaki.

With the Tube ceiling collection, Ichiro Iwasaki endeavours to create a lighting system capable of forming distinctive expressions by reconfiguring the different constituent parts. By combining three different diameter shades, six colour tones and a rhythm of differing heights, Tube creates a unique landscape of luminaires overhead.








TUBE FREE

Built-in

6095
Ø 22 cm



6100
Ø 28,5 cm



6105
Ø 41 cm



- 10 White (NCS S 0300-N)
- 15 Grey L2 (NCS S 2500-N)
- 16 Grey M1 (NCS S 4500-N)
- 21 Black Grey (NCS S 7000-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)

Diffuser: PC- Polycarbonate
Led support: Aluminum
Shade: Aluminum
Canopy: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi





Pg 100 VOL 1 Pg 196 VOL 2

Bigger



Design by La Invisible.

Bigger serves as statement lighting without overbearing the space it occupies. Radiating with profuse light which cascades down from above, its impressive scale and soothing geometry introduce a striking new dimension.



3900
Ø 80 cm
7729 lm



3905
Ø 84 cm
7729 lm



3910
Ø 103 cm
14301 lm



3915
Ø 107 cm
14301 lm



23 Beige L1 (NCS S 0502-Y50R)
24 Beige M1 (NCS S 2005-Y50R)
37 Terra Red (NCS S 4040-Y70R)
53 Green M1 (NCS S 6005-G80Y)


Body: Aluminum
Shade: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature
Static White
2700 K; 3500 K
Tunable White (2200K - 4000K)

CRI>90


Control
Analog: Push; 1-10V
Digital: DALI-2; DALI-2 DT8
Smart: Casambi

Updated detailed spec sheets
on **vibia.com**




Pg 176 VOL 1

Pg 262 VOL 2



Vibia's general lighting, spot accent and downlight luminaires include the option of tunable white.
Combining these zenithal tunable white lights with the rest of the diffused and indirect lighting effects of Vibia's portfolio, you can design the perfect scene for every moment and use.



Tunable White (2200K – 4000K)
Tunable white lighting option allows for comprehensive temperature regulation depending on the atmosphere of every scene.

Static White 2700K; 3500K
You can select the static white option that fits best with the desired ambience.

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.


INFORMACIÓ

Wall

Wall

Alpha
316

Dots
242

Dots
Glass
252

Funnel
300

Guise
288

Halo
336

I.Cono
308

Kontorno
278

Musa
296

North
330

Offset
348

Origami
312

Palma
256

Pin
262

Plusminus
Solo
216

Puck
320

Puck
Wall Art
324

Set
274

Spa
232

Sticks
340

Structural
268

Suite
304


Tempo
226

Top
210

Top

Design by Ramos & Bassols.

Soft, spherical shapes and a warm luminescence characterize the Top collection. Its glowing epicenter is encircled by a larger ring, framing the light within its pure geometry.





TOP



WALL







1154
Ø 17 cm

1170
Ø 90 cm

1155
Ø 40 cm

1160
Ø 60 cm

10 White (NCS S 0300-N)
36 Soft Pink (NCS S 1010-Y50R)
40 Blue L1 (NCS S 3010-B)
47 Green L1 (NCS S 4005-G80Y)

Body: Aluminum
Ref. 1170
Diffuser: Triplex Opal Glass

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off; Push; 1-10V
Digital: DALI-2
Smart: Casambi

Pg 36 VOL 2 Pg 210 VOL 2

Plusminus Solo

Spot Flat Diffuser



Spot Accent Light




Design by Diez Office.

Plusminus Solo introduces a collection of versatile semi-spherical luminaires that adapt to the surrounding space. Easily adjustable, the Plusminus wall range features semi-spherical directed flat diffusers in different sizes, as well as an accent spotlight for more precise illumination.






To see Plusminus collection
go to page 272 VOL 1



Available in five elegant finishes and mounted as desired, the Plusminus Solo wall range is suitable for functional purposes, such as illuminating a transitional area by bathing a wall with soft light, as well as shaping comfortable scenes through a unique blend of diffuse and accented lighting. Combined with Plusminus Solo floor, table and ceiling luminaires the possibilities are endless.





- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 42 Blue M1 (NCS S 5010-B10G)
- 53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature

Accent

2700 K - 941 lm
3000 K - 987 lm
3500 K - 1022 lm
7,2W


Flat diffuser

LED 2700 K; 3000 K; 3500 K

CRI>90

Control

Analog: On/ Off; Push; 1-10V
Digital: DALI-2
Smart: Casambi



Updated detailed spec sheets
on **vibia.com**

Remote version Built-in

SPOTLIGHT

Accent	Flat diffuser
6330 Narrow **6331** Medium **6332** Wide Ø 10 cm	**6333** Ø 10 cm





SEMISPHERE

Flat diffuser	Flat diffuser
6335 Ø 20 cm	**6340** Ø 30 cm





Plug version Surface

SPOTLIGHT

Accent	Flat diffuser
6361 Medium Ø 10 cm	**6363** Ø 10 cm







SEMISPHERE

Flat diffuser	Flat diffuser
6365 Ø 20 cm	**6370** Ø 30 cm





SPOTLIGHT - ACCENT





Pg 472 VOL 1



Pg 120/216 VOL 2

Tempo



Design by Lievore Altherr.


The Tempo collection reclaims our collective memory of light, distilling lighting archetypes into three basic forms: the disc, the diamond and the milk glass oval explore the interplay of opacity, translucence and transparency.



Fusing contemporary style and classic design, the collection is characterised by lean lines and a long adjustable arm that extends out from its vertical base.

The opaline diamond projects a diffused light of a romantic quality, filling a space with its inviting glow.
An evolution of the classic bistrot globe, the oval diffuser hangs gracefully in the air, its translucency introducing an air of tranquillity.
Converting the traditional bulb into a brilliant bubble, the reflector disk embraces an industrial aesthetic.
Featuring a flat graphite-coloured plate, light is reflected downwards for a compelling effect.

Ref.
5757, 5759, 5761, 5763, 5765, 5767. Recessed dimmable driver.



Ref.
5756, 5758, 5760, 5762, 5764, 5766. Push dimmer on the cable. With plug.







- 18 Graphite (ADAPTA RF 9913 WX)
- 37 Terra Red (NCS S 4040-Y70R)
- 58 Cream (RAL 7044)
- 62 Green (NCS S 3010-G20Y)

Diffuser: Blown-glass
LED support: Aluminum
Structures: Steel
Shade: Aluminum

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

5756 5757
122,5 x 80 cm



5758 5759
116,5 x 80 cm



5760 5761
120 x 80 cm






5762 5763
42,5 x 140 cm



5764 5765
36,5 x 140 cm




5766 5767
40 x 140 cm



Pg 234 VOL 1 Pg 226 VOL 2

Spa



Design by Ramos & Bassols.


Spa is the perfect lighting solution for any wellness space. From public dressing rooms, restaurants and spas, to private kitchens, corridors and bathrooms, its graceful simplicity and linear form allow for seamless integration within a variety of humid interiors.



The diffuser provides diffuse, glare-free, front lighting, ideal for creating an intimate atmosphere.

Vanity light


Ideal as a bathroom mirror light fixture, Spa can be positioned at an angle to send diffuse, ambient lighting in the desired direction.



SLANTED DIFFUSOR

IP44


IP44. Spa can be wiped down with a wet cloth for easy maintenance





Each luminaire is separated from the wall by a single aluminium support and connects to a simple terminal, invisible from the front, which lends a sense of weightlessness and essentiality to the design.







VERTICAL WALL

IP44



WALL & CEILING

5975
121 x 4,7 x 6,5 cm



5977
201 x 4,7 x 6,5 cm



5979
301 x 4,7 x 6,5 cm



5981
253 x 4,8 x 6,6 cm



5983
413 x 4,8 x 6,6 cm



5985
613 x 4,8 x 6,6 cm





Pg 182/232 VOL 2

WALL VANITY LIGHT
(slanted diffusor)



5987
121 x 7,3 x 5,3 cm



5989
201 x 7,3 x 5,3 cm



5991
301 x 7,3 x 5,3 cm



VERTICAL WALL



5995
6,6 x 4,7 x 212 cm

5993
6,6 x 4,7 x 132 cm

- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)

Profile and canopy: Aluminum
Diffuser: PMMA

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi (Remote)

IP44

Suitable for wet location



Dots



Design by Martín Azúa.

This small scale wall sconce in the form of simple, circular dots delivers high visual impact through a range of lighting effects. Seamlessly connecting a space with an intimate landscape of beams and halos, the collection creates a melody of light like a composition of musical notes in concert with one another.






Its compact shape and coloured lacquer or natural wood finishes mean Dots can be easily integrated into any space.

4662 item with on-off switch on the back plate











Deployed alone like a sparkling jewel or in combination to create a glowing galaxy, Dots luminaires provide personalised lighting solutions for a range of uses: task lighting, graphic, directional light, and diffuse, ambient illumination.





“Dots is a simple, versatile lighting system that offers many different solutions in one collection. If we forget the idea that wall lamps are boring, we can suddenly start playing with material, colours and lighting effects in group or individually to create comfortable atmospheres”.


Martín Azúa

13 Grey L1 (NCS S 1000-N)
27 Sand (NCS S 1505-Y50R)
37 Terra Red (NCS S 4040-Y70R)
47 Green L1 (NCS S 4005-G80Y)
82 White oak
83 American walnut

Body: ABS or Wood
Diffuser: PC- Polycarbonate
Canopy: Aluminum

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off ; TRIAC; 1-10V
Digital: DALI-2




Ajustable: 360° turn.
4662: On-off switch on the back plate.

4660 - 4662
Ø 17,5 cm

Once installed position is fixed and cannot be adjusted.

4665
Ø 17,5 cm



Ajustable: 360° turn.

4670
Ø 17,5 cm

4675
Ø 17,5 cm

Dots Glass

Design by Martín Azúa.

The Dots collection introduces a sleek new diffuser. Sheathed in layers of transparent optical glass, Dots Glass generates a warm, 360-degree glow with a pulsating ambient effect.





10 White (NCS S 0300-N)

Body: Aluminum
Diffuser: Optical Glass

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off; 1-10V
Digital: DALI-2
Smart: Casambi (Remote)

IP66



4680
Ø 20 cm

Pg 252/372 VOL 2

Palma



Design by Antoni Arola.

The interior ambience takes on a life of its own with Palma; an unexected design that accommodates greenery along its axis.



Palma consists of hand blown glass spheres joined together by a contemporary aluminium structure. Available in vertical and horizontal orientations and a choice of one, two or three spheres, the sconces and plantings can be combined in an array of different compositions to span a broad stretch of wall or climb upward towards the ceiling.





PALMA



3710
22 x 55 x 25 cm

3714
22 x 114 x 26 cm

3716
22 x 114 x 26 cm

3718
22 x 187 x 26 cm

18 Graphite (ADAPTA RF 9913 WX)

Diffuser: Blown-glass
Profile: Aluminum
Planter: PMMA

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2

3700
55 x 19 x 25 cm

3702
85 x 22 x 25 cm

3704
120 x 22 x 25 cm

3706
195 x 22 x 25 cm







Pg 170 VOL 1

Pg 116/256 VOL 2

Pin

Design by Ichiro Iwasaki.

A timeless proposal from Japanese designer Ichiro Iwasaki, Pin is both classic and contemporary. Characterised by a graceful stem and subtle, functional expression, it is small in scale but with exceptional lighting efficiency.





As a wall lamp, Pin features a striking interplay of geometric forms. Lean, steel lines extend outward, punctuated by a bold, circular base and aluminum dome shades. Whether displayed individually or in customised combinations, Pin functions as abstract wall art as well as a simple reading light.



1675
Ø 10 cm



1680
25 x 39 cm



1685
30 x 70 x 8 cm



1686
30 x 70 x 8 cm




1690
Ø 10 x 40 x 8 cm



1692
Ø 10 x 70 x 8 cm



1694
70 x 40 x 8 cm



- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 58 Cream (NCS S 2500-Y20R)
- 62 Green (NCS S 3010-G20Y)


Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Head: Aluminum
Rods: Steel
Base: Zinc Alloy

LED Colour Temperature
2700 K
CRI>90

Control
Analog: On/ Off








Pg 418 VOL 1 Pg 262 VOL 2

Structural



Design by Arik Levy.

Structural features cubic forms paired with slender metal rods that both join and separate its volumes. Deconstructing the source, it casts light in unexpected places, creating points of light connected in space.











The Structural wall lamp can be combined in various arrangements to integrate with a range of architectural styles and spaces. Marked by lean lines and defined coordinates, it creates glowing sculptural silhouettes. The LED-powered light source is encased in an aluminium box, bathing walls in a bright wash of light without glare.

- 15 Grey L2 (NCS S 2500-N)
- 21 Black Grey D1 (NCS S 7000-N)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate
Main body: Aluminum
Structures: Aluminum

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: 1-10V
Digital: DALI-2
Smart: Casambi

2600
16 x 16 cm



2602
26 x 22 cm



2610
120 x 18 x 10 cm



2612
240 x 30 x 10cm




2615
180 x 120 x 10 cm



2617
84 x 240 x 10 cm





Pg 176/268 VOL 2

Set

Design by Xuclà.

Set is a new concept of modular wall sconces that composes light as art onto the walls. During the day Set decorates the wall with a pattern of rectangular elements, but once illuminated it creates a surprising play of lights, shadows and volumes.





7749
18 x 10 cm

7750
18 x 10 cm

7751
30 x 10 cm

7752
30 x 10 cm

7753
38 x 10 cm

A customised composition of rectangular pieces crafted of an aluminum body and fine borosilicate-glass diffuser, Set both generates and reflects light. It features one fixed component fitted with an LED that casts its light over the other adjustable volumes, each, in turn, emanating elegant rays of light and shadow upwards. The fixture produces an endless array of luminary effects depending on how it's positioned and doubles as dramatic wall art.

25 Beige D1 (NCS S 4005-Y50R)
93 White (RAL 9003)

Main body: Aluminum
Diffuser: Borosilicate glass
Lid: PC- Polycarbonate
Reflecting bodies: PVC

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: 0-10V






Kontorno



Design by Sebastian Herkner.


Consisting of an elegant linear framework complemented by a cylindrical diffuser or curved reflector, the Kontorno collection envelops the light source it contains, offering diffuse, balanced illumination.





Large-scale glass wall lamp

Pure and refined, Kontorno’s cylindrical glass diffuser expresses timeless romanticism with its warm, 360-degree glow.



“Kontorno is about simplicity and balance. The light is very poetic and features a frame interacting with different shapes to generate myriad lighting moods and atmospheres.”

Sebastian Herkner.



Glass Shade



6444
19 x 92 cm

6446
19 x 122 cm

11 Black (NCS S 8500-N)

Glass shade: Opal triplex
Diffuser: PC- Polycarbonate
Canopy: Aluminum

LED Colour Temperature
2200 K; 2700 K; 3000 K; 3500 K
CRI>90


Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi

Pg 80 VOL 1 Pg 278 VOL 2



2200 K LED Colour Temperature








2700 K LED Colour Temperature





Aluminum Shade



6414
20 x 92 cm

6416
20 x 122 cm

6418
20 x 162 cm

11 Black (NCS S 8500-N)

Concave shade: Aluminum
Diffuser: PC- Polycarbonate
Structures: Steel
Canopy: Aluminum

LED Colour Temperature
2200 K; 2700 K; 3000 K; 3500 K
CRI>90

Control
Analog: Push; 1-10V
Digital: DALI-2
Smart: Casambi



Pg 80 VOL 1

Pg 278 VOL 2

Guise



Design by Diez Office.

Crafted of precision-cut glass and embedded with a row of recessed LEDs, Guise explores the relationship between light and transparency. The light inside the glass appears invisible, while the delicately engraved surface generates a beautiful diffusion.



A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.
Natural light is never mono-tonal. Gradients come in infinite colours.



Vibia Chromatica colours of light

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

Static White

2200 K | 2500 K | 2700 K
3000 K | 3500 K | 4000 K

You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface.
You can also integrate your selection into the control system for specific scene design and activate it using the Vibia App

Colour Moods

Still - A pale and thin green light, inspired by the very first rays of morning sun

Vivid - A vibrating blue with a hint of pale yellow for a feeling of liveliness

Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones

Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Cozy colour mood

Bringing warmth and glow, this hue also contains darker, moodier undertones.
A deep, burned red tone in the solid colour, while a colder grey-blue tone merges with he red in the gradient.

SURFACE

2260

Ø 54 cm



SURFACE

2262

Ø 92 cm




REMOTE

2263

Ø 92 cm



The Guise wall sconce consists of a glass disk emitting a perimeter glow from a hidden LED light source. When switched on it generates a halo of diffuse light like a solar eclipse; when switched off, the transparent glass and hidden LEDs seem to disappear, hence its enigmatic name.



Pg 110 VOL 1 Pg 168/288 VOL 2

18 Graphite (ADAPTA RF9913WX)

Diffuser: Borosilicate
LED support: Aluminum

LED Colour Temperature

Ref. 2260, 2262
Static White
3000 K

Ref. 2263
Infinite Colour (RGB + TW)

CRI>90

Control

Ref. 2260, 2262
Analog: Optical sensor on the LED support

Ref. 2263
Smart: ProtoPixel* (also with push buttons)

You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface.

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)







Musa



Design by Note Design Studio.

A poetic expression of light, inspired by nature. Cradled by the soft curve of Musa's bowl-shaped diffuser, light is both contained and reflected in its silky veneer.



7415

Ø 26 x 10 cm

Musa recalls the organic form of an oyster and pearl. A small, dimmable diffuser nestles at its base, casting a soft glow that spreads across the larger sphere that contains and diffuses it.

- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)
- 36 Soft Pink (NCS S 1010-Y50R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: Blown glass
Body: Aluminum

LED Colour Temperature
2700 K
CRI>90


Control
Analog: 1-10V

Pg 454 VOL 1 Pg 296 VOL 2






Funnel




A warm lighting presence with a distinctly sculptural form,
Funnel is a study in materiality, light and space.

FUNNEL



2012
Ø 22 cm



2013
Ø 35 cm

A fluid design defines this aluminum fixture, a streamlined, funnel-shaped base that flows into a protruding cap.
The smooth, sculptural curves conceal a LED light source behind the tip, reflecting light back on the funnel form and creating a flood of indirect, ambient lighting. It can be displayed individually or in a row for greater impact.

- 10 White (NCS S 0300-N)
- 36 Soft pink (NCS S 1010-Y50R)
- 47 Green L1 (NCS S 4005-G80Y)
- 51 Gold leaf (Gold)

Shade: Aluminum
Reflector: Aluminum
Support: Steel

LED Colour Temperature
2700 K; 3000 K; 3500 K
CRI>80; CRI>90

Control
Analog: On/ Off; Push; 1-10V
Digital: DALI-2





Pg 172/300 VOL 2

Suite

Design by Jordi Vilardell & Meritxell Vidal.

The Suite wall light doubles up as a convenient storage facility. Depending on the desired effect, the user can choose from a range of different models: a simple shelf, a shelf with a reading lamp, a shelf featuring a luminous object, or an ambient wall sconce. The shelves incorporate an invisible LED tucked underneath, offering an ambient bedside glow.



6046
32 x 29 x 16 cm

6041
32 x 14 x 16 cm



6040
32 x 14 x 16 cm



6045
32 x 29 x 16 cm

14 Chocolate (RAL 8019)
23 Warm White (NCS S 0502-Y50R)

Finish customization
(Available options: Vibia colour palette)

Diffuser: PC- Polycarbonate / Blown-glass
Shelf: Aluminum
Lid: Steel

LED Colour Temperature

2700 K; 3500 K
CRI>90

Control

Analog: On/ Off




Pg 430 VOL 1




Pg 304 VOL 2

6050
12 x 12 x 10 cm





I.Cono



Design by Lievore, Altherr, Molina.

Distinguished by its signature visor-shaped shade, I.Cono presents a poised, Scandinavian presence. The visual purity of its angular shade is matched by a sleek base and complemented by a range of elegant finishes.




10 White (NCS S 0300-N)
21 Grey D1 (NCS S 7000-N)
25 Beige D1 (NCS S 4005-Y50R)
37 Terra Red (NCS S 4040-Y70R)
42 Blue M1 (NCS S 5010-B10G)

Shade: ABS + PC- Polycarbonate
Tube: Steel
Base: Aluminium


LED Colour Temperature
2700 K
CRI>90

Control
Ref. 0720
Analog: On/ Off
Ref. 0721
Analog: On/ Off; Push (Remote)
Digital: DALI-2 (Remote)
Smart: Casambi (Remote)




On/ Off switch on the base.

0720
15 x 17 x 26 cm



0721
15 x 17 x 26 cm





Pg 424 VOL 1 Pg 308 VOL 2

Origami

Design by Ramón Esteve.

Inspired by the Japanese art of paper folding, Origami provides gentle ambient light illumination while doubling up as a striking installation. Light radiates out from a series of distinctive geometric structures, creating a dialogue of light and shadow across the wall.



- 10 White (NCS S 0300-N)
- 29 Brown D1 (NCS S 8005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 53 Green M1 (NCS S 6005-G80Y)


Shade: ABS
Diffuser: PC- Polycarbonate
Lid: PC- Polycarbonate
Arm: PC- Polycarbonate

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: TRIAC

A maximum of 30 modules can be connected to a single connection point.





4506
70 x 91 cm




4500
30 x 30 cm



4501
30 x 30 cm



4504
53 x 63 cm



4508
94 x 107 cm

Alpha

Design by Ramos & Bassols.

A wall lamp with basic lines and advanced lighting performance, its diffuser emits a warm, comfortable light.





7940
12 x 12 cm

7942
12 x 12 cm

18 Graphite & Black (RAL 7016 & RAL 9005)
93 White (RAL 9016)

Diffuser: PC- Polycarbonate
Lid: Zinc Alloy
Body: Aluminum
Lid: Aluminum

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off

Ref. 7940
On/off switch on the front cover
Ref. 7942
Without switch



Puck

Design by Jordi Vilardell.

Glowing like a full moon, Puck's simple, spherical forms can be superimposed on top of one another, lending the whole an organic sensibility.



PUCK

5410
24,4 x 6,6 cm

5412
27, 2x 7,7 cm

5425 5427
31,8 x 24,2 cm

03 White (RAL 9016)


Canopy: Aluminum
Diffuser: Blown-glass


LED Colour Temperature

2700 K; 3500 K
CRI>90

Control

Analog: On/ Off





Pg 192/320 VOL 2



Puck
Wall Art



Design by Jordi Vilardell.

Puck Wall Art combines two circular wall lights of different sizes and colours, superimposed on top of one another, and combining to create a set of highly dynamic, sculptural compositions. The collection provides ambient indirect light and only requires a single electrical connection.


15 Grey L2 (NCS S 2500-N)
21 Black Grey (NCS S 7000-N)
28 Brown M1 (NCS S 4020-Y60R)
72 Black Grey & Grey L2 (NCS S 7000-N, NCS S 2500-N)
73 Brown M1 & Black Grey (NCS S 4020-Y60R, NCS S 7000-N)
76 Grey felt L1
77 Grey felt D1
71 Grey felt L1 & Grey felt D1


Diffuser: PC- Polycarbonate
Shade: ABS
Wall support: Aluminum


LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: Push; TRIAC; 1-10V
Digital: DALI-2
Smart: Casambi

A maximum of 8 modules can be connected to a single connection point









5470
Ø 30 cm



5471
Ø 40 cm



5472
Ø 45 cm



5474
Ø 46 cm




5476
Ø 60 cm




5480
58 x 58 x 6 cm




5481
69 x 69 x 9 cm




5485
68 x 68 x 9 cm



5487
87 x 87 x 9 cm



5486
87 x 87 x 11 cm



5491
103 x 84 x 11 cm



Puck Wall Art is comprised of different disks to create a warm, visually sharp and mathematically creative effect. There are four sizes of disks, allowing the designer to play with varied combinations of indirect light. The resulting design comprises a set of highly dynamic, sculptural compositions.

North





Design by Arik Levy.

The North collection consists of a conical aluminum shade hanging from an adjustable carbon fibre rod. The rod and shade are disconnected from one another via a slim cable, directing the LED-powered light where needed in a dynamic system of adjustable parts.



5630

150 x 195 cm

For the North wall light, a slender rod rises from a base attached to the wall. The light source and shade are separated from the base, suspended delicately in mid-air from the tip of the rod. Available in four lacquered matte tones, it can be adapted to any style for both private and public use. North provides flat uniform light of a local yet flexible chatarcter.

- 10 White (NCS S 0300-N)
- 11 Black (NCS S 8500-N)
- 24 Beige M1 (NCS S 2005-Y50R)
- 42 Blue M1 (NCS S 5010-B10G)


Rods: Carbon fiber
Shade: Aluminum
Diffuser: PMMA
Wall Plate: Steel

LED Colour Temperature

2700 K; 3000K
CRI>90
3500 K
CRI>80

Control

Analog: Push



Pg 264/412 VOL 1 Pg 330 VOL 2



North combines pendant and wall application to provide elegant and adjustable solutions. Choose from different shade sizes for more focused or diffused illumination.

Halo



Design by Martín Azúa.

Halo’s graphic simplicity lends it an ethereal quality. The fixture seems to float in mid-air, powered by invisible LEDs hidden within its opalized, linear diffuser.





2360
102,5 x 5,7 cm

When composed as a collection, Halo comes alive with new compositional value. Rotation around a central axis allows the light sticks to be positioned as desired, creating a luminous mural that bathes the surrounding wall in a diffuse light.

- 11 Black (NCS S 8500-N)
- 13 Off-White (NCS S 1000-N)

Diffuser: PMMA
LED support: Aluminum


LED Colour Temperature

2700 K
CRI>90

3000 K
CRI>80

Control

Analog: 1-10V
Digital: DALI-2
Smart: Casambi (Remote)



Pg 218 VOL 1

Pg 336 VOL 2



Sticks



Design by Arik Levy.

A pure solution for a minimalist interior, Sticks features luminaires of various lengths and incorporates a range of electrical connection options for seamless integration with the surrounding architecture.











Horizontal version with a UGR index <19 available



Linear flat diffuser





11 Black (S 8500-N)

Stick: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature
2700K; 3000K; 3500K
CRI>90

Control
Analog: Push, 1-10V
Digital: DALI-2
Smart: Casambi

Electrical connection options


Floor base & plug


Surface canopy


Built-in disc S


Remote driver Built-in Micro


Connecting space application

Sticks offers a creative lighting toolkit for integrating light elements in an interior space, connecting the different architectural planes.

Connectable


The Sticks collection has three sizes: 1.5 m , 2 m, or 3 m, and they can be connected one to each other to a total maximum lenght of 6.5 meters per electrical connection.


Sticks are connected one to each other with a 15 cm length cord.


Each stick rotates on its own axis, allowing light to be directed precisely where needed.

1.5 m 2 m 3 m

Wall-Wall



Wall-Wall (corner) / Wall-Ceiling



Wall-Pendants



Floor-Wall




Pg 66 VOL 1 Pg 340 VOL 2

Offset



Up&Down
Surface Grazer



Colour
Mood Grazer

Design by Xuclà.

Offset combines soft, indirect light with an industrial, geometric silhouette. Offering a range of linear or angular luminaires and available in a range of different sizes, the system guarantees the versatility to adapt to any space.



Up&Down





- 11 Black (NCS S 8500-N)
- 23 Warm White (NCS S 0502-Y50R)
- 24 Beige M1 (NCS S 2005-Y50R)

Ref. 1770, 1772 and 1774
Body: Aluminum
Lens: PMMA

Ref. 1760, 1762, 1765 and 1767
Body: Aluminum
Diffuser: PC - Polycarbonate

LED Colour Temperature

Ref. 1770,1772 and 1774
Static White
2700 K; 3000 K; 3500 K

Ref. 1760, 1762, 1765 and 1767
Infinite Colour (TW + RGB)
CRI >90

Control


Ref. 1770
Analog: On / Off; Push (Remote)
Digital: DALI-2 (Remote)
Smart: Casambi (Remote)

Ref. 1772 and 1774
Analog: Push
Digital: DALI-2
Smart: Casambi

Ref. 1760, 1762, 1765 and 1767
Smart: ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)





Up&Down Surface Grazer

1770
7 x 7 x 4 cm

1772
7 x 100 x 4 cm

1774
7 x 160 x 4 cm



Colour Mood Grazer

Left **Right**
1762 **1760**
7 x 125 x 5 cm

Left **Right**
1767 **1765**
7 x 225 x 5 cm




Pg 460 VOL 1 Pg 94/348 VOL 2

A source of emotion

Colour is a source of emotion it can instantly set a mood, convey a feeling or generate a sense of wellbeing

Vibia's approach to coloured light invites the use of colour and gradients to create and experience different atmospheres, making them as natural and subtle as possible.
Natural light is never mono-tonal. Gradients come in infinite colours.



Vibia Chromatica colours of light

Our colour lighting range is unique. We have selected 18 subtle tones and gradients based on a deep analysis of colour and temperature, in relation to human comfort and wellbeing.

Static White

2200 K 2500 K 2700 K
3000 K 3500 K 4000 K

You can select any desired light -white, colour mood or gradient- and intensity manually from the analogic product interface.
You can also integrate your selection into the control system for specific scene design and activate it using the Vibia App

Colour Moods

Still - A pale and thin green light, inspired by the very first rays of morning sun

Vivid - A vibrating blue with a hint of pale yellow for a feeling of liveliness

Delicate - A warm and glowing orange-yellow hue, reminiscent of afternoon sun spilling through the window

Cozy - Bringing a glowing warmth, this orange-red hue contains darker, moodier undertones

Intense - A powerful and bold red. Not just a striking colour, but deep and nuanced

Illusive - An alluring and intriguing blue light that lends an energised, almost magical feel to a space

Contact Vibia Support Service at vibia.com for any kind of assistance or recommendation when designing an atmosphere of wellbeing, or if you require support with control system approach.

Vivid colour mood

Full of vitality, this is a brisk and honest light. The solid colour is a vibrating blue with a hint of warmth, while the pale yellow in the gradient gives a feeling of liveliness — perfect for boosting energy and focus.




Outdoor

Outdoor

Bamboo 414
Break 430
Break Plus 435
Brisa 402
Class 456
Dots Glass 372
Dots Outdoor 360
Empty 408
June 446
Meridiano 450
Origami 388
Out 378
Palo Alto 394
Wind 422

Dots Outdoor




Design by Martín Azúa.

Diminutive, compact and easily installed, Dots Outdoor is the perfect solution for subtle outdoor illumination. Designed to nestle discreetly into the undergrowth of a garden or patio, Dots shines at night with a diffuse or focused glow from an invisible source.
















To connect interior and exterior living spaces, designers are increasingly bringing indoor qualities to the outdoor environment.
Whether you want to enhance the existing scenery, integrate an outdoor seating area, or simply add a layer of security, Dots offers an extensive range of durable and weather resistant lighting solutions.





4684
Ø 20 cm



4688
Ø 20 cm

- 22 Graphite Black (NCS S 8000-N)
- 25 Beige D1 (NCS S 4005-Y50R)
- 53 Green M1 (NCS S 6005-G80Y)

Body: Aluminum
Diffuser: PC- Polycarbonate


LED Colour Temperature
Ref. 4684, 4688
2700 K; 3500 K

Ref. 4695, 4697, 4700, 4702
2700 K

CRI>90

Control
Analog: On/ Off; 1-10V
Digital: DALI-2 (Remote)
Smart: Casambi (Remote)

IP65 IP66 Bi-volt



4695
Ø 20 x 12 cm



4697
Ø 15 x 9 cm



4700
Ø 20 x 12 cm




4702
Ø 15 x 9 cm


Dots Glass




Design by Martín Azúa.

Sheathed in layers of transparent optical glass, the LED source within the Dots Glass diffuser generates a warm, 360-degree glow with a pulsating ambient effect.





Ideal for transitional or walkway lighting, Dots Glass projects a subtle, lunar glow, highlighting the texture of its surrounding environment. Planted as a single star in the darkness, or combined with other elements of the collection, this sleek addition lends a delicate aesthetic.



4680

Ø 20 cm


10 White (NCS S 0300-N)

Body: Aluminum
Diffuser: Optical Glass

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off; 1-10V
Digital: DALI-2
Smart: Casambi (Remote)

IP66



Out

Design by Víctor Carrasco.

Out is a romantic response to the global transition towards outdoor living. Available in a range of soothing colours, this innovative floor fixture projects a diffuse downlight that’s ideal for illuminating a table or communal area.






22 Graphite Black

Out brings the intimacy
of indoor lighting outdoors.



25 Beige D1





Indoor & outdoor

Linking interior and exterior spaces has a significant impact on our sense of wellbeing. As we enter an era where outdoor space is becoming increasingly essential, design professionals are turning their attention towards breaking down traditional architectural barriers.



Out brings a poetic aesthetic, its slender stem extending vertically into the air before bending over in a broad arch. Forming islands of light in the darkness, its balanced structure and large scale allow people to pass underneath without complicating the space.

47 Green L1

- 22 Graphite Black (NCS S 8000-N)
- 23 Warm White (NCS S 0502-Y50R)
- 25 Beige D1 (NCS S 4005-Y50R)
- 36 Soft Pink (NCS S 1010-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 47 Green L1 (NCS S 4005-G80Y)

Tube: Stainless Steel
Shade: Aluminium
Diffuser: PE- Polyethylene

LED Colour Temperature

2700 K
CRI>90

Control

Ref. 4270
Analog: Push
Smart: Casambi; ProtoPixel*

*ProtoPixel products are compatible with all other DALI-2 products via a designated gateway (please consult us)

Ref. 4275
Digital: DALI-2
Smart: Casambi (Remote)




Pg 468 VOL 1
Pg 378 VOL 2

4270. Cable with switch





4270 Not Fixed IP44
211 x 242 cm




4275 Bolt-down “hard wired” IP65
211 x 242 cm

Origami

Design by Ramón Esteve.

Inspired by the Japanese art of paper folding, Origami offers gentle exterior illumination while doubling up as a striking installation.
Designed to climb like ivy, light radiates out from a series of distinctive geometric structures, creating a play of light and shadow across a wall.







4506
70 x 91 cm

4500
30 x 30 cm

4501
30 x 30 cm



4504
53 x 63 cm



4508
94 x 107 cm

Origami invites you to get creative. A single point of connection between pieces allows professionals to make as many patterns or configurations as desired, combining functionality with infinite versatility.

- 10 White (NCS S 0300-N)
- 29 Brown D1 (NCS S 8005-Y50R)
- 38 Terra Dark (NCS S 5040-Y70R)
- 53 Green M1 (NCS S 6005-G80Y)


Shade: ABS
Diffuser: PC- Polycarbonate
Lid: PC- Polycarbonate
Arm: PC- Polycarbonate


LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: TRIAC

IP65

A maximum of 30 modules can be connected to a single connection point





Palo Alto

Design by Xuclà.

Palo Alto is defined by a linear, angular silhouette. Industrial in style yet natural in form, it recalls a tree whose steel “branches” are embedded with LEDs, illuminating the surrounding landscape with a diffuse downlight.







Thanks to its heights, shapes and angles,
Palo Alto integrates seamlessly into any
outdoor environment




It is offered in various minimalist shapes and can be displayed individually or in a group to resemble a stand of trees. The upper reaches of the sturdy steel fixture are fitted with slim swaths of LEDs directed downwards to create a diffused, ambient glow.





Ground surface mounted.



4510
35 x 90 cm

4516
85 x 280 cm

4539
85 x 310 cm

4540
136 x 310 x 161 cm

22 Graphite Black (NCS S 8000-N)
29 Brown D1 (NCS S 8005-Y50R)

Body: Steel
Cover: Steel

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off

IP65



Brisa

Design by Lievore, Altherr, Molina.

Inspired by the forest blue bellflower,
Brisa is the essence of flawless landscape
integration. Its stylised silhouette and natural
inspiration bring a subtle charm to any exterior.




BRISA

Brisa adds a nature-inspired accent to any space. True to its name, which means breeze in Spanish, Brisa's silhouette is delicate and graceful. Its long, slender stem is topped with a hanging, conical shade that beautifully captures the bloom's languid look. The simple architecture and distinctive bowed head lend it a quiet presence that accents an outdoor space rather than overpowering it. Offered with 1, 3, or 5 arms, it resembles a solitary plant or grouping of flowers in a natural setting. The LED-powered light source casts a warm, bright beam, making it ideal for focused illumination.
The collection is available in a surface mounted or built-in style.











4625
10 x 103 cm

4630
10 x 100 cm

4635
22 x 99,5 x 23 cm

4640
30 x 100 x 27,5 cm

07 Khaki (RAL 7039)
54 Oxide (RAL 8014)

Shade and Base: Aluminum.
Disc: Stainless steel.
Vertical tube: Steel.

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off

IP64 IP65



Empty

Design by Xuclà.

Empty, lends itself to Vibia's 'furniture meets light' concept. Incorporating a table, stool and light fixture into a single three-dimensional entity, each geometric structure glows with subtle, indirect light from an invisible source.



4125
45 x 45 cm



4130
45 x 70 cm



4135
25 x 25 cm



4136
25 x 55 cm

18 Polymer Concrete Grey (NCS S 2002-B50G)
22 Graphite Black (NCS S 8000-N)

Body: Polymer Concrete
Diffuser: PMMA

LED Colour Temperature
2700 K; CRI>80
3500 K; CRI>90

Control
Analog: On/ Off

IP66





Floor lamp and furnishing in one,
Empty’s crisp angles create a
cantilevered perch that serves
as a side table or stool, while making
a sleek modernist statement.
A LED light source tucked discreetly
under the seat casts a warm glow that’s
ideal for walkways or general exterior
illuminaton.



Bamboo



Design by Antoni Arola & Enric Rodríguez.

Bamboo's lean, natural form perfectly lends itself to an outdoor setting. Studded with LEDs, it seamlessly integrates with the landscape while adding a wash of light to walkways and common spaces.







Bamboo was clearly inspired by its namesake. Characterised by a slender silhouette that blends in with the existing flora, the fixture can be ‘planted’ into decking or gravel, illuminating the adjacent wall with lively “spots” of light.

07 Khakhi (RAL 7006)
54 Oxide (RAL 8017)
58 Off-White (Pantone Warm Gray 2U)

Cane: PES+FG- Fiberglass
Diffuser: PMMA


LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off

IP66



4820
19 x 6 cm





4812
Ø 40 x 270 cm



4811
Ø 35 x 270 cm



4810
Ø 43 x 190 cm



4805
6 x 270 cm



4804
6 x 190 cm



4801 4803
6 x 90 cm



4800 4802
6 x 60 cm

Ref. 4800, 4801, 4820 surface mounted.

Ref. 4802, 4803, 4804, 4805, 4810, 4811 and 4812 built-in installation.





Wind



Design by Jordi Vilardell.


A perfect marriage of technology and tradition.
Wind’s drum shade is made of fibreglass, an innovative webbed texture and pattern that elevates the visual contribution of this timeless silhouette.



Besides its large scale, the principle characteristic of the Wind collection is its materiality. The traditional drum shade is made from delicately woven fibreglass, producing a uniquely textured surface with a warm, ambient lighting effect.







4072
Ø 60 cm



4077
Ø 60 cm



4078
Ø 120 cm

- 27 Sand (NCS S 1505-Y50R)
- 53 Green M1 (NCS S 6005-G80Y)
- 61 Ocre Red (NCS S 3050-Y60R)

Ref. 4057
Shade: FG- Fiberglass
Weight: Concrete
Lid: Steel
Diffuser: PMMA

Shade: FG- Fiberglass
Base: FG- Fiberglass
Diffuser: FG- Fiberglass
Canopy Plate: Steel
Lid: Steel

LED Colour Temperature
2700 K
CRI>90

Control
Analog: On/ Off

Ref. 4057, 4062, 4067 IP64
Ref. 4072, 4077 IP65
Ref. 4078 IP20





Pg 230 VOL 1
Pg 422 VOL 2

Pg 422 VOL 2




4057
Ø 60 x 191 cm



4062
Ø 120 x 195 cm



4067
Ø 60 x 166 cm




Break



Design by Xuclà & Alemany.

Break is distinguished by its architectural attitude.
A series of cubic volumes provide indirect downlight
while doubling up as a dynamic sculptural presence.





4101
25 x 81 cm

4106
25 x 43 cm

4108
48 x 38 cm

The Break collection consists of a bevelled cube with a recess from which light escapes, and a pair of blocks stacked on top of one another, the space between them allowing light to pass through. Dotted in pairs and groups of three, Break's graphite black lacquer and concrete finishes blend effortlessly with an industrial aesthetic.


80 Concrete (Natural finish)
22 Graphite Black (NCS S 8000-N)

Head: Concrete
Base: Concrete
Diffuser: PMMA
Body: Steel

LED Colour Temperature
2700 K
CRI>80

Control
Analog: On/ Off

IP66












Break Plus

Design by Xuclà.

Designed to blend instinctively with the architecture in which it exists, Break Plus converts any wall into a three dimensional mural. Arranged individually or as a group, it consists of four geometric volumes that cast beams of diffuse light upwards, downwards -or in both directions- creating a dynamic dialogue between light and shadow.






Break Plus gurantees seamless adaptation
to the surface upon which it is mounted.
The collection's lacquered matte finish adds
a natural, grainy texture that complements
its clean, geometric expression.

Characterised by its stylized silhouette and available in four muted Chromatica colours, these playful units display an ethereal lighting effect on the wall.







Break Plus is evocative of a roof tile or brick, designed individually to connect as a whole. Integrating into the architecture of any space, the collection presents five geometric models that provide spatial depth and aesthetic plasticity to an otherwise flat surface. When grouped together, the collection creates a dynamic dialogue between light and shadow: light is reflected from the interior of each volume, drawing a single or double or beam across the wall, which merge to establish a lattice of oblique lines. Easily installed and with on/ off, Dali and Casambi control systems, systems, its lacquered matte finish adds a hint of graininess that complements its geometric form.

A singular study in high performance technology, Break Plus is designed to withstand all weather conditions. Surface mounted and easily maintained, its unique form prevents water from stagnating, making it the ideal choice for both private residential properties as well as larger commercial projects.







4112
12 x 14 cm



4114
12 x 14 cm



4116
21 x 34 cm



4118
19 x 32 cm


- 22 Graphite Black (NCS S 8000-N)
- 25 Beige D1 (NCS S 4005-Y50R)
- 37 Terra Red (NCS S 4040-Y70R)
- 95 Primer (NCS S 1000-N)

Body: Aluminum
Diffuser: PC- Polycarbonate

LED Colour Temperature
2700 K; 3500 K
CRI>90

Control
Analog: On/ Off
Digital: DALI-2 (Remote)
Smart: Casambi (Remote)

IP65



Primer finish: customisable on site. Break Plus is offered in a primer tone, which allows for seamless integration within the surrounding architecture and adaptation to the project needs as it can be painted in any desired colour.



June

Design by Ana Mir + Emili Padrós (Emiliana Design Studio).

Inspired by traditional lanterns, June's moon-like spheres cast a warm, ambient glow, lending a touch of nostalgia to an outdoor space.





4785
Ø 9 x 120 cm

4780
Ø 9 x 80 cm

Inspired by traditional lanterns, June translates the iconic image of illuminated globes into a refined collection. Its moon-like spheres recall garlands festooned throughout a courtyard, garden, or patio, casting a warm, ambient glow. The LED-powered fixture bathes a surface in gentle, diffuse illumination for an intimate atmosphere.

54 Brown (Pantone Black U)

Diffuser: Opal blown glass
Tubes: Steel

LED Colour Temperature
2700 K
CRI>90


Control
Analog: On/ Off

IP65

Meridiano

Design by Jordi Vilardell & Meritxell Vidal.

Composed of a structure of corrugated steel rods, Meridiano radiates with a burst of light and shadow that enriches its surrounding environment. As a floor lamp, it doubles up as outdoor furniture; as a wall sconce, it animates a bare façade with a dynamic sunburst motif.



4720

Ø 26 cm

Functioning as both ambient lighting and dynamic sculpture, multiple fixtures can be positioned at random to cast a luminous web of spokes, artfully filling a large blank expanse of wall. Equipped with an LED light source ideal for exterior use, the sconce can be paired with the floor version to flawlessly integrate a garden seating area or poolside terrace with an exterior wall.

07 Khakhi (RAL 7006)

58 Off-White (Pantone WARM GRAY 2U)

Seat: PU- Polyurethane
Rods: Steel
Arm: Steel
Diffuser: Glass
Base: Steel

LED Colour Temperature

LED 2700 K; CRI>90
LED 3500 K; CRI>80

Control


Analog: On/ Off

IP64 IP65



4710

Ø 64 cm



4715

Ø 92 cm

Class

Design by Sebastian Herkner.

A timeless and elegant solution for outdoor environments, Class combines the refined aesthetic of a patio light with the functional performance of a bollard. Consisting of a durable aluminum shaft and fluted glass diffuser, it washes the space with a gentle luminescence.

“Class emphasizes its architectural elegance in its vertical metal structure, as well as the soft waves in the borosilicate glass tube. The structured glass spreads the light in a soft patterned way on the facade, the terrace and the greenery around”.

Sebastian Herkner





Forming a delicate H, the metal starts to curve at its peak, enclosing the tube from above and below with gentle precision.







Class's translucent glass tube is fluted, defined by even grooves that allow the light to pass softly through it while the source remains obscured.
Each tube is supported by a robust aluminium shaft, available in two different heights and with a choice of individual, multiple or asymmetrical luminaires.
The matte black of the shaft contrasts with the smooth surface of the glass tubes, a satisfying combination of textures reminiscent of the traditional gas lamp. Designed to give a little sway with the breeze, the taller free standing shaft bathes a wide area of exterior space in its warm glow.
In response, the shorter model projects a soft transition radiance from below.







2810
28 x 250 cm



2815
28 x 250 cm



2800
22 x 78,5 cm



2805
22 x 78,5 cm



2820
18 x 60 cm



2825
18 x 96 cm

11 Black (NCS S 8500-N)

Body: Aluminum
Glass: Borosilicate glass
Diffuser: Opal PC- Polycarbonate

LED Colour Temperature
2700 K
CRI>90

Control
Analog: Push
Digital: DALI-2
Smart: Casambi (Remote)

IP65

Class's translucent glass tube is fluted, defined by even grooves that allow the light to pass softly through it while the source remains obscured.





Lighting Typologies

Support Portfolio

Lighting Typologies

Diffuse

Flat Diffuser




General



Proximity



Linear



Linear High Confort




Volumetric Diffuser












Hidden Diffuser



General



Proximity



Indirect



Reflected










Surface Grazer



360°




Direct



Mood Grazer

Wall Washer



Linear



Spot

Direct

Spotlight



Accent





Reading



Downlight



Accent







Linear High Efficiency Low Glare



Lighting Typologies

Diffuse

Flat Diffuser

Comfortable, uniform illumination with soft shadows, subdued highlights and little visual hierarchy



General
First layer of basic, general illumination



Close Proximity
Lighting applications for illumination in close proximity to the user



Linear
Linear lighting applications for functional and graphic illumination



Linear High Comfort
Linear lighting applications with High lighting and comfort levels (UGR <19) for illumination in close proximity

Volumetric Diffuser



Subtly directed, diffused light that generates a soft hierarchy of light on to the illuminated surface.










Hidden Diffuser



Subtly directed diffused light that generates a soft hierarchy of light on to the illuminated surface



General
First layer of basic, general illumination



Close Proximity
Lighting applications for illumination in close proximity to the user

Indirect

Reflected

Creation of visual hierarchies within the luminaire itself, emphasising the materiality and texture of the product









Surface Grazer

Creation of visual hierarchies through projected light, emphasising the materiality and texture of the surrounding environment



360°
Full-circle grazing light



Direct
Directed grazing light



Mood Grazer
Tunable white or infinite colour regulation to curate the perfect atmosphere

Wall Washer

Vertical lighting to give structure and amplitude to a space. Diffuse light is reflected from the illuminated surface for a soft and homogeneous atmosphere



Linear
Bathing a vertical surface with light projected from a linear lighting application



Spot
Bathing a vertical surface with light projected from a spot lighting application

Direct

Spotlight

Adjustable, directed light for dynamic visual hierarchies, emphasising functional areas, objects or architectural elements



Accent
Narrow: Angles less than 20°.
Suitable for generating high contrasts or projections at far distances.
Medium: Angles between 20° and 40°.
Suitable for generating medium contrasts or projections at medium distances.
Wide: Angles greater than 40°.
Suitable for generating moderate contrasts or projections at near distances.



Reading
High intensity, glare-free task lighting



Downlight

Static, directed light for creating visual hierarchies and emphasising functional areas, objects or architectural elements




Accent
Narrow: Angles less than 20°.
Suitable for generating high contrasts or projections at far distances.
Medium: Angles between 20° and 40°.
Suitable for generating medium contrasts or projections at medium distances.
Wide: Angles greater than 40°.
Suitable for generating moderate contrasts or projections at near distances.



Linear High Efficiency Low Glare



High energy efficiency and low glare levels UGR<19 for linear light applications



Support Portfolio

Atmosphere Design Support → Control System Design Support → Installation and Maintenance Support

From Project Support to Usage

To achieve wellbeing scenes it is necessary to cover the entire end-to-end journey. From **design** and composition through to **installation** and **user interaction,** Vibia's team is prepared to assist you in any request you may have.

Sales Team Project Support

Direct contact with the Vibia representative in your area to assist you with whatever you need.

Selection of the appropriate product and customisation.

Creation of project moodboards by scenes.

Use of Vibia's online professional tools (Website, App, etc.).




Technical Support Services (TSS)

Our technical service team is available to assist you with any post-sales queries you may have, including:

Installation process.

Control System implementation process.

Maintenance.



Installation and Maintenance Process

DALI
CASAMBI
ProtoPixel


Control System Implementation

Online Professional Tools


Support for our digital tools designed for professionals.

Web: Professional Area.

Onsite App.



Web Project Management Area



Onsite App


Lighting & Wellbeing Studio

Vibia's specialised team is at your disposal to assist you in creating a complete Atmosphere Design project, including:


Scenes design.

Optional:

- Lighting calculations, renderings, etc.
- Control system approach.
- End-user interaction approach.



Lighting Project Design with Scenes



Control System and End-User Interaction Approach

Atmosphere Design Content and Professional Training

Consult about Vibia's training program.

New Approach to Atmospheres Design:

- Periodic online training sessions.
- In-company training.

Certification Programs: COMING SOON.

- Certificate in Emotional Atmosphere Design for project designers.
- Certificate for Vibia Authorised Installers to provide local support.



Events for professionals

Model	Vol	Page
0130	Vol 1	53
0131	Vol 1	53
0132	Vol 1	53
0135	Vol 2	59
0136	Vol 2	59
0137	Vol 2	59
0140	Vol 1	53 - Vol 2 59
0141	Vol 1	53 - Vol 2 59
0142	Vol 1	53 - Vol 2 59
0151	Vol 1	53 - Vol 2 59
0152	Vol 1	53 - Vol 2 59
0153	Vol 1	53 - Vol 2 59
0155	Vol 1	52 - Vol 2 58
0157	Vol 1	52 - Vol 2 58
0162	Vol 1	52 - Vol 2 58
0164	Vol 1	52 - Vol 2 58
0167	Vol 1	52 - Vol 2 58
0171	Vol 2	66
0172	Vol 2	66
0173	Vol 2	66
0176	Vol 1	64
0177	Vol 1	64
0178	Vol 1	64
0182	Vol 1	62
0185	Vol 1	62
0187	Vol 1	62
0193	Vol 1	63
0196	Vol 1	63
0260	Vol 1	436
0270	Vol 1	120
0275	Vol 1	120
0299	Vol 1	129
0300	Vol 1	129
0301	Vol 1	129
0302	Vol 1	129
0303	Vol 1	129
0309	Vol 1	129
0310	Vol 1	129
0311	Vol 1	129
0312	Vol 1	129
0315	Vol 1	142
0320	Vol 1	132
0325	Vol 1	132
0330	Vol 1	132
0338	Vol 1	132
0347	Vol 1	138
0348	Vol 1	138
0361	Vol 1	138
0374	Vol 1	143
0375	Vol 1	143
0376	Vol 1	142
0377	Vol 1	142
0378	Vol 1	143
0700	Vol 1	429
0712	Vol 1	429
0720	Vol 2	311
0721	Vol 2	311
0820	Vol 1	204
0825	Vol 1	210
0827	Vol 1	210
0830	Vol 1	210
0832	Vol 1	210
0835	Vol 1	210
0837	Vol 1	210
0840	Vol 1	210
0845	Vol 1	210
0847	Vol 1	210
0850	Vol 1	210
0860	Vol 1	210
0862	Vol 1	210
0865	Vol 1	210
0867	Vol 1	210
0870	Vol 1	210
0872	Vol 1	210
0875	Vol 1	210
0877	Vol 1	210
0920	Vol 1	216
1154	Vol 2	215
1155	Vol 2	215
1160	Vol 2	41 - 215
1170	Vol 2	41 - 215
1510	Vol 1	158
1527	Vol 1	158
1530	Vol 1	158
1540	Vol 1	159
1550	Vol 1	159
1560	Vol 1	159
1570	Vol 1	159
1575	Vol 1	150
1580	Vol 1	150
1585	Vol 1	150
1590	Vol 1	150
1650	Vol 1	423
1655	Vol 1	423
1660	Vol 1	423
1670	Vol 1	423
1675	Vol 2	266
1680	Vol 2	266
1685	Vol 2	266
1686	Vol 2	266
1690	Vol 2	266
1692	Vol 2	266
1694	Vol 2	266
1720	Vol 2	98
1722	Vol 2	98
1725	Vol 2	98
1727	Vol 2	98
1728	Vol 2	102
1729	Vol 2	108
1730	Vol 2	102
1732	Vol 2	108
1735	Vol 2	102
1737	Vol 2	108
1740	Vol 2	102
1742	Vol 2	108
1745	Vol 2	102
1747	Vol 2	108
1755	Vol 2	104
1757	Vol 2	104
1760	Vol 2	112 - 353
1762	Vol 2	112 - 353
1765	Vol 2	112 - 353
1767	Vol 2	112 - 353
1770	Vol 2	352
1772	Vol 2	352
1774	Vol 2	352
1780	Vol 1	466
1800	Vol 1	12
1805	Vol 1	12
1810	Vol 1	12
1815	Vol 1	12
1820	Vol 1	12
1825	Vol 1	12
1830	Vol 1	12
1835	Vol 1	12
1840	Vol 1	12
1845	Vol 1	12
1850	Vol 1	13
1855	Vol 1	13
1860	Vol 1	13
1865	Vol 1	13
1870	Vol 1	13
1875	Vol 1	13
1880	Vol 1	13
2012	Vol 2	174 - 302
2013	Vol 2	174 - 302
2014	Vol 2	174
2110	Vol 1	186
2111	Vol 1	186
2112	Vol 1	186
2113	Vol 1	186
2120	Vol 1	186
2121	Vol 1	186
2122	Vol 1	186
2141	Vol 1	193
2142	Vol 1	193
2143	Vol 1	193
2155	Vol 1	184
2165	Vol 1	190
2167	Vol 1	190
2260	Vol 2	292
2262	Vol 2	292
2263	Vol 2	292
2270	Vol 1	115
2272	Vol 1	115
2277	Vol 1	115
2282	Vol 1	114
2288	Vol 1	114
2292	Vol 2	171
2298	Vol 2	171
2330	Vol 1	222
2331	Vol 1	222
2332	Vol 1	222
2333	Vol 1	222
2340	Vol 1	220
2341	Vol 1	220
2342	Vol 1	220
2343	Vol 1	220
2350	Vol 1	226
2351	Vol 1	226
2355	Vol 1	228
2356	Vol 1	228
2360	Vol 2	338
2500	Vol 1	164
2501	Vol 1	164
2502	Vol 1	164
2510	Vol 1	164
2511	Vol 1	164
2515	Vol 1	164
2516	Vol 1	164
2600	Vol 2	273
2602	Vol 2	273
2610	Vol 2	273
2612	Vol 2	273
2615	Vol 2	273
2617	Vol 2	273
2630	Vol 2	180
2632	Vol 2	180
2634	Vol 2	180
2640	Vol 2	180
2642	Vol 2	180
2645	Vol 2	180
2647	Vol 2	180
2800	Vol 2	466
2805	Vol 2	466
2810	Vol 2	466
2815	Vol 2	466
2820	Vol 2	466
2825	Vol 2	466
3225	Vol 1	370
3230	Vol 1	370
3235	Vol 1	24
3300	Vol 2	24 - 28
3303	Vol 2	24 - 28
3306	Vol 2	24 - 28
3310	Vol 2	24 - 28
3313	Vol 2	24 - 28
3316	Vol 2	24 - 28
3320	Vol 2	24 - 28
3323	Vol 2	24 - 28
3326	Vol 2	24 - 28
3330	Vol 2	24 - 28
3333	Vol 2	24 - 28
3336	Vol 2	24 - 28
3350	Vol 2	32
3353	Vol 2	32
3360	Vol 2	34
3363	Vol 2	34
3500	Vol 2	80
3503	Vol 2	80
3505	Vol 2	80
3508	Vol 2	80
3510	Vol 2	80
3513	Vol 2	80
3515	Vol 2	80
3518	Vol 2	80
3530	Vol 2	84
3533	Vol 2	84
3535	Vol 2	84
3538	Vol 2	84
3540	Vol 2	84
3543	Vol 2	84
3550	Vol 2	86
3553	Vol 2	86
3555	Vol 2	86
3558	Vol 2	86
3560	Vol 2	86
3563	Vol 2	86
3565	Vol 2	86
3568	Vol 2	86
3575	Vol 2	88
3578	Vol 2	88
3580	Vol 2	88
3583	Vol 2	88
3585	Vol 2	88
3588	Vol 2	88
3605	Vol 2	90
3608	Vol 2	90
3610	Vol 2	90
3613	Vol 2	90
3700	Vol 2	260
3702	Vol 2	260
3704	Vol 2	260
3706	Vol 2	260
3710	Vol 2	260
3714	Vol 2	260
3716	Vol 2	260
3718	Vol 2	260
3720	Vol 1	172
3724	Vol 1	172
3726	Vol 1	172
3728	Vol 1	172
3730	Vol 1	172
3734	Vol 1	174
3736	Vol 1	174
3760	Vol 2	118
3764	Vol 2	118
3900	Vol 2	204
3905	Vol 2	204
3910	Vol 2	204
3915	Vol 2	204
3920	Vol 1	180
3925	Vol 1	180
3930	Vol 1	180
3935	Vol 1	180
4057	Vol 2	428
4062	Vol 2	428
4067	Vol 2	428
4072	Vol 1	232 - Vol 2 428
4077	Vol 1	232 - Vol 2 428
4078	Vol 1	232 - Vol 2 428
4101	Vol 2	432
4106	Vol 2	432
4108	Vol 2	432
4112	Vol 2	443
4114	Vol 2	443
4116	Vol 2	443
4118	Vol 2	443
4125	Vol 2	410
4130	Vol 2	410
4135	Vol 2	410
4136	Vol 2	410
4270	Vol 1	471 - Vol 2 387
4275	Vol 1	471 - Vol 2 387
4440	Vol 2	190
4442	Vol 2	190
4452	Vol 2	190
4454	Vol 2	190
4460	Vol 2	190
4500	Vol 2	315 - 392
4501	Vol 2	315 - 392
4504	Vol 2	315 - 392
4506	Vol 2	315 - 392
4508	Vol 2	315 - 392
4510	Vol 2	400
4516	Vol 2	400
4539	Vol 2	400
4540	Vol 2	400
4625	Vol 2	406
4630	Vol 2	406
4635	Vol 2	406
4640	Vol 2	406
4660	Vol 2	251
4662	Vol 2	251
4665	Vol 2	251
4670	Vol 2	251
4675	Vol 2	251
4680	Vol 2	255 - 376
4684	Vol 2	370
4688	Vol 2	370
4695	Vol 2	370
4697	Vol 2	370
4700	Vol 2	370
4702	Vol 2	370
4710	Vol 2	452
4715	Vol 2	452
4720	Vol 2	452
4780	Vol 2	448
4785	Vol 2	448
4800	Vol 2	421
4801	Vol 2	421
4802	Vol 2	421
4803	Vol 2	421
4804	Vol 2	420
4805	Vol 2	420
4810	Vol 2	420
4811	Vol 2	420
4812	Vol 2	420
4820	Vol 2	421
4870	Vol 2	11
4871	Vol 2	17
4872	Vol 2	11
4873	Vol 2	17
4874	Vol 2	11
4875	Vol 2	17
4876	Vol 2	11
4877	Vol 2	17
4878	Vol 2	11
4879	Vol 2	17
4880	Vol 2	11
4881	Vol 2	17
4895	Vol 1	452
4896	Vol 1	452
4900	Vol 1	452
4901	Vol 1	452
4905	Vol 1	452
4906	Vol 1	452
4925	Vol 1	125
4926	Vol 1	125
4960	Vol 1	442
4965	Vol 1	442
4970	Vol 1	442
4987	Vol 1	92
5189	Vol 1	402
5190	Vol 1	402
5191	Vol 1	402
5192	Vol 1	402
5410	Vol 2	195 - 322
5412	Vol 2	195 - 322
5425	Vol 2	322
5427	Vol 2	322
5430	Vol 2	195
5432	Vol 2	195
5435	Vol 2	195
5437	Vol 2	195
5470	Vol 2	327
5471	Vol 2	327
5472	Vol 2	327
5474	Vol 2	327
5476	Vol 2	327
5480	Vol 2	327
5481	Vol 2	327
5485	Vol 2	327
5486	Vol 2	327
5487	Vol 2	327
5491	Vol 2	327
5495	Vol 1	392
5496	Vol 1	392
5497	Vol 1	392
5500	Vol 1	399
5505	Vol 1	399
5510	Vol 1	399
5515	Vol 1	399
5520	Vol 1	198
5525	Vol 1	198
5580	Vol 1	362
5585	Vol 1	362
5590	Vol 1	362
5595	Vol 1	362
5605	Vol 1	416
5620	Vol 1	416
5630	Vol 2	333
5660	Vol 1	266
5662	Vol 1	266
5664	Vol 1	266
5666	Vol 1	416
5670	Vol 1	266
5672	Vol 1	266
5674	Vol 1	266
5720	Vol 1	377
5725	Vol 1	377
5730	Vol 1	18
5756	Vol 2	231
5757	Vol 2	231
5758	Vol 2	231
5759	Vol 2	231
5760	Vol 2	231
5761	Vol 2	231
5762	Vol 2	231
5763	Vol 2	231
5764	Vol 2	231
5765	Vol 2	231
5766	Vol 2	231
5767	Vol 2	231
5770	Vol 1	238
5772	Vol 1	238
5774	Vol 1	238
5776	Vol 1	238
5778	Vol 1	238
5780	Vol 1	238
5905	Vol 2	74
5910	Vol 2	74
5915	Vol 2	74
5920	Vol 2	74
5922	Vol 2	74
5924	Vol 2	74
5926	Vol 2	74
5930	Vol 1	98
5935	Vol 1	98
5940	Vol 1	98
5945	Vol 1	410
5950	Vol 1	410
5955	Vol 1	410
5957	Vol 1	410
5965	Vol 1	410
5970	Vol 1	410
5972	Vol 1	410
5975	Vol 2	186 - 240
5977	Vol 2	186 - 240
5979	Vol 2	186 - 240
5981	Vol 2	187 - 240
5983	Vol 2	187 - 240
5985	Vol 2	187 - 240
5987	Vol 2	241

Model	Vol	Page
5989	Vol 2	241
5991	Vol 2	241
5993	Vol 2	241
5995	Vol 2	241
6006	Vol 1	433
6007	Vol 1	433
6011	Vol 1	433
6012	Vol 1	433
6040	Vol 2	306
6041	Vol 2	306
6045	Vol 2	306
6046	Vol 2	306
6095	Vol 2	200
6100	Vol 2	200
6105	Vol 2	200
6160	Vol 1	104
6165	Vol 1	104
6200	Vol 1	346
6205	Vol 1	346
6210	Vol 1	346
6215	Vol 1	346
6220	Vol 1	346
6225	Vol 1	346
6230	Vol 1	346
6235	Vol 1	346
6240	Vol 1	346
6245	Vol 1	346
6250	Vol 1	347
6255	Vol 1	347
6260	Vol 1	347
6265	Vol 1	347
6270	Vol 1	347
6275	Vol 1	347
6280	Vol 1	347
6285	Vol 1	347
6330	Vol 2	126 - 224
6331	Vol 2	126 - 224
6332	Vol 2	126 - 224
6333	Vol 2	126 - 224
6335	Vol 2	126 - 224
6340	Vol 2	126 - 224
6341	Vol 1	480
6343	Vol 1	480
6346	Vol 1	480
6348	Vol 1	480
6361	Vol 1	480 - Vol 2 224
6363	Vol 1	480 - Vol 2 224
6365	Vol 1	480 - Vol 2 224
6370	Vol 1	480 - Vol 2 224
6414	Vol 2	287
6416	Vol 2	287
6418	Vol 2	287
6434	Vol 1	84
6436	Vol 1	84
6438	Vol 1	84
6444	Vol 2	283
6446	Vol 2	283
6474	Vol 1	88
6476	Vol 1	88
6500	Vol 1	259 - Vol 2 143
6504	Vol 1	259 - Vol 2 143
6510	Vol 1	259 - Vol 2 143
6514	Vol 1	259 - Vol 2 143
6520	Vol 1	259 - Vol 2 143
6524	Vol 1	259 - Vol 2 143
6525	Vol 1	259 - Vol 2 143
6528	Vol 1	259 - Vol 2 143
6529	Vol 1	259 - Vol 2 143
6530	Vol 1	259 - Vol 2 143
6534	Vol 1	259 - Vol 2 143
6538	Vol 1	259 - Vol 2 143
6540	Vol 1	258 - Vol 2 145
6542	Vol 1	258 - Vol 2 145
6560	Vol 1	263 - Vol 2 147
6561	Vol 1	263 - Vol 2 147
6570	Vol 1	263 - Vol 2 147
6571	Vol 1	263 - Vol 2 147
6575	Vol 1	262 - Vol 2 146
6576	Vol 1	262 - Vol 2 146
6580	Vol 1	263 - Vol 2 147
6581	Vol 1	263 - Vol 2 147
6583	Vol 1	263 - Vol 2 147
6584	Vol 1	263 - Vol 2 147
6586	Vol 1	263 - Vol 2 147
6587	Vol 1	263 - Vol 2 147
6590	Vol 1	262 - Vol 2 146
6591	Vol 1	262 - Vol 2 146
6600	Vol 2	152
6604	Vol 2	152
6610	Vol 2	156
6614	Vol 2	156
6620	Vol 2	160
6624	Vol 2	160
6630	Vol 2	156
6634	Vol 2	156
6640	Vol 2	160
6644	Vol 2	160
6650	Vol 2	152
6654	Vol 2	152
6658	Vol 2	152
6660	Vol 2	156
6664	Vol 2	156
6668	Vol 2	156
6670	Vol 2	160
6674	Vol 2	160
6678	Vol 2	160
6680	Vol 2	156
6684	Vol 2	156
6688	Vol 2	156
6690	Vol 2	160
6694	Vol 2	160
6698	Vol 2	160
6700	Vol 2	166
6702	Vol 2	166
7310	Vol 1	72
7313	Vol 1	72
7316	Vol 1	72
7320	Vol 1	73
7323	Vol 1	73
7326	Vol 1	73
7338	Vol 1	387
7339	Vol 1	387
7348	Vol 1	387
7350	Vol 1	73
7353	Vol 1	73
7356	Vol 1	73
7360	Vol 1	78
7361	Vol 1	78
7363	Vol 1	78
7364	Vol 1	78
7365	Vol 1	78
7366	Vol 1	78
7368	Vol 1	78
7369	Vol 1	78
7375	Vol 1	387
7376	Vol 1	387
7378	Vol 1	387
7379	Vol 1	387
7400	Vol 1	458
7402	Vol 1	458
7404	Vol 1	458
7415	Vol 2	298
7450	Vol 1	31
7455	Vol 1	31
7460	Vol 1	31
7470	Vol 1	31
7475	Vol 1	31
7480	Vol 1	382
7485	Vol 1	382
7487	Vol 1	382
7490	Vol 1	382
7492	Vol 1	382
7494	Vol 1	382
7749	Vol 2	276
7750	Vol 2	276
7751	Vol 2	276
7752	Vol 2	276
7753	Vol 2	276
7940	Vol 2	318
7942	Vol 2	318
A146	Vol 1	54 - Vol 2 60
A147	Vol 1	54 - Vol 2 60
A352	Vol 1	50 - Vol 2 56
A353	Vol 1	50 - Vol 2 56
A354	Vol 1	50 - Vol 2 56
A355	Vol 1	50 - Vol 2 56
A356	Vol 1	50 - Vol 2 56
A357	Vol 1	50 - Vol 2 56
A358	Vol 1	50
A359	Vol 1	50
A360	Vol 1	50
A361	Vol 1	50
A362	Vol 1	50
A363	Vol 1	50
A364	Vol 1	50
A365	Vol 1	50
A366	Vol 1	50
A367	Vol 1	50
A368	Vol 1	50
A369	Vol 1	50
A370	Vol 1	50
A371	Vol 1	50
A372	Vol 1	50
A373	Vol 1	50
A374	Vol 1	50
A375	Vol 1	50
A376	Vol 1	50
A377	Vol 1	50
A378	Vol 1	50
A379	Vol 1	50
A380	Vol 1	50
A381	Vol 1	50
A382	Vol 1	50
A383	Vol 1	50
A384	Vol 1	50
A385	Vol 1	50
A386	Vol 1	50
A387	Vol 1	50
A388	Vol 1	50
A389	Vol 1	50
A390	Vol 1	50
A391	Vol 1	50
A392	Vol 1	50
A393	Vol 1	50
A414	Vol 2	140
A415	Vol 2	140
A416	Vol 2	140
A417	Vol 1	260
A418	Vol 1	260
A419	Vol 1	260
A420	Vol 1	260
A421	Vol 1	260
A422	Vol 1	260
A423	Vol 1	260
A424	Vol 1	260
A425	Vol 1	260
A439	Vol 1	362
A440	Vol 1	362
A491	Vol 2	140
A492	Vol 2	140
A493	Vol 2	140
Match	Vol 1	168

Photography: © David Zarzoso
(Page 7)

Architecture: Objekt Architecten
(Page 15)

Photography: José Hevia
(Page 21)

Photography: Ypsilon Business
Architecture: Objekt Architecten
(Page 22)

Photography: © David Zarzoso
(Page 30)

CO Arquitectura and Altointeriorismo
(Page 31)

Photography: Jesús Granada
(Page 35)

Architecture: Marià Castelló
@mcastello_arch
(Page 37, 38, 75, 157, 222, 313, 375, 377, 390, 391, 419, 426 and 444)

Photography: @fotografadearquitectura
Architecture: DG Estudio
@dg_arquitecto_estudio
@at4_grupo
@m_madentia
@schottenwood
@mobalco.vlc
(Page 47)

Photography: @fotografiadearquitectura
Architecture: studioLucus
@studio_lucus
Francés Construcciones
@frances.construcciones
(Page 48)

Photography: @fotografadearquitectura
Architecture: R21 Arkitekter
@r21arkitekter
Constructor Saulius Balsevicius
@gravitas_bygg_as
(Page 49)

Architecture: César Béjar
(Page 52)

Photography: @fotografadearquitectura
Architect: Andrea Pons
@andreaponsarquitectura
(Page 53)

Zentrum la Garriga
(Page 117)

CO Arquitectura and Altointeriorismo
(Page 122)

Photography: Fernando Alda
Architecture: Inmaculada González, Harald Schönegger
Project: Private house in Seville.
(Page 125)

Project: Pugets
Architecture: Lorenzo Zandri © 2021
@lorenzozandri Bancau Architectes
(Page 131)

Photography: @fotografadearquitectura
Architecture: Ramón Esteve Estudio
(Page 132)

Photography: Perry Cheung
Project: Francesc Rifé
(Page 135)

Photography: Alejandra Urquiza
(Page 137)

Photography: Marc Tey
(Page 166)

Photography: Fernando Guerra
http://ultimasreportagens.com
(Page 169)

Photography: João Fôja & Eduardo Nascimento
Do mal o menos
www.domalomenos.com
(Page 175)

Photography: Joe Fletcher
Architecture: Garcia Tamjidi
(Page 178)

CO Arquitectura and Altointeriorismo
(Page 199)

Photography: Jesús Granada
(Page 207)

Photography: Raúl Candales
Project: VIVE ESTUDIO
(Page 219 and 351)

Photography: Luis Díaz
(Page 221)

Project: Neiheiser Argyros: Grid House
Architecture: Lorenzo Zandri © 2021
@lorenzozandri
(Page 223)

Photography: Jeremy Bittermann / JBSA
Interior designer: Nils Van der Celen
(Page 247)

Photography: Fernando Alda
Architects: Donaire Barbero, Juan Pedro, Isabel López Vilalta, Sandra Tarruella
(Page 249)

Photography: Aleix Bagué
(Page 254)

@M114
@cotlin.barcelona
nanimarquina.com (Page 279)

Artwork @Claudia Valsells
courtesy of @Alzueta_ Gallery
(Page 284)

Photography: Sandra Rojo
Architecture: Thisispaper Studio
(Page 284)

Zentrum la Garriga
(Page 308)

Photography: Ricardo Gonçalves
Architecture: Aboim Inglez Arquitectos
(Page 328)

Architect: Cristina Soler from Arquemo
Photography: Enric Badrinas
(Page 332 and 335)

MR.P Studios
(Page 343)

Bernadí Hub
www.bernadi.es
(Page 367)

Fieldwork Design
Photography: Jeremy Bittermann / JBSA
(Page 368 and 460)

Photographer: Ricardo Gonçalves
www.ricardogoncalves.pt
Architecture: Aboim Inglez Arquitectos
(Page 389)

Nacho Carbó
Photography: Mariela Apollonio
(Page 434)

Architecture: Ideo Arquitectura
Photography: Salva López
(Page 439)

Unterlandstättner Architekten
www.u-architekten.de
Photography: Michael Heinrich
(Page 459)

Vibia Lighting, S.L.U.

Spain & Portugal T. +34 934 796 970
International T. +34 934 796 971
hello@vibia.com
www.vibia.com

Shaping Atmospheres

We put people at the centre of everything we do; we aim to improve lives by helping professionals create better spaces for everyone to enjoy.
This purpose is shared across the entire space-design ecosystem.

We aim to lead a new approach to lighting, focused on people's emotions, elevating interior design as a fundamental discipline for the cultivation of wellbeing.

vibia.com